

2022/23

User Guide	4-5
Gastronorm Containers	6

BAR EQUIPMENT

Mini Bars	8-9
Under Counter Bottle Coolers	10-15
Upright Bottle Coolers	16-18
Beer Dumps	19
Glass Frosters	20-21
Wine Cabinets	24-27
Integral Ice Makers	29-33
Modular Ice Makers	34-35

STORAGE EQUIPMENT

Under Counter Refrigeration	39-41
Upright Refrigeration	42-57
Refrigerated Workstation	61
Compact Storage Counters	62-65
Compact Prep Counters	66-67
Compact Saladettes	68-70
Compact Display Saladettes	71-73
Compact Pizza Prep Counters	74
Slim Line Storage Counters	75-76
Storage Counters	77-81
Glass Door Storage Counters	82-83
Prep Counters	84-85
Low Height Snack Counters	86-87
Pizza Prep Counters	88-90
Prep Top Units	95
Blast Chillers	97
Chest Freezers	98-100

DISPLAY EQUIPMENT

Upright Glass Door Merchandisers	103-104
Upright Glass Door Refrigerators & Freezers	105-110
Display Freezers	112-115
Ice Cream Display	117-120
Grab & Go Merchandisers	122-123
Low Height Merchandiser	124-125
Upright Slim Line Multi-Deck	126-129
Upright Multi-Deck	130
Upright Lockable Multi-Deck	131-132
Counter Top Refrigeration	135-136
Counter Top Merchandisers	137-141
Freestanding Patisserie Display	143-147
Serve Over Counters	149-154
Mafirol Custom Counter Solutions	157-161

COOKING EQUIPMENT

Microwaves	163-164
Convection Ovens	165
Pizza Ovens	166
Induction Hobs	167
Salamander Grills	168
Toasters	169-170
Grills & Griddles	171-172
Fryers	173-175
Planetary Mixers	176
Combination Ovens	177

SERVICE EQUIPMENT

Catering Urns	181
Water Boilers	182
Counter Top Bain Maries	184-186
Freestanding Bain Maries	188-189
Heated Cupboards & Gentries	191-192

WAREWASHING EQUIPMENT

Storm Range	195-197
Aqua Range	198-199
Dupla Range	200
Hood Range	201

PHARMACEUTICAL EQUIPMENT

Under Counter Refrigeration	204
Upright Refrigeration	205
Low Temperature Chest Freezers	206

USER GUIDE


After collecting **feedback on previous Pentland Wholesale product guides**, we have made the decision to implement various changes in order to better facilitate its use.

Below you will find a short explanation of what each part of the **NEW** product guide is and how we hope it will help going forward.


We have looked to **simplify** each product page allowing more of the product to be showcased while maintaining information previously presented.

Line drawings have been expanded to include **ALL** models of products shown and are now found at the end of each category section.

1 PIZZA PREP COUNTERS



2 

3 

4 

5 **Blizzard**

6 **PIZZA PREP COUNTERS WITH NEUTRAL DRAWERS**

Prep, prove, store & more with the BPB range from Blizzard. The 7N variation comes with seven neutral drawers as standard for easy storage of dough. Equipped with one adjustable shelf per door and ventilated cooling, you will learn to love all aspects of this granite topped multipurpose unit.

Featuring self-closing door(s) with a 'stay open' facility, heavy duty castors as standard and dixell controller, allowing for easy adjustment of temperature.


7

MODEL	DOORS	DOOR CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	WATT/ANNUUM	POWER	WEIGHT (kg)
BPB1500-7N	1	390L	R290	+2°C ~ +8°C	H990 x W1515 x D800	A	215W	473		218
BPB2000-7N	2	580L	R290	+2°C ~ +8°C	H990 x W2025 x D800	B	215W	785		396

8 **9**

10 

11



1 **Product Category** - The category that this product falls under in our contents page & website.

2 **Feature Icons** - Features of the product such as warranty and lighting are listed. Find definitions of these on the next page.

3 **Featured Image** - Example of the products listed on this page, exact product code is shown in the annotation box.

4 **Product Highlights** - Various images showcasing key details of the products listed on this page.

5 **Product Brand** - The brand associated with the product. Search this on our website for other similar products.

6 **Product Description** - Full written description of the product and its features. Find the bullet pointed description on our website.

7 **Product Table** - Table consisting of each variation of the product along with other key bits of information such as dimensions, number of shelves etc. Use this product code on our website to find out further information or place an order.

8 **Energy Rating** - All units that require an energy rating under the Eco Design directive will be displayed here.

9 **Power Supply** - Icon showing the power supply required for each product. Find definitions of these on the next page.

10 **QR Code** - Scan the QR code on the page to be directed to the products on the website for more information/pricing.

11 **Line Drawings** - Found at the end of each section. Show full drawings of each unit shown in the previous section.

WARRANTY KEY



1 Year Warranty - All our units come as standard with 1 year warranty.



2 Year Warranty - Units with this symbol come as standard with 2 year warranty.



3 Year Warranty - Our top level of warranty offers up to 3 years cover on our products.

PRODUCT FEATURES KEY



New Product - Units with this symbol are new additions to the Pentland Wholesale product guide.



Integrated Lighting - Units with this symbol have integrated LED lighting as standard.



Castors - Units with this symbol have castors fitted as standard OR can be fitted as an optional extra for an added cost.



Unit Assembly - Due to the size or material of the unit, some construction on site will be required. Contact sales for more information.



Special Order Unit - Units with this symbol are available by special order only, with longer lead times. Contact sales for more information.



Climate Class - Look out for the climate class symbol on each product.

POWER REQUIREMENTS KEY



13amp Power Supply - Units with this symbol are powered by a 13amp plug. This icon can sometimes be shown twice to signify the need for dual 13amp plugs.



15amp Power Supply - Units with this symbol are powered by a 15amp supply. Please ensure this is fitted prior to delivery.



16amp Power Supply - Units with this symbol are powered by a 16amp supply. Please ensure this is fitted prior to delivery.



20amp Power Supply - Units with this symbol are powered by a 20amp supply. Please ensure this is fitted prior to delivery.



25amp Power Supply - Units with this symbol are powered by a 25amp supply. Please ensure this is fitted prior to delivery.



30amp Power Supply - Units with this symbol are powered by a 30amp supply. Please ensure this is fitted prior to delivery.




3 Phase Power Supply - Units with this symbol are powered by a 3 phase power. Please ensure this is fitted prior to delivery.

ENERGY RATING KEY



Eco Design Directive - In line with the eco design and energy labelling regulations most of our refrigeration units include an energy efficiency rating from A+++ to G. Pentland Wholesale is working closely with our suppliers to ensure all units we supply conform to the new standards initiated in 2021.

QR CODE INTEGRATION



In an attempt to better integrate our digital and physical presence, we have included **QR codes** on all product pages within this product guide to allow for easy transition online.


Upon scanning these codes, you will be redirected to a **Pentland Wholesale web page** that includes all the products that feature on that specific page of the product guide.

From here you can **view more images, check pricing, download digital assets, generate custom product cards** and so much more!



STAINLESS STEEL GASTRONORM CONTAINERS

Coming in a variety of styles and sizes the GN range from Blizzard is the perfect addition to any gastronorm based storage unit! Built from high quality stainless steel these food safe containers are ideal for storing product for both short and long periods of time and thanks to their high shine, simple finish, are easy to clean too! Why not pick up GN lids and spacer bars too and have the perfect custom storage solution!



SCAN FOR
MORE INFO





BAR EQUIPMENT

**Mini Bars | Under Counter Bottle Coolers | Upright Bottle Coolers
Beer Dumps | Wine Coolers | Ice Machines**

Whether a hotel room mini bar or a full-scale pub fit-out, we have all the bar equipment you could possibly need. Chill your drinks in one of our back-bar coolers before they're poured onto ice made in one of our ice makers. We only stock the very best bar equipment to ensure ultimate product satisfaction.

BMB40



MATTE BLACK SOLID DOOR MINI BAR

If you're looking for the perfect low profile, high storage mini bar - look no further! With its sleek matt black finish, easy clean white ABS interior and silent operation, this mini bar is the perfect fit for any hotel room or back bar set up.

Maximising usable storage with the addition of shelving to the reversible door as well as internal lighting from above you can ensure your product is easy to view when it's not locked away behind the included door lock, which is fitted as standard on all units.

MODEL	GROSS CAPACITY	SHELVES SUPPLIED	DOOR SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUUM	POWER	WEIGHT (kg)
BMB30	30L	1	2	NH ₃	+2°C ~ +8°C	H480 x W400 x D420		65W	270		14.6
BMB40	40L	2	2	NH ₃	+2°C ~ +8°C	H550 x W400 x D440		65W	272		16.6

SCAN FOR
MORE INFO



BMB40G



GLOSS BLACK GLASS DOOR MINI BAR

There's only one way to make a high storage silent mini bar better and that's to give it a glass door! Showcasing your product in full view the double-glazed glass door BMB range allows the user to see directly into the fridge without compromising on storage space and maintaining the fantastic features found in its solid door counterpart.

With an optional modification to allow the LED lighting to be on continuously you can make your mini bar stand out in any space no matter how small.

MODEL	GROSS CAPACITY	SHELVES SUPPLIED	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/AN- NUM	POWER	WEIGHT (kg)
BMB30G	30L	1	NH ₃	+5°C ~ +12°C	H480 x W400 x D420	G	65W	277	■ ■ ■	16.6
BMB40G	40L	2	NH ₃	+5°C ~ +12°C	H550 x W400 x D440	G	65W	285	■ ■ ■	18.8

SCAN FOR
MORE INFO





VESTFROST
SOLUTIONS

COMPACT UV FILTERED GLASS DOOR BOTTLE COOLER

Make your bottle cooler, part of the display. The Vestfrost compact coolers might be small, but are capable of great things. Featuring a tinted glass door with a UV filter, three adjustable metal shelves and a user-friendly digital controller with temperature display. The units' exterior is black laminated with an aluminium handle.

Interior LED lighting further enhances the modern design of the unit, making it not only a stylish but a smart choice for any space sensitive back bar.

MODEL	GROSS CAPACITY	CAPACITY 330ml CANS	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUUM	POWER	WEIGHT (kg)
M85	125L	115	R600a	+2°C ~ +10°C	H830 x W493 x D587	B	96W	182	⬆	44
M95	155L	140	R600a	+3°C ~ +18°C	H820 x W595 x D575	B	100W	182	⬆	53

SCAN FOR
MORE INFO



KBC1


koldbox

STANDARD HINGED & SLIDING DOOR BOTTLE COOLER

If you're looking for a straight to the point no thrills bottle cooler then the KBC range is the perfect option for a budget beating bargain! With a clean black exterior and stippled aluminium interior the unit fits seamlessly into any back bar, even while using its integrated LED lighting!

Coming as standard with 2 shelves per self-closing double glazed door this unit is an all-round perfect choice for the budget minded buyer!

MODEL	DOORS	GROSS CAPACITY (BOTTLES)	SHELVES SUPPLIED	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
KBC1	1	138L (135)	2	R600a	+4°C ~ +10°C	H900 x W600 x D520	F	150W	858	⬆	47
KBC2	2	218L (202)	4	R600a	+4°C ~ +10°C	H900 x W900 x D520	F	210W	990	⬆	73
KBC2SL	2	218L (202)	4	R600a	+4°C ~ +10°C	H900 x W900 x D520	F	210W	1011	⬆	73
KBC3	3	338L (338)	6	R600a	+4°C ~ +10°C	H900 x W1350 x D520	F	270W	1225	⬆	89
KBC3SL	3	338L (338)	6	R600a	+4°C ~ +10°C	H900 x W1350 x D520	F	270W	1260	⬆	89

OPTIONAL EXTRAS	DESCRIPTION
K8-SHELF	Shelf for KBC1
K8-SHELF01	Shelf for KBC2(SL) and KBC3(SL)
K8-SHELFCLIP	Shelf Clip for KBC range (4 required per shelf)

 SCAN FOR
MORE INFO




STANDARD HINGED & SLIDING DOOR BOTTLE COOLER

The star child of Blizzard, the BAR collection of bottle coolers offers excellent cooling & storage at a reasonable price. Available in both hinged and sliding doors, lockable as standard and comes with 2 shelves per door straight out of the box.

With its matte black exterior and aluminium stippled interior, the bottle cooler will seamlessly fit in to any back bar set up while utilising its switchable built in LED lighting to highlight product stored inside.

MODEL	DOORS	GROSS CAPACITY (BOTTLES)	SHELVES SUPPLIED	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
BAR1	1	128L (135)	2	R600a	+4°C ~ +12°C	H900 x W598 x D520	D	165W	527	⬆	44
BAR2	2	200L (202)	4	R600a	+4°C ~ +12°C	H900 x W903 x D520	D	185W	564	⬆	59
BAR2SL	2	200L (202)	4	R600a	+4°C ~ +12°C	H900 x W903 x D511	D	185W	580	⬆	59
BAR3	3	310L (338)	6	R600a	+4°C ~ +12°C	H900 x W1353 x D520	F	320W	1075	⬆	91
BAR3SL	3	310L (338)	6	R600a	+4°C ~ +12°C	H900 x W1353 x D511	F	320W	1119	⬆	91

OPTIONAL EXTRAS

DESCRIPTION

W4-SHELF05	Wine Shelf for BAR1
W4-SHELF06	Wine Shelf for BAR2/3
W4-SHELF07	Wine Shelf Middle for BAR3

SCAN FOR
MORE INFO





STAINLESS STEEL HINGED DOOR BOTTLE COOLER

Perfection level back bar storage combined with stunning looks thanks to its frontal stainless steel finish to make a strong statement in any bar. Available with hinged doors the BARSS range offers 2 adjustable shelves per door with self closing hinges as standard.

Add a little extra glitz to your bar with included internal LED's allowing the ultimate clean presentation of your product.

MODEL	DOORS	GROSS CAPACITY (BOTTLES)	SHELVES SUPPLIED	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
BAR1SS	1	128L (135)	2	R600a	+4°C ~ +12°C	H900 x W598 x D520	D	165W	527	⬆	48
BAR2SS	2	200L (202)	4	R600a	+4°C ~ +12°C	H900 x W903 x D520	D	185W	564	⬆	65
BAR3SS	3	310L (338)	6	R600a	+4°C ~ +12°C	H900 x W1353 x D520	F	320W	1075	⬆	95

OPTIONAL EXTRAS	DESCRIPTION
W4-SHELF01	Shelf for BAR1
W4-SHELF02	Shelf for BAR2(SL) and BAR3(SL)
W4-CLIP01	Shelf Clip for BAR Shelves (4 required per shelf)



SCAN FOR
MORE INFO



LOWBAR2


Blizzard™

LOW HEIGHT HINGED & SLIDING DOOR BOTTLE COOLER

The bestselling BAR range is available in a lower height unit without losing too much storage space internally. Including all major features of its full-sized siblings such as self-closing doors, LED lighting and 2 included shelves per door.

With its matte black exterior and aluminium stippled interior, the bottle cooler will seamlessly fit in to any back bar set up while utilising its switchable built in LED lighting to highlight product stored inside.

MODEL	DOORS	GROSS CAPACITY (BOTTLES)	SHELVES SUPPLIED	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
LOWBAR1	1	117L (108)	2	R600a	+4°C ~ +12°C	H840 x W598 x D520	E	125W	536	⬆	44
LOWBAR2	2	182L (168)	4	R600a	+4°C ~ +12°C	H840 x W903 x D520	D	140W	550	⬆	59
LOWBAR2SL	2	182L (168)	4	R600a	+4°C ~ +12°C	H840 x W903 x D511	E	140W	670	⬆	59
LOWBAR3	3	280L (276)	6	R600a	+4°C ~ +12°C	H840 x W1353 x D520	F	270W	1059	⬆	91
LOWBAR3SL	3	280L (276)	6	R600a	+4°C ~ +12°C	H840 x W1353 x D511	G	270W	1192	⬆	91

OPTIONAL EXTRAS

DESCRIPTION

W4-SHELF05	Wine Shelf for BAR1
W4-SHELF06	Wine Shelf for BAR2/3
W4-SHELF07	Wine Shelf Middle for BAR3

SCAN FOR
MORE INFO



ZX1



HINGED & SLIDING DOOR BOTTLE COOLER

The ZX range of bottle coolers from Infrico offer a high end and visually appealing option for your back bar set up. With both matte black and anodized aluminium doored variations, you can match almost any look to your bottle cooling equipment with relative ease.

Available in 1, 2 and 3 door variations the ZX range includes internal LED lighting, locks and adjustable feet as standard, these units are perfect to be built into a custom bar.

MODEL	DOORS	FINISH	GROSS CAPACITY (BOTTLES)	SHELVES SUPPLIED	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	POWER	WEIGHT (kg)
ZX1	1	Black	(144)	2	R134a	+4°C ~ +12°C	H900 x W600 x D520	-	325W	■ ■ ■	70
ZX2	2	Black	(218)	2	R134a	+4°C ~ +12°C	H900 x W900 x D520	-	350W	■ ■ ■	100
ZX2-SL	2	Black	(218)	2	R134a	+4°C ~ +12°C	H900 x W900 x D520	-	350W	■ ■ ■	100
ZX3	3	Black	(324)	2	R134a	+4°C ~ +12°C	H900 x W1350 x D520	-	425W	■ ■ ■	132
ZXS1	1	Aluminium	(144)	2	R134a	+4°C ~ +12°C	H900 x W600 x D520	-	325W	■ ■ ■	70
ZXS2	2	Aluminium	(218)	2	R134a	+4°C ~ +12°C	H900 x W900 x D520	-	350W	■ ■ ■	100
ZXS3	3	Aluminium	(324)	2	R134a	+4°C ~ +12°C	H900 x W1350 x D520	-	425W	■ ■ ■	132

OPTIONAL EXTRAS

DESCRIPTION

W3-502X27

Shelf for ZX1

W3-502X31

Shelf Flat for ZX2

E3-506X08

Shelf Clip (4 Required Per Shelf, Per Door)



SCAN FOR
MORE INFO



BAR20



STANDARD UPRIGHT HINGED DOOR BOTTLE COOLER

In need of more bar storage and display space than an undercounter can provide? The BAR upright collection offers superb value for money and maintains all the key selling points of their undercounter variants such as self-closing doors, internal LED lighting and adjustable shelving.

Coming in both a 1 door and 2 door variants with the option of both flat and scalloped wine shelves these units are perfect for any bar wall display.

MODEL	DOORS	GROSS CAPACITY (BOTTLES)	SHELVES SUPPLIED	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
BAR10	1	260L (324)	5	R290	+3°C ~ +10°C	H1815 x W600 x D515	E	268W	894	⏻	104
BAR20	2	417L (492)	10	R290	+3°C ~ +10°C	H1815 x W920 x D515	F	418W	1456	⏻	140

OPTIONAL EXTRAS

DESCRIPTION

X1-WINESHELF10	Wine Shelf For BAR10
X1-WINESHELF20	Wine Shelf For BAR20
X1-SHELFCLIP02	Clip shelf for BAR10 and BAR20

SCAN FOR
MORE INFO





STAINLESS STEEL UPRIGHT HINGED DOOR BOTTLE COOLER

If there was ever a unit to make a statement in a back bar set up its the BAR10SS & BAR20SS bottle coolers. With ample storage, LED lighting and not to forget the clean looking stainless steel fronted doors these units are sure to stand out in style.

Available in both a 1 door and 2 door variant with the option of both flat and scalloped wine shelves these units are perfect for any bar wall display.

MODEL	DOORS	GROSS CAPACITY (BOTTLES)	SHELVES SUPPLIED	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUUM	POWER	WEIGHT (kg)
BAR10SS	1	260L (324)	5	R290	+3°C ~ +10°C	H1815 x W600 x D515	E	268W	894	110	110
BAR20SS	2	417L (492)	10	R290	+3°C ~ +10°C	H1815 x W920 x D515	F	418W	1456	150	150

OPTIONAL EXTRAS	DESCRIPTION
X1-SHELF01	Left Hand Side Shelf for BAR20
X1-SHELF01R	Right Hand Side Shelf for BAR20
X1-SHELF02	Shelf for BAR10



SCAN FOR
MORE INFO



ZX20



UPRIGHT HINGED DOOR BOTTLE COOLER

The ZX range of bottle coolers from Infrico offer a high end and visually appealing option for your back bar set up. With both matte black and anodized aluminium doored variations, you can match almost any look to your bottle cooling equipment, with relative ease.

Available in 1 or 2 door variations the ZX range includes LED lighting, locks and adjustable feet as standard. All units come with 5 shelves per door straight out of the box.

MODEL	DOORS	FINISH	GROSS CAPACITY (BOTTLES)	SHELVES SUPPLIED	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	POWER	WEIGHT (kg)
ZX10	1	Black	(324)	5	R134a	+4°C ~ +12°C	H1800 x W600 x D520	-	380W	110	110
ZX20	2	Black	(492)	5	R134a	+4°C ~ +12°C	H1800 x W900 x D520	-	600W	157	157
ZXS10	1	Aluminium	(324)	5	R134a	+4°C ~ +12°C	H1800 x W600 x D520	-	380W	110	110
ZXS20	2	Aluminium	(492)	5	R134a	+4°C ~ +12°C	H1800 x W900 x D520	-	600W	157	157

OPTIONAL EXTRAS

DESCRIPTION

W3-502X27


Shelf for ZX10

E3-506X08

Shelf Clip (4 Required Per Shelf, Per Door)

SCAN FOR
MORE INFO





DEEP BODIED SLIDING TOP BEER DUMPS

The perfect solution for large scale refrigeration of bottled drinks in a clean and easy to access package. Available in both a matte white and stainless steel finishes, the EFP range offers storage for up to 360 standard 20cl bottles.

Further features include a stainless or galvanized steel interior dependant on model and an integrated fixed drain tube to the rear of the unit. **Please note** the installer should make provision for a connection to a drain outlet.

MODEL	LID	GROSS CAPACITY (BOTTLES)	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	POWER	WEIGHT (kg)
EFP1000SS	2	200L (180)	R600a	+3°C ~ +6°C	H880 x W1004 x D550	-	90W		61
EFP1500SS	3	305L (270)	R290	+3°C ~ +6°C	H880 x W1479 x D550	-	180W		91
EFP2000SS	4	415L (360)	R290	+3°C ~ +6°C	H880 x W1954 x D550	-	180W		110
EFP1000WH	2	200L (180)	R600a	+3°C ~ +6°C	H880 x W1004 x D550	-	90W		61
EFP1500WH	3	305L (270)	R290	+3°C ~ +6°C	H880 x W1479 x D550	-	180W		91
EFP2000WH	4	415L (360)	R290	+3°C ~ +6°C	H880 x W1954 x D550	-	180W		106

OPTIONAL EXTRAS	DESCRIPTION
T3-CASTORKIT1	Castor kit supply for EFP units
T3-CASTORKIT2	Castor kit supply & fitting for EFP units

SCAN FOR MORE INFO



GF140



UNDER COUNTER GLASS DOOR GLASS FROSTER

Finish of your drinks with a icy statement thanks to the Blizzard GF140. Part of the best selling UC-140 range this stainless steel bodied undercounter unit is the perfect fit for finishing off those ice cold beers and frozen cocktails.

Fitted as standard with a glass door for ease of viewing, adjustable shelving and feet and capable of reaching temperatures as low as -15°C you'll be hard done by to find a better value for money glass froster on the market.

MODEL	SHELVES	GROSS CAPACITY (GLASSES)	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
GF140	2	105L (112)	R600a	-5°C ~ -15°C	H819 x W598 x D613	135W		47

SCAN FOR
MORE INFO





ESC150CR



SOLID & GLASS DOOR GLASS FROSTER

Whether it's a perfect pint or a frosty mojito, the Infrico ESC glass froster range allows you ultimate control and space to add the finishing touches to any drink you serve.

Available in both solid and glass door variations the ESC range is made from high grade AISI 304 Stainless steel both inside and out with integrated internal LEDs. Rounded internal corners, removable shelving and replaceable door gaskets allow for the easiest possible cleaning and maintenance schedule.


MODEL	SHELVES	GROSS CAPACITY (GLASSES)	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
ESC150	2	(84)	R290	-5°C ~ -10°C	H850 x W570 x D600	375W		61
ESC150CR	2	(84)	R290	-5°C ~ -10°C	H850 x W570 x D600	390W		66




SCAN FOR
MORE INFO









INFRICO ZX1(SS)
H 900mm W 600mm D 520mm




INFRICO ZX2(SS)
H 900mm W 900mm D 520mm




INFRICO ZX2-SL
H 900mm W 900mm D 520mm




INFRICO ZX3(SS)
H 900mm W 1350mm D 520mm




BLIZZARD BAR10(SS)
H 1800mm W 600mm D 515mm




BLIZZARD BAR20(SS)
H 1800mm W 920mm D 515mm




INFRICO ZX10(SS)
H 1800mm W 600mm D 520mm




INFRICO ZX20(SS)
H 1800mm W 900mm D 520mm




INFRICO EFP1000SS(WH)
H 880mm W 1004mm D 550mm




INFRICO EFP1500SS(WH)
H 880mm W 1479mm D 550mm




INFRICO EFP2000SS(WH)
H 880mm W 1954mm D 550mm



BLIZZARD GF140
H 819mm W 598mm D 613mm




INFRICO ESC150
H 850mm W 570mm D 600mm



INFRICO ESC150CR
H 850mm W 570mm D 600mm

W32


VESTFROST
SOLUTIONS


UNDER COUNTER SMOKED GLASS WINE CABINET

Storing wine is a tricky business but Vestfrost has made it a little easier thanks to their dual temperature under counter wine cabinets. This smoked glass fronted wine cabinet allows wine to be stored at various temperatures thanks to its integrated digital controller with temperature display.

With adjustable wooden shelves for both practicality and style this unit really does look the part when paired with its matte black and brushed steel exterior.

MODEL	DOOR	SHELVES	CAPACITY (750ml BOTTLES)	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	KWH/ ANNUUM	POWER USAGE	POWER	NET WEIGHT (kg)
W32	1	6	32	R600a	TOP: +5°C ~ +10°C BOTTOM: +10°C ~ +18°C	H830 x W493 x D587	G	142	389W	■ ■	41
W38	2	12	38	R600a	LEFT: +5°C ~ +18°C RIGHT: +5°C ~ +18°C	H820 x W595 x D573	G	142	395W	■ ■	48
W45	1	5	45	R600a	TOP: +5°C ~ +10°C BOTTOM: +10°C ~ +18°C	H820 x W595 x D573	G	145	397W	■ ■	51

 SCAN FOR
MORE INFO

VESTFROST
SOLUTIONS

BLACK LAMINATED WINE CABINET WITH GLASS DOOR

The WFG wine cabinet range from Vestfrost offer a stylish and practical solution for your space. The black laminated exterior works beautifully with either smoked or clear glass door, and the adjustable wooden shelves. The WFG155 and 185 come with full LED lines built into the cabinet doorframe and offer a multi temperature setting.

Featuring a user-friendly digital controller with temperature display, dual or multi temperature settings and fan assisted cooling.

MODEL	GLASS	SHELVES	CAPACITY (750ml BOTTLES)	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	KWH/ ANNUUM	POWER USAGE	POWER	NET WEIGHT (kg)
WFG32	SMOKED	6	32	R600a	TOP: +5°C ~ +10°C BOTTOM: +10°C ~ +18°C	H830 x W493 x D587	G	142	389W	■ ■	41
WFG45	SMOKED	4	44	R600a	TOP: +5°C ~ +10°C BOTTOM: +10°C ~ +18°C	H820 x W595 x D573	G	145	397W	■ ■	48
WFG155	CLEAR	5	147	R600a	+5°C ~ +22°C	H1550 x W595 x D595	G	175	598W	■ ■	72
WFG185	CLEAR	6	197	R600a	+5°C ~ +22°C	H1850 x W595 x D595	G	175	598W	■ ■	85



SCAN FOR
MORE INFO



FZ365W


VESTFROST
SOLUTIONS

UPRIGHT WINE CABINET WITH UV FILTERED GLASS


The FZ one chamber wine cabinets from Vestfrost offer a unique solution to storing different types of wine within one unit. Thanks to its multi-temperature feature, set the FZ unit to two different temperatures and let the unit do the rest of the work!

Featuring adjustable wooden shelves, tinted UV filtering glass, internal illumination, reversible door temperature alarm and lock as standard the FZ wine cabinets really do have everything you could need and more!

MODEL	DOOR	SHELVES	CAPACITY (750ml BOTTLES)	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUUM	POWER	NET WEIGHT (kg)
FZ295W	1	5	147	R600a	+5°C ~ +22°C	H1550 x W595 x D595	G	200W	175	⏏	77
FZ365W	1	6	197	R600a	+5°C ~ +22°C	H1850 x W595 x D595	G	200W	175	⏏	90

 SCAN FOR
MORE INFO


WD400



UPRIGHT TINTED GLASS WINE COOLER WITH CASTORS

Ensure your wine is ready to serve without fail every time with the Blizzard WD400 wine cooler. With an adjustable temperature range between +5 to +18c you will have no problems storing your selected wine at the optimum temperature.

With triple glazed tinted glass on all 4 sides, curved front panel and stainless steel base this sleek looking unit fits in to any environment with ease, even more so thanks to its integrated castors fitted as standard.


MODEL	SHELVES	GROSS CAPACITY (BOTTLES)	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
WD400	9	400L (81)	R290	+5°C ~ +18°C	H1892 x W656 x D653	C	500W	2672		186

OPTIONAL EXTRAS	DESCRIPTION
B4-SHELF270	Flat Shelf For WD400




SCAN FOR
MORE INFO







VESTFROST W32
H 830mm W 493mm D 587mm




VESTFROST W38
H 820mm W 595mm D 573mm




VESTFROST W45
H 820mm W 595mm D 573mm




VESTFROST WFG32
H 830mm W 493mm D 587mm




VESTFROST WFG45
H 820mm W 595mm D 573mm




VESTFROST WFG155
H 1550mm W 595mm D 595mm




VESTFROST WFG185
H 1850mm W 595mm D 595mm



VESTFROST FZ295W
H 1550mm W 595mm D 595mm



VESTFROST FZ365W
H 1850mm W 595mm D 595mm



BLIZZARD WD400
H 1892mm W 656mm D 653mm

BIM40



NEW INTEGRAL ICE CUBE MAKER

With its sleek matte black and stainless steel construction the new BIM icemaker range is sure to be the focal point of any bar or restaurant. Producing squared ice that conforms to low UK water regulations it couldn't be any easier to get up and running with the integrated digital control panel and removeable condenser filter.

During its 10-20 minute ice cycles you can ensure you will never waste a drop of water with automatic cut off levels and easy viewing thanks to the internal LED lighting.

MODEL	PRODUCTION /24HRS (kg)	STORAGE (kg)	REFRIGERANT	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
BIM40	36	15	R290	H800 x W500 x D450	310W		40
BIM90	95	36	R290	H920 x W660 x D685	625W		66

OPTIONAL EXTRAS	DESCRIPTION
G2-STU	Universal stand (BIM40 only)
K6-PUMP010	External drain pump
F1-IXVENDKIT	Water filter kit



SCAN FOR
MORE INFO



K20



Whirlpool
CORPORATION

INTEGRAL SMALL FORM ICE MAKER

Don't wait around, the Whirlpool K20 ice maker is only available while stocks last and you wouldn't want to miss out on this incredible unit. With a 10kg polypropylene storage bin, stainless steel exterior and adjustable feet to ensure correct fitting it's the perfect addition to any space saving bar set up.

With ice cycles of just 17 minutes and a 24kg production level per 24 hours you're sure to have plenty enough ice for a busy Friday evening.

MODEL	PRODUCTION /24HRS (kg)	STORAGE (kg)	REFRIGERANT	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
K20	24	10	R134a	H590 x W555 x D535	400W		40

OPTIONAL EXTRAS	DESCRIPTION
G2-STU	Universal stand
F1-QL3	QL3 Head
F1-EHAP	EHA Fitting (2x Required)
F1-4H	4H Cartridge

SCAN FOR
MORE INFO





SIMAG

INTEGRAL CRUSHED ICE MACHINE

There's no better pairing than crushed ice and cocktails and that's why the simag SMI80 is the perfect addition to any budding cocktail wizards tools of the trade. With a residual water content of just 8% you can ensure your crushed ice sticks around and outlast most cubed and bullet ice.

Due to the fact the unit produces crushed ice from standard there's no need for noisy separate ice crushers to further add cost & complexity to your space.

MODEL	PRODUCTION /24HRS (kg)	STORAGE (kg)	REFRIGERANT	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
SMI80	85	25	R452a	H880 x W529 x D626	440W		59



SCAN FOR
MORE INFO



SDE84



SIMAG

SELF-CONTAINED ICE MAKERS

When choosing the perfect size ice machine is a priority there's no better option than the Simag SDE range. With sizing of up to 215kg per 24 hours you can be sure your ice production needs will be covered. Plus added extras such as low power and water consumption, built-in cleaning system and high grade 441 stainless steel bodywork.

MODEL	PRODUCTION /24HRS (kg)	STORAGE (kg)	REFRIGERANT	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
SDE18	18	4	R134a	H554 x W334 x D457	280W	☐	28
SDE24	24	6	R134a	H599 x W334 x D457	310W	☐	28
SDE30	30	6	R134a	H599 x W334 x D457	380W	☐	28
SDE34	32	10	R134a	H639 x W334 x D555	360W	☐	40
SDE40	38	12	R134a	H726 x W377 x D555	350W	☐	40
SDE50	47	17	R134a	H810 x W485 x D575	430W	☐	45
SDE64	63	20	R134a	H905 x W485 x D575	580W	☐	48
SDE84	82	30	R134a	H981 x W670 x D595	620W	☐	63
SDE100	100	30	R452a	H981 x W670 x D595	620W	☐	63
SDE170	171	50	R452a	H981 x W1042 x D575	1200W	☐	94
SDE220	215	68	R452a	H1131 x W1042 x D575	2000W	☐	131

SCAN FOR
MORE INFO





SIMAG

INTEGRAL ICE FLAKER

The SPR range of integral ice flakers from Simag are the addition that every bar and food establishment is crying out for. Built with high grade 441 stainless steel and food safe plastic interior you can ensure your unit looks the part and with flaked ice with only 25% residual water content it performs just as well too!

It's front vented air cooled design makes it the perfect fit for building in to a current bar set up while still allowing access to components for maintenance & cleaning.

MODEL	PRODUCTION /24HRS (kg)	STORAGE (kg)	REFRIGERANT	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
SPR80	70	25	R134a	H880 x W529 x D626	340W		60
SPR120	120	55	R452a	H867 x W920 x D594	500W		78
SPR200	190	55	R452a	H867 x W920 x D594	820W		82



SCAN FOR
MORE INFO





SIMAG

MODULAR ICE CUBERS & STORAGE BINS

When your ice making needs are more than a integral unit can handle the SVD modular units are perfect for back stocking as much ice as you could ever need thanks to the highly adaptable storage bins. Built with high grade stainless steel and featuring a high efficiency vertical evaporator, removable condenser filter and adjustable cube size.

MODEL	PRODUCTION /24HRS (kg)	STORAGE (kg)	COMPATABLE STORAGE BINS	REFRIGERANT	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
SVD152	160	-	R100, R130	R452a	H609 x W558 x D610	800W	■	67
SVD222	210	-	R100, R130, R150*	R452a	H609 x W558 x D610	1200W	●	80
SVD203	220	-	R150, R190	R452a	H575 x W760 x D620	1000W	●	85
SVD303	290	-	R150, R190	R452a	H575 x W760 x D620	1600W	●	88
SVD503	485	-	R150, R190, R300*	R452a	H800 x W760 x D620	2500W	●	116
R100	-	129	-	-	H1048 x W569 x D845	-	-	50
R130	-	168	-	-	H1271 x W569 x D869	-	-	61
R150	-	181	-	-	H1048 x W769 x D850	-	-	56
R190	-	243	-	-	H1271 x W771 x D880	-	-	70
R300	-	406	-	-	H1274 x W1336 x D873	-	-	97

*Will require additional bin adaptor

SCAN FOR
MORE INFO





SIMAG

MODULAR ICE FLAKERS & STORAGE BINS


Taking flaked ice production to an industrial scale the SPN range offers a huge range of production amounts with just as many storage bin options! Built from a 441 stainless steel exterior & food safe plastic interior the units front vented design are perfect for building in to existing structures while remaining easily serviceable.

MODEL	PRODUCTION /24HRS (kg)	STORAGE (kg)	COMPATABLE STORAGE BINS	REFRIGERANT	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
SPN125	120	-	R100, R130, R150*, R190*, R250*	R134a	H531 x W564 x D536	500W	⚡	43
SPN255	200	-	R100, R130, R150*, R190*, R250*	R452a	H531 x W564 x D536	700W	⚡	49
SPN405	320	-	R100, R130, R150*, R190*, R250*, R300*, R400*	R452a	H650 x W538 x D663	1200W	⚡	80
SPN605	600	-	R100, R130, R150*, R190*, R250*, R300*, R400*	R452a	H790 x W538 x D663	2000W	⚡	98
SPN1205	1150	-	R300*, R400*	R452a	H850 x W1065 x D698	3600W	⚡	242
R100	-	129	-	-	H1048 x W569 x D845	-	-	50
R130	-	168	-	-	H1271 x W569 x D869	-	-	61
R150	-	181	-	-	H1048 x W769 x D850	-	-	56
R190	-	243	-	-	H1271 x W771 x D880	-	-	70
R250	-	252	-	-	H968 x W1083 x D824	-	-	63
R300	-	406	-	-	H1274 x W1336 x D873	-	-	97
R400	-	478	-	-	H1272 x W1331 x D881	-	-	104


*Will require additional bin adaptor

SCAN FOR
MORE INFO







BLIZZARD BIM40
H 800mm W 500mm D 450mm




BLIZZARD BIM90
H 920mm W 660mm D 685mm




WHIRLPOOL K20
H 590mm W 555mm D 535mm




SIMAG SM180
H 880mm W 529mm D 626mm




SIMAG SDE18
H 554mm W 334mm D 457mm




SIMAG SDE24
H 599mm W 334mm D 457mm




SIMAG SDE30
H 599mm W 334mm D 457mm




SIMAG SDE34
H 639mm W 334mm D 555mm




SIMAG SDE40
H 726mm W 377mm D 555mm




SIMAG SDE50
H 810mm W 485mm D 575mm




SIMAG SDE64
H 905mm W 485mm D 575mm




SIMAG SDE84
H 981mm W 670mm D 595mm




SIMAG SDE100
H 981mm W 670mm D 595mm




SIMAG SDE170
H 981mm W 1042mm D 575mm




SIMAG SDE220
H 1131mm W 1042mm D 575mm




SIMAG SPR80
H 880mm W 529mm D 626mm




SIMAG SPR120
H 867mm W 920mm D 594mm




SIMAG SPR200
H 867mm W 920mm D 594mm




SIMAG SVD152
H 609mm W 558mm D 610mm




SIMAG SVD222
H 609mm W 558mm D 610mm




SIMAG SVD203
H 575mm W 760mm D 620mm




SIMAG SVD303
H 575mm W 760mm D 620mm




SIMAG SVD503
H 800mm W 760mm D 620mm




SIMAG SPN125
H 531mm W 564mm D 536mm




SIMAG SPN255
H 531mm W 564mm D 536mm




SIMAG SPN405
H 650mm W 538mm D 663mm




SIMAG SPN605
H 790mm W 538mm D 663mm




SIMAG SPN1205
H 850mm W 1065mm D 698mm




SIMAG R100
H 1048mm W 569mm D 845mm




SIMAG R130
H 1271mm W 569mm D 869mm




SIMAG R150
H 1048mm W 769mm D 850mm




SIMAG R190
H 1271mm W 771mm D 880mm



SIMAG R250
H 968mm W 1083mm D 824mm



SIMAG R300
H 1274mm W 1336mm D 873mm



SIMAG R400
H 1272mm W 1331mm D 881mm



STORAGE REFRIGERATION

**Under Counters | Uprights | Counters | Prep Counters | Saladettes
Pizza Prep | Snack Counters | Blast Chillers | Chest Freezers**

Storage refrigeration is all about maximising the space available and with our range of under counters, uprights, snack counters, chest freezers and more you're sure to make the most of every inch of your back of house/prep space.

UCR140WH



WHITE UNDER COUNTER REFRIGERATION

The UCF comes as standard with 3 fixed shelves & baskets, while the adjustable shelves in the UCR make the interior adaptable to your individual needs. Featuring a clean white laminated exterior, ABS interior and locks fitted as standard.

Both units come with adjustable shelves and fixed baskets respectively and thanks to the reversible door and height adjustable feet will fit perfectly into your space. All units within this range come with a digital controller and temperature display.

MODEL	SHELVES / BASKETS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
UCR140WH	3	145L	R600a	+2°C ~ +8°C	H819 x W598 x D648	A	135W	390	■	38
UCF140WH	3	115L	R600a	-16°C ~ -24°C	H819 x W598 x D648	-	135W	-	■	41

OPTIONAL EXTRAS	DESCRIPTION
M4-UCRSTACK	Safe stacking kit for the refrigeration units



SCAN FOR
MORE INFO



UCR140



STAINLESS STEEL UNDER COUNTER REFRIGERATION

Both the UCR140 and UCF140 come in a sleek and stylish high grade 304 stainless steel exterior finish featuring an integrated handle to bring a more ergonomic experience to your working environment.

The UCF140 comes as standard with 3 fixed shelves & baskets, while the adjustable shelves in the UCR140 make the interior adaptable to your individual needs. An easy clean ABS interior & replaceable gaskets ensure perfect hygiene with minimal effort.

MODEL	SHELVES / BASKETS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
UCR140	3	145L	R600a	+2°C ~ +8°C	H819 x W598 x D598	A	135W	390	⏻	38
UCF140	3	115L	R600a	-16°C ~ -24°C	H819 x W598 x D598	-	135W	-	⏻	41

OPTIONAL EXTRAS

DESCRIPTION

M4-UCRSTACK

Safe stacking kit for the refrigeration units

SCAN FOR MORE INFO








GLASS DOOR UNDER COUNTER REFRIGERATION

The UCR140-CR and UCF140-CR under counters feature high grade 304 stainless steel exterior fronted by a double-glazed glass door to allow for easy viewing of the contents stored inside. Unlike their solid door siblings both units feature adjustable shelves allowing for ultimate flexibility.


As standard the UCR140-CR includes a white easy clean ABS interior opposed to the UCF140-CRs white laminated interior to maintain temperature ranges.

MODEL	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
UCR140-CR	3	145L	R600a	+2°C ~ +8°C	H819 x W598 x D613		135W	431		44
UCF140-CR	2	105L	R600a	-16°C ~ -24°C	H819 x W598 x D613	-	135W	-		47


OPTIONAL EXTRAS	DESCRIPTION
M4-UCRSTACK	Safe stacking kit for the refrigeration units

SCAN FOR MORE INFO







BLIZZARD UCR140WH
H 819mm W 648mm D 1246mm




BLIZZARD UCF140WH
H 819mm W 648mm D 1246mm




BLIZZARD UCR140
H 819mm W 598mm D 598mm



BLIZZARD UCF140
H 819mm W 598mm D 598mm



BLIZZARD UCR140-CR
H 819mm W 598mm D 613mm



BLIZZARD UCF140-CR
H 819mm W 598mm D 613mm



NEW SOLID DOOR UPRIGHT REFRIGERATION

The NEW and improved Blizzard upright range is here and with an ergonomic integrated handle on both colourways, reversible door and easy clean white ABS interior it has never looked so good. Rollers to the rear and feet at the front of the unit means it can be easily manoeuvred in and out of place for cleaning and maintenance.

The freezer comes as standard with 5 fixed shelves where as the added flexibility that the 4 adjustable shelves brings is perfect for the refrigerated unit.

MODEL	COLOUR	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
HW40	White	4	305L	R600a	+2°C ~ +10°C	H1850 x W595 x D640	B	127W	323	127W	78
HS40	Stainless Steel	4	305L	R600a	+2°C ~ +10°C	H1850 x W595 x D640	B	127W	323	127W	78
LW40	White	5	326L	R290	-10°C ~ -20°C	H1850 x W595 x D640	B	210W	795	210W	79
LS40	Stainless Steel	5	326L	R290	-10°C ~ -20°C	H1850 x W595 x D640	B	210W	795	210W	79
HW60	White	4	533L	R290	+2°C ~ +10°C	H1850 x W775 x D750	C	160W	486	160W	99
HS60	Stainless Steel	4	533L	R290	+2°C ~ +10°C	H1850 x W775 x D750	C	160W	486	160W	99
LW60	White	5	550L	R290	-10°C ~ -20°C	H1850 x W775 x D750	B	220W	895	220W	103
LS60	Stainless Steel	5	550L	R290	-10°C ~ -20°C	H1850 x W775 x D750	B	220W	895	220W	103

OPTIONAL EXTRAS	DESCRIPTION
V2-SHELF40L(S)	Shelf
V2-SHELF60L(S)	Shelf



SCAN FOR MORE INFO





NEW GLASS DOOR UPRIGHT REFRIGERATOR

Featuring a double glazed glass door and stainless steel exterior, the new Blizzard upright units are a great way of uplifting your cold storage display. Inside the HSG models you can find 4 adjustable shelves and a easy clean white ABS interior.

The single door is reversible making the storage display units versatile and adaptable to your available space. The units feature a lock fitted as standard, rear rollers, adjustable front feet and a dixell controller.

MODEL	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUUM	POWER	WEIGHT (kg)
HSG40	4	305L	R600a	+2°C ~ +10°C	H1850 x W595 x D640	D	127W	323		78
HSG60	4	533L	R290	+2°C ~ +10°C	H1850 x W775 x D750	D	160W	486		99

OPTIONAL EXTRAS	DESCRIPTION
V2-SHELF40L(S)	Shelf
V2-SHELF60L(S)	Shelf

SCAN FOR MORE INFO





VESTFROST
SOLUTIONS

SOLID DOOR UPRIGHT REFRIGERATION

Offering great value for money, this range is a good choice for anyone that just needs to get the job done. Refrigeration units are available in either white laminated exterior, or the STS version, featuring a curved stainless steel door and silver coloured body.

In an effort to make the closing shift's job more efficient, the units feature easy-wipe, white ABS interior and rear rollers, allowing for comfortable access underneath and behind the units.

MODEL	COLOUR	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
CFKS471	White	5	361L	R600a	+3°C ~ +10°C	H1850 x W595 x D595	E	300W	695	⚡	75
CFKS471STS	Stainless Steel	5	361L	R600a	+3°C ~ +10°C	H1850 x W595 x D595	E	300W	695	⚡	75
CFS344	White	7	340L	R600a	-18°C ~ -22°C	H1850 x W595 x D595	-	140W	-	⚡	88
CFS344STS	Stainless Steel	7	340L	R600a	-18°C ~ -22°C	H1850 x W595 x D595	-	140W	-	⚡	88

OPTIONAL EXTRAS	DESCRIPTION
V1-38155	Shelf for CFKS471



SCAN FOR
MORE INFO



KICPR40LT



mondial

SOLID DOOR UPRIGHT SERVICE CABINETS

The KICPR(PV) range from mondial features a white ABS interior with anti-bacterial treatment. Take your pick between the clean white laminate and the AISI 430 stainless steel finish both offering anti-touch fingerprint protection.

Featuring a "save control" system which optimises power consumption and maximises energy savings, reversible door and five adjustable shelves. The KICPV range is a fantastic solution for your meat safe refrigeration needs.

MODEL	COLOUR	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
KICPR40LT	White	5	380L	R600a	+2°C ~ +10°C	H1872 x W600 x D620	D	120W	726	1.1	78
KICPR60LT	White	5	640L	R600a	+2°C ~ +10°C	H1872 x W775 x D740	D	120W	817	1.1	100
KICPRX40LT	Stainless Steel	5	380L	R600a	+2°C ~ +10°C	H1872 x W600 x D620	D	120W	726	1.1	78
KICPRX60LT	Stainless Steel	5	640L	R600a	+2°C ~ +10°C	H1872 x W775 x D740	D	120W	817	1.1	100
KICPV40MLT	White	5	380L	R600a	-2°C ~ +10°C	H1872 x W600 x D620	D	160W	617	1.1	86
KICPV60MLT	White	5	640L	R600a	-2°C ~ +10°C	H1872 x W775 x D740	C	145W	595	1.1	103
KICPVX40MLT	Stainless Steel	5	380L	R600a	-2°C ~ +10°C	H1872 x W600 x D620	D	160W	617	1.1	86
KICPVX60MLT	Stainless Steel	5	640L	R600a	-2°C ~ +10°C	H1872 x W775 x D740	C	145W	595	1.1	103

SCAN FOR



OPTIONAL EXTRAS

DESCRIPTION

Vaporiser kit

Vaporiser kit fitted prior to dispatch.

KICPRX60LT



UPRIGHT REFRIGERATION



mondial

SOLID DOOR UPRIGHT FREEZERS

The Mondial upright freezers are available in either a clean white, or the AISI 430 stainless steel exterior with an anti-fingerprint treatment. To maximise energy saving, the units are fitted with an electronic controller that optimises power consumption, ultimately lowering the running cost.

Plus gain all the top features you have come to expect with 5 fixed shelves, reversible doors, lock fitted as standard, 2 adjustable front feet and more!

MODEL	COLOUR	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
KICN40LT	White	6	360L	R290	-15°C ~ -25°C	H1882 x W600 x D620	190W	❗	77
KICN60LT	White	6	580L	R290	-15°C ~ -25°C	H1882 x W775 x D740	360W	❗	100
KICNX40LT	Stainless Steel	6	360L	R290	-15°C ~ -25°C	H1882 x W600 x D620	190W	❗	77
KICNX60LT	Stainless Steel	6	580L	R290	-15°C ~ -25°C	H1882 x W775 x D740	360W	❗	100

OPTIONAL EXTRAS	DESCRIPTION
M3-CASTORKIT2	40L Castor wheels kit supply & fitting
M3-CASTORKIT4	60L Castor wheels kit supply & fitting

SCAN FOR MORE INFO



GELOBOXWH



GELOBOX NAPOLI ICE CREAM FREEZER

Proving that it's what's on the inside that matters, Gelobox comes with five adjustable shelves, with the capacity to hold a whopping sixty-six Napoli containers! This Ice cream freezer features an automatic fan switch off when opening the self-closing door and a high temperature alarm to ensure your product is kept safely stored away!

On the outside, an interior matching pre-painted white steel exterior, four rollers and two front adjustable feet finish off the unit to perfection.

MODEL	SHELVES	GROSS CAPACTIV	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
GELOBOXWH	5	658L	R290	-15°C ~ -25°C	H2020 x W667 x D895	D	232W	1154		141

OPTIONAL EXTRAS



DESCRIPTION

GN-NAPOLI

Stainless steel gastronorm containers.

SCAN FOR
MORE INFO





VENTILATED UPRIGHT GASTRONORM REFRIGERATION

Available in a single or double door configuration, the KXR/KXF units feature a 201 stainless steel exterior and interior. Rounded corners allow the units to be easily cleaned and maintained only helped by the ability to easily move them around thanks to the heavy duty castors that are fitted as standard on all configurations.

Self-closing doors with dwell position, 3 adjustable shelves per door, 60mm thick insulation, led lighting and more all contribute to this amazing value products success.



MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
KXR600	1	3	600L	R290	-2°C ~ +8°C	H2000 x W680 x D840	<div>D</div>	195W	815	<div>125</div>	125
KXF600	1	3	600L	R290	-18°C ~ -22°C	H2000 x W680 x D840	<div>E</div>	450W	2826	<div>132</div>	132
KXR1200	2	6	1200L	R290	-2°C ~ +8°C	H2000 x W1340 x D840	<div>D</div>	380W	1382	<div>213</div>	213
KXF1200	2	6	1200L	R290	-18°C ~ -22°C	H2000 x W1340 x D840	<div>E</div>	700W	4317	<div>221</div>	221

OPTIONAL EXTRAS	DESCRIPTION
K8-GUIDE01	Guides for Shelf (pair)
K8-SHELF02	2/1 GN Shelf GN



SCAN FOR
MORE INFO





UPRIGHT VENTILATED GASTRONORM REFRIGERATION

The Blizzard BF/BR range are the perfect units for those looking for a larger storage solution. Built with high grade 304 stainless steel and heavy duty castors fitted as standard the units are built to last and thanks to the rounded internal corners, replaceable door gaskets and 4 adjustable shelves are easy to clean too!

Both models come with LED lighting, locks, self closing doors (with dwell position) and 60mm thick insulation as standard. The BR model is suitable for storing fresh meat.


MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
BR1SS	1	4	650L	R290	+2°C ~ +8°C	H2010x W740 x D840	C	215W	554	⚡	136
BF1SS	1	4	650L	R290	-18°C ~ -22°C	H2010x W740 x D840	D	480W	2278	⚡	141
BR2SS	2	8	1300L	R290	+2°C ~ +8°C	H2010x W1480 x D840	D	440W	1376	⚡	213
BF2SS	2	8	1300L	R290	-18°C ~ -22°C	H2010x W1480 x D840	D	780W	4030	⚡	226

OPTIONAL EXTRAS	DESCRIPTION
X1-GUIDE01	Shelf Guides (pair)
X1-SHELF06	2/1 GN Shelf

SCAN FOR
MORE INFO



BF1SSCR



UPRIGHT VENTILATED GASTRONORM GLASS DOOR REFRIGERATION

Featuring a high grade 304 stainless steel exterior and interior construction, double glazed self-closing door(s) and LED lighting, the BR/BF-CR range is equipped with everything you can find on its solid door counterpart plus so much more!


The low temperatures that the BR models offer, are suitable for fresh meat storage and you can be assured you won't be faced with condensation in either unit thanks to the heated element built into the glazing.

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUUM	POWER	WEIGHT (kg)
BR1SSCR	1	4	650L	R290	-2°C ~ +8°C	H2010 x W740 x D858	B	215W	755	!!	136
BF1SSCR	1	4	650L	R290	-15°C ~ -18°C	H2010 x W740 x D858	D	480W	3223	!!	141
BR2SSCR	2	8	1300L	R290	-2°C ~ +8°C	H2010 x W1480 x D858	B	440W	1710	!!	213
BF2SSCR	2	8	1300L	R290	-15°C ~ -18°C	H2010 x W1480 x D858	D	780W	5520	!!	226

OPTIONAL EXTRAS	DESCRIPTION
X1-GUIDE01	Shelf Guides (pair)
X1-SHELF06	2/1 GN Shelf


SCAN FOR
MORE INFO


CAP172SL



INOMAK
Refrigerators

PREMIUM SOLID DOOR UPRIGHT REFRIGERATION

Featuring high grade AISI 304 stainless steel exterior and interior the Inomak premium range is perfect for fresh meat storage and looks the part too! Available in both full and slim line depths along with a choice of custom RAL colours. Please note custom RAL colours are made to order therefore come with longer lead times.

All models come with self closing doors, replaceable door gasket, lock, 4 shelves per door and heavy duty castors as standard. The epoxy coated evaporator and low maintenance condenser allow for minimal maintenance work.

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUUM	POWER	WEIGHT (kg)
CAP172	1	4	654L	R290	-2°C ~ +8°C	H2115x W720 x D868	D	615W	796	13A	143
CBP172	1	4	654L	R290	-10°C ~ -22°C	H2115x W720 x D868	D	606W	2336	13A	145
CEP2144	2	8	1432L	R290	-2°C ~ +8°C	H2115x W1440 x D868	E	836W	1898	13A	222
CFP2144	2	8	1432L	R290	-10°C ~ -22°C	H2115x W1440 x D868	D	990W	4380	13A	234
CAP172SL	1	4	560L	R290	-2°C ~ +8°C	H2115x W720 x D768	D	526W	693	13A	135
CBP172SL	1	4	560L	R290	-10°C ~ -22°C	H2115x W720 x D768	D	598W	2044	13A	144
CEP2144SL	2	8	1227L	R290	-2°C ~ +8°C	H2115x W1440 x D768	E	896W	1569	13A	207
CFP2144SL	2	8	1227L	R290	-10°C ~ -22°C	H2115x W1440 x D768	D	797W	4124	13A	212

SCAN FOR
MORE INFO

OPTIONAL
EXTRAS

DESCRIPTION

T6-SHELF403

Shelf For CA,CB,CE,CF Variants

T6-SHELF408

Shelf For SLIM CA,CB,CE,CF Variants



PREMIUM UPRIGHT REFRIGERATION IN BLACK

The already outstanding refrigeration range from Inomak, looks even better in black. Equipped with a user-friendly digital controller with temperature display that you can trust. The refrigerators are suitable for safe fresh meat storage, thanks to their ability to reach lower temperatures.

Ventilated cooling, allows for good circulation of the airflow throughout the unit, ensuring all contents experience the same temperature.

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUUM	POWER	WEIGHT (kg)
CAP172BK	1	4	654L	R290	-2°C ~ +8°C	H2115x W720 x D868	D	615W	796		143
CBP172BK	1	4	654L	R290	-10°C ~ -22°C	H2115x W720 x D868	D	606W	2336		145
CEP2144BK	2	8	1432L	R290	-2°C ~ +8°C	H2115x W1440 x D868	E	836W	1898		222
CFP2144BK	2	8	1432L	R290	-10°C ~ -22°C	H2115x W1440 x D868	D	990W	4380		234
CAP172SLBK	1	4	560L	R290	-2°C ~ +8°C	H2115x W720 x D768	D	526W	693		135
CBP172SLBK	1	4	560L	R290	-10°C ~ -22°C	H2115x W720 x D768	D	598W	2044		144
CEP2144SLBK	2	8	1227L	R290	-2°C ~ +8°C	H2115x W1440 x D768	E	896W	1569		207
CFP2144SLBK	2	8	1227L	R290	-10°C ~ -22°C	H2115x W1440 x D768	D	797W	4124		212

OPTIONAL EXTRAS	DESCRIPTION
T6-SHELF403	Shelf For CA,CB,CE,CF Variants
T6-SHELF408	Shelf For SLIM CA,CB,CE,CF Variants



RAL COLOUR SYSTEM

SCAN FOR MORE INFO



CBP172CR



INOMAK
Refrigerators

PREMIUM UPRIGHT GLASS DOOR REFRIGERATION


The glass door upright range from Inomak is the perfect addition to any professional kitchen. All models are equipped with triple glazed door(s) and the anti-fog film on the freezer units makes condensation a problem of the past.

Features such as self closing door(s), heavy duty castors, door locks, 4 shelves per door supplied as standard and so much more top off this unit to be by far one of the most premium high standard refrigeration units on the market.

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
CAP172CR	1	4	654L	R290	-2°C ~ +8°C	H2115x W720 x D905	B	636W	968	160	160
CBP172CR	1	4	654L	R290	-10°C ~ -18°C	H2115x W720 x D905	D	627W	3796	162	162
CEP2144CR	2	8	1432L	R290	-2°C ~ +8°C	H2115x W1440 x D905	D	878W	4015	256	256
CFP2144CR	2	8	1432L	R290	-10°C ~ -18°C	H2115x W1440 x D905	E	1032W	8286	280	280

SCAN FOR
MORE INFO





CBP172BK-CR



PREMIUM UPRIGHT GLASS DOOR REFRIGERATION IN BLACK

Your refrigeration storage could not look better than Inomak's glass door units in black. Designed with convenience and performance in mind, the glass door is not only attractive but highly efficient. Featuring internal LED lighting that puts the contents on clear display.

Equipped with locking doors, heavy duty castors as standard and ventilated cooling that's easily monitored and controlled using a digital temperature display.

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
CAP172BK-CR	1	4	654L	R290	-2°C ~ +8°C	H2115x W720 x D905	<div>B</div>	636W	968	<div>⏻</div>	160
CBP172BK-CR	1	4	654L	R290	-10°C ~ -18°C	H2115x W720 x D905	<div>D</div>	627W	3796	<div>⏻</div>	162
CEP2144BK-CR	2	8	1432L	R290	-2°C ~ +8°C	H2115x W1440 x D905	<div>D</div>	878W	4015	<div>⏻</div>	256
CFP2144BK-CR	2	8	1432L	R290	-10°C ~ -18°C	H2115x W1440 x D905	<div>E</div>	1032W	8286	<div>⏻</div>	280



RAL COLOUR SYSTEM

SCAN FOR MORE INFO



AGN602



UPRIGHT SLIMLINE SOLID & GLASS DOOR REFRIGERATION

Available either with solid or glass door(s), the Infrico range will fulfil all of your refrigeration needs. The replaceable door gasket and rounded internal corners, make clean up quick and painless. The refrigerators are lifted off of the ground by 150mm for easy access underneath the units.

Ventilated cooling ensures that the refrigerators are perfect for fresh meat storage and thanks to the vast amount of choice will be perfect for all situations.

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
AGN301	1	3	325L	R290	-2°C ~ +8°C	H2100x W482 x D695	C	187W	511	⏻	127
AGN602	2	6	745L	R290	-2°C ~ +8°C	H2100x W974 x D695	C	372W	675	⏻	181
AGN301BT	1	3	325L	R290	-18°C ~ -22°C	H2100x W482 x D695	D	452W	1763	⏻	129
AGN602BT	2	6	745L	R290	-18°C ~ -22°C	H2100x W974 x D695	D	671W	3365	⏻	172
AGN602MIX	2	6	325+325L	R290	-2°C ~ +6°C -18°C ~ -22°C	H2100x W974 x D695	D	852W	3110	⏻	204
AGN300CR	1	3	325L	R134a	+2°C ~ +6°C	H2100x W482 x D695	C	187W	511	⏻	136
AGN600CR	2	6	745L	R134a	+2°C ~ +6°C	H2100x W974 x D695	C	372W	675	⏻	181

OPTIONAL EXTRAS

DESCRIPTION

T3-SHELF155	Shelf for AGN301/602
T3-SLIDE157	Slides (pair)
T3-CLIP120	Shelf Clips (4)

SCAN FOR
MORE INFO





AN1002BT



UPRIGHT SOLID & GLASS DOOR REFRIGERATION

The reach-in refrigerators feature high grade AISI 304 stainless steel exterior and interior that offers a modern and practical design, which can be further enhanced with an addition of a glass door component. The rounded internal corners make clean up easy, allowing for safe fresh meat storage on all solid door units.

LED lighting, adjustable legs and a digital controller with temperature display are only some of the features that make this range worth the investment.






MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUUM	POWER	WEIGHT (kg)
AN501TF	1	3	500L	R290	-2°C ~ +8°C	H2060x W687 x D700	C	190W	529	!!	106
AN1002TF	2	6	1110L	R290	-2°C ~ +8°C	H2060x W1385 x D700	B	370W	923	!!	196
AEX500-TF	1	4	500L	R290	+2°C ~ +8°C	H2060x W687 x D700	-	727W	4015	!!	161
AEX1000-TF	2	8	1110L	R290	+2°C ~ +8°C	H2060x W1385 x D700	-	1030W	8286	!!	253
AN501BT	1	3	500L	R290	-18°C ~ -22°C	H2060x W687 x D700	D	600W	529	!!	116
AN1002BT	2	6	1110L	R290	-18°C ~ -22°C	H2060x W1385 x D700	D	670W	529	!!	206
AN501BT-CR	1	4	500L	R290	-18°C ~ -22°C	H2060x W687 x D700	-	947W	346	!!	156
AN1002BT-CR	2	8	1110L	R290	-18°C ~ -22°C	H2060x W1385 x D700	-	1744W	637	!!	244

OPTIONAL EXTRAS	DESCRIPTION
T3-SHELF220	Shelf for AN501
T3-SHELF225	Shelf for AN1002
T3-SLIDE230	Slide for AN1002




SCAN FOR
MORE INFO




 <p>FRONT SIDE (DOOR OPEN)</p> <p>BLIZZARD HW40 (SS) H 1850mm W 595mm D 640mm</p>	 <p>FRONT SIDE (DOOR OPEN)</p> <p>BLIZZARD HW60 (SS) H 1850mm W 775mm D 750mm</p>	 <p>FRONT SIDE (DOOR OPEN)</p> <p>BLIZZARD LW40 (SS) H 1850mm W 595mm D 640mm</p>
 <p>FRONT SIDE (DOOR OPEN)</p> <p>BLIZZARD LW60 (SS) H 1850mm W 775mm D 750mm</p>	 <p>FRONT SIDE (DOOR OPEN)</p> <p>BLIZZARD HSG40 H 1850mm W 595mm D 640mm</p>	 <p>FRONT SIDE (DOOR OPEN)</p> <p>BLIZZARD HSG60 H 1850mm W 775mm D 750mm</p>
 <p>FRONT SIDE (DOOR OPEN)</p> <p>VESTFROST CFKS471 (SS) H 1850mm W 595mm D 595mm</p>	 <p>FRONT SIDE (DOOR OPEN)</p> <p>VESTFROST CFS344 (SS) H 1850mm W 595mm D 595mm</p>	 <p>FRONT SIDE (DOOR OPEN)</p> <p>MODIAL KICPR40LT (SS) H 1872mm W 600mm D 620mm</p>
 <p>FRONT SIDE (DOOR OPEN)</p> <p>MODIAL KICPR60LT (SS) H 1872mm W 775mm D 740mm</p>	 <p>FRONT SIDE (DOOR OPEN)</p> <p>MODIAL KICPV40MLT (SS) H 1872mm W 600mm D 620mm</p>	 <p>FRONT SIDE (DOOR OPEN)</p> <p>MODIAL KICPV60MLT (SS) H 1872mm W 775mm D 740mm</p>
 <p>FRONT SIDE (DOOR OPEN)</p> <p>KOLDBOX KXR600 H 2000mm W 680mm D 840mm</p>	 <p>FRONT SIDE (DOOR OPEN)</p> <p>KOLDBOX KXF600 H 2000mm W 680mm D 840mm</p>	 <p>FRONT SIDE (DOOR OPEN)</p> <p>KOLDBOX KXR1200 H 2000mm W 1340mm D 840mm</p>
 <p>FRONT SIDE (DOOR OPEN)</p> <p>KOLDBOX KXF1200 H 2000mm W 1340mm D 840mm</p>	 <p>FRONT SIDE (DOOR OPEN)</p> <p>BLIZZARD BR1SS H 2010mm W 740mm D 840mm</p>	 <p>FRONT SIDE (DOOR OPEN)</p> <p>BLIZZARD BF1SS H 2010mm W 740mm D 840mm</p>
 <p>FRONT SIDE (DOOR OPEN)</p> <p>BLIZZARD BR2SS H 2010mm W 1480mm D 840mm</p>	 <p>FRONT SIDE (DOOR OPEN)</p> <p>BLIZZARD BF2SS H 2010mm W 1480mm D 840mm</p>	 <p>FRONT SIDE (DOOR OPEN)</p> <p>BLIZZARD BR1SS-CR H 2010mm W 740mm D 858mm</p>


 <p>BLIZZARD BF1SS-CR H 2010mm W 740mm D 858mm</p>	 <p>BLIZZARD BR2SS-CR H 2010mm W 1480mm D 858mm</p>	 <p>BLIZZARD BF2SS-CR H 2010mm W 1480mm D 858mm</p>
 <p>INOMAK CAP172 (BK) H 2115mm W 720mm D 868mm</p>	 <p>INOMAK CBP172 (BK) H 2115mm W 720mm D 868mm</p>	 <p>INOMAK CEP2144 (BK) H 2115mm W 1440mm D 868mm</p>
 <p>INOMAK CFP2144 (BK) H 2115mm W 1440mm D 868mm</p>	 <p>INOMAK CAP172SL (BK) H 2115mm W 720mm D 768mm</p>	 <p>INOMAK CBP172SL (BK) H 2115mm W 720mm D 768mm</p>
 <p>INOMAK CEP2144SL (BK) H 2115mm W 1440mm D 768mm</p>	 <p>INOMAK CFP2144SL (BK) H 2115mm W 1440mm D 768mm</p>	 <p>INOMAK CAP172CR (BK) H 2115mm W 720mm D 905mm</p>
 <p>INOMAK CBP172CR (BK) H 2115mm W 720mm D 905mm</p>	 <p>INOMAK CEP2144CR (BK) H 2115mm W 1440mm D 905mm</p>	 <p>INOMAK CFP2144CR (BK) H 2115mm W 1440mm D 905mm</p>
 <p>INFRICO AGN301 H 2100mm W 482mm D 695mm</p>	 <p>INFRICO AGN602 H 2100mm W 974mm D 695mm</p>	 <p>INFRICO AGN301BT H 2100mm W 482mm D 695mm</p>
 <p>INFRICO AGN602BT H 2100mm W 974mm D 695mm</p>	 <p>INFRICO AGN602MIX H 2100mm W 974mm D 695mm</p>	 <p>INFRICO AGN301CR H 2100mm W 482mm D 695mm</p>




INFRICO AGN602-CR
H 2100mm W 482mm D 695mm




INFRICO AN501TF
H 2060mm W 687mm D 700mm




INFRICO AN1002TF
H 2060mm W 1385mm D 700mm




INFRICO AN501BT
H 2060mm W 598mm D 598mm




INFRICO AN1002BT
H 2060mm W 1385mm D 700mm




INFRICO AEX501TF-CR
H 2060mm W 687mm D 700mm



INFRICO AEX1002TF-CR
H 2060mm W 1385mm D 700mm



INFRICO AN501BT-CR
H 2060mm W 687mm D 700mm



INFRICO AN1002BT-CR
H 2060mm W 1385mm D 700mm

UCFR280



COMPACT CUSTOMISABLE REFRIGERATED WORKSTATION

If you're looking for an affordable and easily accessible workstation - look no further! Featuring high grade 304 stainless steel exterior and white, easy-clean ABS interior, this unit has it all. You can choose from a wide variety of models, which are largely customisable. The fitted castor wheels allow for easy movement of the unit.

In an effort to help you keep the walls clean, the stainless steel worktop comes accompanied with an upstand to finish off the unit perfectly.

MODEL	SHELVES / BASKETS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
UCFR280	3 / 3	145L + 115L	R600a	+2°C ~ +8°C -16°C ~ -24°C	H926x W1200 x D607	135W + 135W		99
UCRR280	6 / 0	145L + 145L	R600a	+2°C ~ +8°C	H926x W1200 x D607	135W + 135W		96
UCFF280	0 / 6	115L + 115L	R600a	-18°C ~ -22°C	H926x W1200 x D607	135W + 135W		102
MODEL	ENERGY RATING	KWH / ANNUM						
UCR140		390						



SCAN FOR
MORE INFO



KXCC2



COMPACT GASTRONORM COUNTERS

Featuring 201 stainless steel exterior and interior, the Koldbox compact storage counters are a great low budget option for any kitchen. This range was designed with convenience and efficiency in mind and thanks to its rounded corners and removeable condenser filter and door gaskets it achieves just that!

The units include one adjustable shelf per door, 35mm insulation, dixell digital controller and the option to be mounted to castors.

MODEL	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
KXCC2	240L	R600a	+2°C ~ +8°C	H876x W903 x D700	D	170W	1205	!!	86
KXCC3	368L	R290	+2°C ~ +8°C	H876x W1368 x D700	E	240W	1825	!!	126

OPTIONAL EXTRAS	DESCRIPTION
X1-CASTORKIT2	Castors for 2DR model
X1-CASTORKIT3	Castors for 3DR model
K8-SHELF03	Shelf for KXCC range
K8-GUIDE01	Shelf guide for KXCC range

SCAN FOR
MORE INFO



BCC2-4D



COMPACT GASTRONORM COUNTERS WITH DOORS OR DRAWERS

The exterior and interior are made out of high grade AISI 304 stainless steel, which is ideal for any food related applications due to its high durability against oxidising acids, making the surfaces easy to sanitise. To aid cleaning, the internal corners are rounded and the door gasket and condenser filter are removable.

The Blizzard compact storage counters can either include doors or drawers depending on your preference. All units come with adjustable feet plus the option for castors.

MODEL	DOORS (DRAWERS)	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
BCC2	2	240L	R600a	+2°C ~ +8°C	H876x W903 x D700	C	170W	991	⏻	100
BCC3	3	368L	R290	+2°C ~ +8°C	H876x W1368 x D700	D	240W	1432	⏻	132
BCC2-4D	(4)	240L	R600a	+2°C ~ +8°C	H876x W903 x D700	C	170W	991	⏻	114
BCC3-6D	(6)	368L	R290	+2°C ~ +8°C	H876x W1368 x D700	D	240W	1432	⏻	140

OPTIONAL EXTRAS	DESCRIPTION
X1-CASTORKIT2	Castors for 2DR model
X1-CASTORKIT3	Castors for 3DR model

SCAN FOR MORE INFO



BPV7300-HC



COMPACT GASTRONORM COUNTERS

Not only the front, but the back of this counter is camera-ready thanks to the high grade AISI 304 stainless steel exterior and interior, including the back of the unit.


Everything about this unit was designed with accessibility and comfort in mind. Featuring internal corners rounded for easy cleaning, self-closing doors and epoxy coated evaporator to resist corrosion.

MODEL	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
BPV7300-HC	232L	R290	+1°C ~ +10°C	H860x W1080 x D700	C	351W	876	⏻	110
BPZP7300	245L	R290	+1°C ~ +10°C	H970x W1080 x D700	C	351W	876	⏻	113

SCAN FOR
MORE INFO



BCC3-GR-TOP



COMPACT GASTRONORM GRANITE WORKTOP COUNTERS

In need of something a little more heavy duty and long lasting? Then the granite topped BCC range is perfect for you! Resistant to staining, etching and high temperatures the unit is perfect for any kitchen looking to prepare dough and pastry thanks to the natural anti sticking properties of the solid granite surface.

The unit maintains all great BCC features such as high grade AISI 304 stainless steel exterior and interior, rounded corners and removable door gasket to aid cleaning.

MODEL	DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
BCC2-GR-TOP	2	240L	R600a	+2°C ~ +8°C	H866x W903 x D700	C	170W	991	■ ■ ■	136
BCC3-GR-TOP	3	368L	R290	+2°C ~ +8°C	H866x W1368 x D700	D	240W	1432	■ ■ ■	155

OPTIONAL EXTRAS	DESCRIPTION
X1-CASTORKIT2	Castors for 2DR model
X1-CASTORKIT3	Castors for 3DR model

SCAN FOR
MORE INFO





KXCC2-SAL



COMPACT GASTRONORM
PREP COUNTERS

The perfect budget beating prep counter solution with fantastic features such as a 201 grade stainless construction and rounded internal corners for ease of cleaning. Fan assisted cooling can be operated using the integrated digital dixel controller.

Designed keeping convenience in mind, the raised collar can easily fit GN1/6 containers, with maximum depth of 150mm and the unit comes as standard with 1 shelf per door for internal storage.

MODEL	DOORS	CONTAINER CAPACITY	GROSS CAPACITIY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
KXCC2-SAL	2	5 x GN1/6	240L	R600a	+2°C ~ +8°C	H961x W903 x D700	170W		87
KXCC3-SAL	3	8 X GN1/6	392L	R290	+2°C ~ +8°C	H961x W1368 x D700	240W		141

OPTIONAL EXTRAS	DESCRIPTION
X1-CASTORKIT2	Castors for 2DR model
X1-CASTORKIT3	Castors for 3DR model
K8-SHELF03	Shelf for KXCC Range
K8-GUIDE01	Shelf guide for KXCC range

SCAN FOR
MORE INFO



BCC3EN



COMPACT GASTRONORM PREP COUNTERS

The BCC-EN is the perfect line of prep counters for any kitchen environment. Built with high grade AISI 304 stainless steel the units feature a raised collar that accepts GN1/6 containers up to 150mm depth. Coming as standard with 1 shelf per door the unit features an integrated handle to avoid accidental bumps and bangs.

Although coming as standard with adjustable feet the units can be added to castors for further manoeuvrability to cleaning and maintenance purposes.

MODEL	DOORS	CONTAINER CAPACITY	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
BCC2EN	2	5 x GN1/6	254L	R600a	+2°C ~ +8°C	H1002x W903 x D700	170W	■	103
BCC3EN	3	8 X GN1/6	392L	R290	+2°C ~ +8°C	H1002x W1368 x D700	240W	■	143


OPTIONAL EXTRAS	DESCRIPTION
X1-CASTORKIT2	Castors for 2DR model
X1-CASTORKIT3	Castors for 3DR model
X1-SHELF07	Shelf
X1-GUIDE07	Shelf guide for BCC range



SCAN FOR
MORE INFO



KXCC3-PREP



COMPACT GASTRONORM SALADETTES

The perfect budget beating compact saladette from KoldBox promises great things for an incredibly low price! With a full GN well cover for easy access plus a polypropylene cutting board installed as standard.

Make the most of your refrigerated storage space thanks to the included shelf per door plus benefit from key features such as internal rounded corners, adjustable feet, replicable door gaskets, 35mm insulation and removable condenser filter.

MODEL	DOORS	CONTAINER CAPACITY	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
KXCC2-PREP	2	2 x GN1/1 + 3 x GN1/6	240L	R600a	+2°C ~ +8°C	H877x W903 x D700	170W	!!	80
KXCC3-PREP	3	4 x GN1/1	368L	R290	+2°C ~ +8°C	H877x W1368 x D700	240W	!!	130


OPTIONAL EXTRAS	DESCRIPTION
X1-CASTORKIT2	Castors for 2DR model
X1-CASTORKIT3	Castors for 3DR model
K8-SHELF03	Shelf for KXCC Range
K8-GUIDE01	Shelf guide for KXCC range

SCAN FOR
MORE INFO





BSP3



COMPACT GASTRONORM SALADETTES

The compact Blizzard BSP saladettes come with a polypropylene cutting board already installed. The units' interior and exterior are made out of durable and easy-clean, high grade AISI 304 stainless steel. Rounded corners, easily removable condenser filter and adjustable feet, help to make cleaning a quick and easy task.

A large open top GN well with hinged cover allows for easy access to storage for multiple sizes of GN container up to 150mm deep.

MODEL	DOORS	CONTAINER CAPACITY	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
BSP2	2	2 x GN1/1 + 3 x GN1/6	240L	R600a	+2°C ~ +8°C	H877x W903 x D700	170W	❖	94
BSP3	3	4 x GN1/1	368L	R290	+2°C ~ +8°C	H877x W1368 x D700	240W	❖	103


OPTIONAL EXTRAS	DESCRIPTION
X1-CASTORKIT2	Castors for 2DR model
X1-CASTORKIT3	Castors for 3DR model
X1-SHELF07	Shelf
X1-GUIDE01	Shelf guide for BCC range



SCAN FOR
MORE INFO



ZNV99-HC



PREMIUM GASTRONORM SALADETTES

The ZNV range is perfect for any kitchen looking to take their food preparation space to the next level. Adjustable legs and internal rounded corners make cleaning quick and easy and maintenance couldn't get any simpler thanks to the epoxy coated evaporator & replaceable door gaskets.

The high grade AISI 304 stainless steel construction, including back of the unit, is highly durable and when combined with the self closing doors and unrivaled style inomak showcases a truly perfection level product.

MODEL	DOORS	CONTAINER CAPACITY	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
ZNV99-HC	2	10 x GN1/4	274L	R290	+3°C ~ +10°C	H870 x W1360 x D700	440W	■	114
ZNV999-HC	3	14 x GN1/4	429L	R290	+3°C ~ +10°C	H870 x W1810 x D700	440W	■	135

OPTIONAL EXTRAS

DESCRIPTION

T6-CASTORKIT1	Castor Kit 2/3 Door Counters Supply Only
T6-CASTORKIT2	Castor Kit 2/3 Door Counters Supply & Fit

SCAN FOR
MORE INFO





PREMIUM COMPACT GASTRONORM SALADETTE WITH GLASS CANOPY

The BSV range is a fantastic option for a front of a house serving saladette unit, with a choice of full width glass structure or hinged stainless steel cover. Featuring durable and easy-clean high grade AISI 304 stainless steel exterior and interior, including back. One GN1/1 shelf is supplied per door, offering a lot of usable space inside the unit.

The BSV range also comes with self-closing doors, epoxy coated evaporator to resist corrosion and rounded internal corners for easy cleaning.

MODEL	DOORS	CONTAINER CAPACITY	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
BSV77-HC	2	3 x GN1/1	245L	R290	+3°C ~ +10°C	H905 x W1080 x D700	344W	■■	106
BSV7300-HC	2	3 x GN1/1	232L	R290	+3°C ~ +10°C	H1300 x W1080 x D700	377W	■■	135

SCAN FOR MORE INFO



BPD3


Blizzard™

COMPACT GASTRONORM SALADETTE WITH GLASS CANOPY

Complete with full width glass canopy structure the BPD range offers a saladette perfect for front of house storage and prep. Featuring high grade AISI 304 stainless steel exterior and interior, one adjustable shelf per door, a glass shelf for non refrigerated goods and a 135mm deep polypropylene cutting board.

Fan assisted cooling is supported by a 35mm insulation all around the main body of the unit, finished off with adjustable feet, self-closing doors and rounded corners.

MODEL	DOORS	CONTAINER CAPACITY	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
BPD2	2	2 x GN1/1 + 3 x GN1/6	240L	R600a	+2°C ~ +8°C	H1289 x W903 x D700	170W	⏻	123
BPD3	3	4 x GN1/1	368L	R290	+2°C ~ +8°C	H1289x W1386 x D700	240W	⏻	164

 SCAN FOR
MORE INFO




PREMIUM GASTRONORM SALADETTE WITH GLASS CANOPY

Featuring a new full width glass display case the ZQFP range will fit perfectly within any food assemble and serve station. High grade AISI 304 stainless steel exterior and interior ensures easy cleaning and good durability of the unit. Legs are fully adjustable, allowing easy access underneath the unit for cleaning and maintenance.

Other features include self-closing doors, internal illumination inside the display case and a user-friendly digital temperature display and controller.

MODEL	DOORS	CONTAINER CAPACITY	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
ZQFP99	2	14 x GN1/4	270L	R290	+3°C ~ +10°C	H1315 x W1360 x D700	476W	■	154
ZQFP999	3	20 x GN1/4	421L	R290	+3°C ~ +10°C	H1315 x W1810 x D700	485W	■	186

OPTIONAL EXTRAS	DESCRIPTION
T6-CASTORKIT1	Castor Kit 2/3 Door Counters



SCAN FOR
MORE INFO





BCC3PREPGRANITE



COMPACT GASTRONORM PIZZA PREP COUNTERS

Featuring a 490mm thick granite worktop and high grade AISI 304 stainless steel construction the BCC-PREPGRANITE is the perfect addition to any kitchen looking to provide authentic and perfection level pizza every time.

Complete with adjustable feet, replaceable door gasket and a removable condenser filter this fantastic prep unit combines all the amazing benefits of the BCC units and a high expense granite work surface.

MODEL	DOORS	CONTAINER CAPACITY	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	KWH/ANNUM	WEIGHT (kg)
BCC2PREPGRANITE	2	5 x GN1/6	240L	R600a	+2°C ~ +8°C	H1086 x W903 x D700	170W	⬆	132
BCC3PREPGRANITE	3	8 x GN1/6	368L	R290	+2°C ~ +8°C	H1086 x W1368 x D700	240W	⬆	182

OPTIONAL EXTRAS	DESCRIPTION
X1-SHELF07	Shelf
X1-GUIDE01	Shelf guide for BCC range

SCAN FOR
MORE INFO



HBC2SL



SLIMLINE STAINLESS STEEL COUNTERS

Blizzard Slimline counters are a fantastic solution for when you're working with a small space and need to maximise it as much as possible.

The slim-line stainless steel counters offer even air distribution via a ducted system, ensuring the temperature is accurately managed throughout the unit. The Blizzard counters come with rounded internal corners, one adjustable shelf per door and heavy duty castors as standard, all for your convenience.

MODEL	DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
HBC2SL	2	228L	R290	+2°C ~ +8°C	H850 x W1360 x D600	C	220W	802	⏻	109
HBC3SL	3	339L	R290	+2°C ~ +8°C	H850 x W1795 x D600	C	230W	1214	⏻	130
HBC4SL	4	449L	R290	+2°C ~ +8°C	H850 x W2230 x D600	D	345W	1818	⏻	160
LBC2SL	2	228L	R290	+2°C ~ +8°C	H850 x W1360 x D600	E	520W	2762	⏻	109
LBC3SL	3	339L	R290	+2°C ~ +8°C	H850 x W1795 x D600	E	560W	3108	⏻	129
LBC4SL	4	449L	R290	+2°C ~ +8°C	H850 x W2230 x D600	E	650W	3673	⏻	245


OPTIONAL EXTRAS	DESCRIPTION
B1-GUIDE09	Guide (pair) for HBC and LBC slim line.
B1-SHELF11	Shelf for HBC and LBC slim line models.



SCAN FOR
MORE INFO



SL99-HC



INOMAK
Refrigerators

PREMIUM SLIMLINE REFRIGERATED COUNTERS

When space is at a premium you need a premium unit to resolve your problems! The SL range from Inomak comes with a depth of just 600mm perfect for even the smallest of kitchen or prep space.

The digital display allows for easy and accurate control of the temperature along with additions such as one shelf per door leaving a lot of space to work with, the corners are rounded for easy cleaning and castors fitted as standard.

MODEL	DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUUM	POWER	WEIGHT (kg)
SL99-HC	2	225L	R290	+1°C ~ +10°C	H890 x W1345 x D600	B	351W	620	115	
SL999-HC	3	353L	R290	+1°C ~ +10°C	H890 x W1790 x D600	B	351W	693	142	
SL9999-HC	4	479L	R290	+1°C ~ +10°C	H890 x W2240 x D600	B	440W	803	172	

SCAN FOR
MORE INFO



LBC2



REFRIGERATED COUNTERS WITH UPSTAND

If you're looking for a refrigerated counter that is highly versatile the HBC/LBC range of units are the perfect choice. Coming as standard with 1 adjustable shelf per door plus options to add an additional 2/3 drawer packs you really can customise this counter to cater for your exact needs.

All configurations come with a coved 100mm upstand, forming a seamless splashback; meaning you will not have to worry about food falling behind the counters.

MODEL	DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
HBC2	2	282L	R290	+2°C ~ +8°C	H950 x W1360 x D700	C	220W	822	⏻	128
HBC3	3	417L	R290	+2°C ~ +8°C	H950 x W1795 x D700	C	230W	1162	⏻	154
HBC4	4	553L	R290	+2°C ~ +8°C	H950 x W2230 x D700	D	345W	1741	⏻	185
LBC2	2	282L	R290	-18°C ~ -22°C	H950 x W1360 x D700	E	520W	2851	⏻	133
LBC3	3	417L	R290	-18°C ~ -22°C	H950 x W1795 x D700	E	560W	3357	⏻	179
LBC4	4	553L	R290	-18°C ~ -22°C	H950 x W2230 x D700	E	650W	3951	⏻	196

OPTIONAL EXTRAS	DESCRIPTION
X1-DRAWERPACK2	HBC LBC XX RANGE 2 DRAWER CONVERSION PACK
X1-DRAWERPACK3	HBC LBC XX RANGE 3 DRAWER CONVERSION PACK
X1-SHELF04	Shelf
X1-GUIDE02	Guide (pair) for HBC and LBC



SCAN FOR
MORE INFO



LBC2NU



REFRIGERATED COUNTERS WITH FLAT WORKSURFACE

With the same versatility of its upstand equipped sibling the HBC/LBC-NU range features heavy duty castors, replaceable door gaskets, self closing doors and more!

Featuring even air distribution via a ducted system, which allows ventilated cooling. Temperature can be monitored and controlled using a conveniently positioned dixell controller and ensure what ever you need to store away in these units will stay at its very best for as long as possible.

MODEL	DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
HBC2NU	2	282L	R290	+2°C ~ +8°C	H850 x W1360 x D700	C	215W	822	⏻	128
HBC3NU	3	417L	R290	+2°C ~ +8°C	H850 x W1795 x D700	C	230W	1162	⏻	154
HBC4NU	4	553L	R290	+2°C ~ +8°C	H850 x W2230 x D700	D	345W	1741	⏻	185
LBC2NU	2	282L	R290	-18°C ~ -22°C	H850 x W1360 x D700	E	520W	2851	⏻	133
LBC3NU	3	417L	R290	-18°C ~ -22°C	H850 x W1795 x D700	E	560W	3357	⏻	179
LBC4NU	4	553L	R290	-18°C ~ -22°C	H850 x W2230 x D700	E	650W	3951	⏻	196

OPTIONAL EXTRAS

DESCRIPTION

X1-DRAWERPACK2	HBC LBC XX RANGE 2 DRAWER CONVERSION
X1-DRAWERPACK3	HBC LBC XX RANGE 3 DRAWER CONVERSION
X1-SHELF02	Shelf
X1-GUIDE02	Guide (pair) for HBC and LBC

SCAN FOR
MORE INFO



PN99-HC



PREMIUM FLAT WORKSURFACE REFRIGERATED COUNTERS

Attractive and excellent quality refrigerated counters from Inomak, The PN range offers optimal storage space in a sleek and premium package. Thanks to the ventilated cooling with an accurate digital temperature display and controller, you can be sure all produce will stay within the temperature you set, all throughout the day.

Featuring high grade AISI 304 stainless steel exterior and interior, including back of the unit and internal corners rounded for easy cleaning.

MODEL	DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
PN99-HC	2	274L	R290	+1°C ~ +10°C	H890 x W1345 x D700	B	351W	657	■	121
PN999-HC	3	429L	R290	+1°C ~ +10°C	H890 x W1790 x D700	B	351W	803	■	150
PN9999-HC	4	583L	R290	+1°C ~ +10°C	H890 x W2240 x D700	B	440W	949	■	180



RAL COLOUR SYSTEM

SCAN FOR
MORE INFO

PN99BK-HC



PREMIUM FLAT WORKSURFACE REFRIGERATED COUNTERS IN BLACK

What's better than a stainless steel PN99? A PN99 in black of course! Including all the most sought after features such as self-closing doors, castors and an epoxy coated evaporator to resist corrosion; this is a well-thought out range that has everything that you will ever need from a refrigerated counter.


Need to adapt the space to better accommodate your product? Optional drawer packs are available for an additional cost.

MODEL	DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
PN99BK-HC	2	274L	R290	+1°C ~ +10°C	H890 x W1345 x D700	B	351W	657	1.5	121
PN999BK-HC	3	429L	R290	+1°C ~ +10°C	H890 x W1790 x D700	B	351W	803	1.5	150
PN9999BK-HC	4	583L	R290	+1°C ~ +10°C	H890 x W2240 x D700	B	440W	949	1.5	180

SCAN FOR
MORE INFO



PN29-HC



PREMIUM PRECONFIGURED DRAWER & DOOR REFRIGERATED COUNTERS

If you're looking for more refrigerated drawers rather than shelves, then look no further. With a maximum load of 26kg per drawer, you will find no problem organising your produce. The units are made out of high grade AISI 304 stainless steel, all around, inside and out, making the surfaces easy to sanitise and food safe.

Featuring self-closing door, internal corners rounded for easy cleaning and an easily accessible, temperature digital controller and display.

MODEL	DRAWERS	DOOR	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUUM	POWER	WEIGHT (kg)
PN29-HC	2	1	274L	R290	+1°C ~ +10°C	H890 x W1345 x D700	B	351W	657	131	131
PN229-HC	4	1	429L	R290	+1°C ~ +10°C	H890 x W1790 x D700	B	351W	803	153	153
PN2229-HC	6	1	583L	R290	+1°C ~ +10°C	H890 x W2240 x D700	B	440W	949	209	209
PN22-HC	4	-	274L	R290	+1°C ~ +10°C	H890 x W1345 x D700	B	351W	657	132	132
PN222-HC	6	-	429L	R290	+1°C ~ +10°C	H890 x W1790 x D700	B	351W	803	155	155
PN2222-HC	8	-	583L	R290	+1°C ~ +10°C	H890 x W2240 x D700	B	440W	949	211	211



RAL COLOUR SYSTEM

SCAN FOR MORE INFO



HBC2CR



REFRIGERATED GLASS DOOR COUNTERS WITH UPSTAND

Easy access to counter storage is essential when it comes to quick and easy food prep so being able to easily glance into the unit without even opening the door is a feature too good to pass up on!

With anodised aluminium surrounds the double glazed glass doors are a perfect fit for the HBC line up. Units feature one adjustable shelf per door, heavy duty castors as standard and a coved 100mm upstand, forming a seamless splashback.

MODEL	DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUUM	POWER	WEIGHT (kg)
HBC2CR	2	282L	R290	+2°C ~ +8°C	H950 x W1360 x D700	B	215W	820	128	128
HBC3CR	3	417L	R290	+2°C ~ +8°C	H950 x W1795 x D700	B	230W	1191	154	154
HBC4CR	4	553L	R290	+2°C ~ +8°C	H950 x W2230 x D700	C	345W	1886	185	185

SCAN FOR
MORE INFO





PREMIUM GLASS DOOR REFRIGERATED COUNTERS

Take your refrigerated counter storage further with the glass door PN range from Inomak. With internal LEDs lighting up your produce for better viewing and shelves made with denser wires for easier storage Inomak really have thought of everything.

Built from high grade AISI 304 stainless steel all around and coming as standard with castors for ease of movement. An epoxy coated evaporator to resist corrosion and self-closing doors are all benefits of the PN line up of products.

MODEL	DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
PN99CR-HC	2	274L	R290	+1°C ~ +10°C	H890 x W1345 x D700	C	366W	1095	1.5	131
PN999CR-HC	3	429L	R290	+1°C ~ +10°C	H890 x W1790 x D700	C	373W	1460	1.5	164
PN9999CR-HC	4	583L	R290	+1°C ~ +10°C	H890 x W2240 x D700	C	469W	1862	1.5	200

SCAN FOR MORE INFO



HBC2EN



REFRIGERATED PREP COUNTERS

Another addition to the HBC range from Blizzard in the form of a refrigerated prep counter. The stainless steel exterior and interior, allow for the surfaces to be disinfected easily, making them food safe.

Even air distribution via a ducted system, supports ventilated cooling and automatic defrost. The temperature can be changed using the easily accessible dixell controller.

MODEL	DOORS	CONTAINER CAPACITY	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	KWH/ANNUM	WEIGHT (kg)
HBC2EN	2	7 X GN1/3	282L	R290	+2°C ~ +8°C	H1075 x W1360 x D700	350W	⏏	120
HBC3EN	3	8 X GN1/3	417L	R290	+2°C ~ +8°C	H1075 x W1795 x D700	350W	⏏	146

SCAN FOR
MORE INFO





PREMIUM REFRIGERATED PREP COUNTERS

Featuring high grade AISI 304 stainless steel exterior and interior the ZPZ range of refrigerated prep counters are the perfect addition to any premium kitchen set up. With a container capacity of up to 12 GN1/4 dependant on model the ZPZ offers fantastic storage space regardless of your needs.

Units are equipped with self-closing doors and one adjustable shelf per door as well as rounded internal corners and castors as standard.

MODEL	DOORS	CONTAINER CAPACITY (NOT INCLUDED)	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
ZPZ99	2	7 X GN1/4	270L	R290	0°C ~ +10°C	H985 x W1342 x D700	449W	❗	126
ZPZ999	3	10 X GN1/4	421L	R290	0°C ~ +10°C	H985 x W1792 x D700	449W	❗	154
ZPZ9999	4	12 X GN1/4	571L	R290	0°C ~ +10°C	H985 x W2242 x D700	465W	❗	191



SCAN FOR
MORE INFO



SNC2



LOW HEIGHT SNACK COUNTERS WITH DOORS & DRAWERS


These low height snack units are a perfect solution for any catering appliance you can think of. Make the units fit your needs with either one adjustable shelf per door or drawers suitable for GN1/1 trays. Equipped with self-closing doors with 'stay open' facility, a replaceable door gasket and a dixell temperature controller.

Stainless steel exterior and interior with rounded internal corners for easy cleaning add the finishing touches to this perfect low height unit.

MODEL	DOORS/ DRAWERS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUUM	POWER	WEIGHT (kg)
SNC2	2/0	214L	R290	+2°C ~ +8°C	H650 x W1360 x D700	C	215W	959	10A	104
SNC3	3/0	317L	R290	+2°C ~ +8°C	H650 x W1795 x D700	C	230W	1090	10A	126
SNC4	4/0	420L	R290	+2°C ~ +8°C	H650 x W2230 x D700	D	345W	1489	10A	155
SNC2-DRW	4/0	214L	R290	+2°C ~ +8°C	H650 x W1360 x D700	C	215W	959	10A	124
SNC3-DRW	6/0	317L	R290	+2°C ~ +8°C	H650 x W1795 x D700	C	230W	1090	10A	156
SNC4-DRW	8/0	420L	R290	+2°C ~ +8°C	H650 x W2230 x D700	D	345W	1489	10A	195

SCAN FOR
MORE INFO


PWN333-HC



PREMIUM LOW HEIGHT SNACK COUNTERS WITH DRAWERS

The PWN range of counters from Inomak comes at a low height of 620mm, specifically designed to serve as the base for cooking equipment. Castors provided as standard, replaceable gaskets and epoxy coated evaporator to resist corrosion, are all small additions to the units, but do make a big difference to how the units perform.

Easily maintain and control internal temperatures of the drawers within the unit thanks to its integrated digital controller and display.

MODEL	DRAWERS	GROSS CAPACITY	WEIGHT SUPPORTED EVENLY ACROSS THE SURFACE OF WORKTOP	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUUM	POWER	WEIGHT (kg)
PWN333-HC	6	246L	680KG	R290	+1°C ~ +10°C	H620 x W1790 x D700	B	351W	620	⏻	151
PWN3333-HC	8	334L	850KG	R290	+1°C ~ +10°C	H620 x W2240x D700	C	440W	876	⏻	193.5




SCAN FOR
MORE INFO





BCC3PIZZA



GRANITE TOP COMPACT GASTRONORM PIZZA PREP COUNTER

The BCC3PIZZA a pizza prep counter that dreams are made of, built from high grade AISI 304 stainless steel and topped with a granite worksurface perfect for dough and pastry prep. Benefit from all the usual features of a BCC unit such as castors, 1 shelf per door, replaceable gaskets and more!

The glass refrigerated preparation TOP sits perfectly on the top of the granite upstand including a small notch for cable management.

MODEL	DOORS	GROSS CAPACITY	CONTAINER CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUUM	POWER	WEIGHT (kg)
BCC3PIZZA	3	368L	6 X GN1/4	R290	+2°C ~ +8°C	H1541 x W1400 x D700	D	240W + 110W	1432	⏏ ⏏	236

OPTIONAL EXTRAS	DESCRIPTION
X1-SHELF07	Shelf
X1-GUIDE07	Guide
X1-CASTORKIT3	Castors for 3DR model

SCAN FOR
MORE INFO



BPB1500



GRANITE TOP PIZZA PREP COUNTERS

Making pizza has never looked this good! Easy to fully sanitise and clean within the inside of the unit, thanks to the durable surfaces and rounded internal corners.

Built with high grade AISI 304 stainless steel and an attractive white granite worktop with a 15cm upstand attached you have the perfect space to prepare dough easily while maintaining maximum storage space below. If you're looking for the perfect prep top unit check out compatible versions on page 95.

MODEL	DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUUM	POWER	WEIGHT (kg)
BPB1500	2	390L	R290	+2°C ~ +8°C	H990 x W1510 x D800	B	215W	785	!!	280
BPB2000	3	580L	R290	+2°C ~ +8°C	H990 x W2020x D800	C	320W	1352	!!	360



SCAN FOR
MORE INFO



BPB1500-7N



GRANITE TOP PIZZA PREP COUNTERS WITH NEUTRAL DRAWERS


Make your equipment truly suitable for purpose using the BPB range of pizza prep counters. The 7N variation comes with another perfectly suited feature – seven neutral drawers for easy storage of dough. Equipped with one adjustable shelf per door and ventilated cooling, you will learn to love all aspects of this pizza prep unit.

Featuring self-closing door(s) with a 'stay open' facility, heavy duty castors as standard and dixell controller, allowing for easy adjustment of temperature.


MODEL	DOORS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
BPB1500-7N	1	390L	R290	+2°C ~ +8°C	H990 x W1515 x D800	A	215W	473	⏻	318
BPB2000-7N	2	580L	R290	+2°C ~ +8°C	H990 x W2025x D800	B	215W	785	⏻	396

SCAN FOR
MORE INFO







BLIZZARD UCFR280
H 926mm W 1200mm D 607mm




BLIZZARD UCRR280
H 926mm W 1200mm D 607mm




BLIZZARD UCFR280
H 926mm W 1200mm D 607mm




KOLDBOX KXCC2
H 876mm W 903mm D 700mm




KOLDBOX KXCC3
H 876mm W 1368mm D 700mm




BLIZZARD BCC2
H 876mm W 903mm D 700mm




BLIZZARD BCC3
H 876mm W 1368mm D 700mm




BLIZZARD BCC2-4D
H 876mm W 903mm D 700mm




BLIZZARD BCC3-6D
H 876mm W 1368mm D 700mm




INOMAK BPV7300-HC
H 860mm W 1080mm D 700mm




INOMAK BPZ7300
H 970mm W 1080mm D 700mm




BLIZZARD BCC2-GR-TOP
H 866mm W 903mm D 700mm




BLIZZARD BCC3-GR-TOP
H 866mm W 1368mm D 700mm




KOLDBOX KXCC2-SAL
H 961mm W 903mm D 700mm




KOLDBOX KXCC3-SAL
H 961mm W 1368mm D 700mm




BLIZZARD BCC2EN
H 1002mm W 903mm D 700mm




BLIZZARD BCC3EN
H 1002mm W 1368mm D 700mm




KOLDBOX KXCC2-PREP
H 877mm W 903mm D 700mm



KOLDBOX KXCC3-PREP
H 877mm W 1368mm D 700mm




BLIZZARD BSP2
H 877mm W 903mm D 700mm




BLIZZARD BSP3
H 877mm W 1368mm D 700mm







BLIZZARD HBC4
H 950mm W 2230mm D 700mm




BLIZZARD LBC2
H 950mm W 1360mm D 700mm




BLIZZARD LBC3
H 950mm W 1795mm D 700mm




BLIZZARD LBC4
H 950mm W 2230mm D 700mm




BLIZZARD HBC2NU
H 850mm W 1360mm D 700mm




BLIZZARD HBC3NU
H 850mm W 1795mm D 700mm




BLIZZARD HBC4NU
H 850mm W 2230mm D 700mm




BLIZZARD LBC2NU
H 850mm W 1360mm D 700mm




BLIZZARD LBC3NU
H 850mm W 1795mm D 700mm




BLIZZARD LBC4NU
H 850mm W 2230mm D 700mm




INOMAK PN99(BK)-HC
H 890mm W 1345mm D 700mm




INOMAK PN999(BK)-HC
H 890mm W 1790mm D 700mm




INOMAK PN9999(BK)-HC
H 890mm W 2240mm D 700mm




INOMAK PN29-HC
H 890mm W 1345mm D 700mm




INOMAK PN229-HC
H 890mm W 1790mm D 700mm




INOMAK PN2229-HC
H 890mm W 2240mm D 700mm




INOMAK PN22-HC
H 890mm W 1345mm D 700mm




INOMAK PN222-HC
H 890mm W 1790mm D 700mm




INOMAK PN2222-HC
H 890mm W 2240mm D 700mm




BLIZZARD HBC2CR
H 950mm W 1360mm D 700mm




BLIZZARD HBC3CR
H 950mm W 1795mm D 700mm




BLIZZARD HBC4CR
H 950mm W 2230mm D 700mm




INOMAK PN99CR-HC
H 890mm W 1345mm D 700mm



INOMAK PN999CR-HC
H 890mm W 1790mm D 700mm




INOMAK PN9999CR-HC
H 890mm W 2240mm D 700mm




BLIZZARD HBC2EN
H 1075mm W 1360mm D 700mm



BLIZZARD HBC3EN
H 1075mm W 1795mm D 700mm




INOMAK ZPZ99
H 985mm W 1342mm D 700mm




INOMAK ZPZ999
H 985mm W 1792mm D 700mm




INOMAK ZPZ9999
H 985mm W 2242mm D 700mm




BLIZZARD SNC2
H 650mm W 1360mm D 700mm




BLIZZARD SNC3
H 650mm W 1795mm D 700mm




BLIZZARD SNC4
H 650mm W 2230mm D 700mm




BLIZZARD SNC2-DRW
H 650mm W 1360mm D 700mm




BLIZZARD SNC3-DRW
H 650mm W 1795mm D 700mm




BLIZZARD SNC4-DRW
H 650mm W 2230mm D 700mm




INOMAK PWN333-HC
H 620mm W 1790mm D 700mm




BLIZZARD BCC3PIZZA
H 1541mm W 1400mm D 700mm




BLIZZARD BPB1500
H 990mm W 1510mm D 800mm



BLIZZARD BPB2000
H 990mm W 2020mm D 800mm



BLIZZARD BPB1500-7N
H 990mm W 1515mm D 800mm



BLIZZARD BPB2000-7N
H 990mm W 2050mm D 800mm

TOP1500EN



SOLID OR GLASS CANAOPY PREP STATIONS

Built from high grade stainless steel, the TOP range is the perfect addition to any prep station. Both the solid and glass variants accept gastronorm containers up to 150mm deep and prove that the simple solution is often the best solution.

MODEL	CONTAINER CAPACITY	REFRIGERANT	TEMPERATURE RANGE	EXTERNAL DIMENSIONS (mm)	INTERNAL DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
TOP1200EN	3 x GN1/3 + GN1/2	R600a	+2°C ~ +8°C	H281 x W1200 x D395	H165 x W850 x D311	110W	❗	60
TOP1500EN	5 x GN1/3 + GN1/2	R600a	+2°C ~ +8°C	H281 x W1500 x D395	H165 x W1150 x D311	110W	❗	72
TOP2000EN	9 x GN1/3	R600a	+2°C ~ +8°C	H281 x W2000 x D395	H165 x W1650 x D311	110W	❗	92
TOP1200-14EN	5 x GN1/4	R600a	+2°C ~ +8°C	H281 x W1200 x D335	H165 x W850 x D251	110W	❗	55
TOP1500-14EN	7 x GN1/4	R600a	+2°C ~ +8°C	H281 x W1500 x D335	H165 x W1150 x D251	110W	❗	65
TOP2000-14EN	10 x GN1/4	R600a	+2°C ~ +8°C	H281 x W2000 x D335	H165 x W1650 x D251	110W	❗	85
TOP1200CR	3 x GN1/3 + GN1/2	R600a	+2°C ~ +8°C	H439 x W1200 x D395	H165 x W850 x D311	110W	❗	60
TOP1500CR	5 x GN1/3 + GN1/2	R600a	+2°C ~ +8°C	H439 x W1500 x D395	H165 x W1150 x D311	110W	❗	72
TOP2000CR	9 x GN1/3	R600a	+2°C ~ +8°C	H439 x W2000 x D395	H165 x W1650 x D311	110W	❗	92
TOP1200-14CR	5 x GN1/4	R600a	+2°C ~ +8°C	H439 x W1200 x D335	H165 x W850 x D251	110W	❗	55
TOP1500-14CR	7 x GN1/4	R600a	+2°C ~ +8°C	H439 x W1500 x D335	H165 x W1150 x D251	110W	❗	66
TOP2000-14CR	10 x GN1/4	R600a	+2°C ~ +8°C	H439 x W2000 x D335	H165 x W1650 x D251	110W	❗	85

OPTIONAL
EXTRAS

DESCRIPTION


T3-WALLBRKT2

1/3 WALL BRACKET


T3-WALLBRKT1

1/4 WALL BRACKET







BLIZZARD TOP1200EN
H 281mm W 1200mm D 395mm




BLIZZARD TOP1500EN
H 281mm W 1500mm D 395mm




BLIZZARD TOP2000EN
H 281mm W 2000mm D 395mm




BLIZZARD TOP1200-14EN
H 281mm W 1200mm D 335mm




BLIZZARD TOP1500-14EN
H 281mm W 1500mm D 335mm




BLIZZARD TOP2000-14EN
H 281mm W 2000mm D 335mm




BLIZZARD TOP1200CR
H 439mm W 1200mm D 395mm




BLIZZARD TOP1500CR
H 439mm W 1500mm D 395mm




BLIZZARD TOP2000CR
H 439mm W 2000mm D 395mm



BLIZZARD TOP1200-14CR
H 439mm W 1200mm D 335mm



BLIZZARD TOP1500-14CR
H 439mm W 1500mm D 335mm



BLIZZARD TOP2000-14CR
H 439mm W 2000mm D 335mm



HIGH GRADE BLAST CHILLER/FREEZER

An essential piece of kit in any commercial kitchen, the BCF will cool the core temperature down of your product quickly preventing bacteria. Adjustable and programable settings will allow you to pre-set your cooling requirements ahead of time.

Featuring self-closing, right-hand hinged door, heavy duty castors as standard and a temperature probe as well as being available in 3 sizes that all accommodate GN1/1 gastronorm containers.

MODEL	CHILL CYCLE 90 MIN	FREEZE CYCLE 240 MIN	CONTAINER CAPACITY	REFRIGERANT	TEMPERATURE RANGE	EXTERNAL DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
BCF20-HC	20 KG	15 KG	5 x GN1/1	R290	+70°C ~ -18°C	H1000 x W800 x D800	750W	■ ■ ■	116
BCF40-HC	40 KG	28 KG	10 x GN1/1	R290	+70°C ~ -18°C	H1520 x W800 x D800	980W	■ ■ ■	139
BCF60-HC	60 KG	38 KG	13 x GN1/1	R290	+70°C ~ -18°C	H1780 x W800 x D800	1200W	■ ■ ■	182



SCAN FOR
MORE INFO



CF550WH



WHITE LAMINATED COMMERCIAL CHEST FREEZER

The CF range is a perfect choice if you're looking for a no thrills chest freezer with a large storage capacity. Coming as standard with storage baskets that allow for easy produce organisation and a large internal cavity to fill further you won't be left short of space to bulk freeze produce.

Featuring stippled aluminium interior and white laminated exterior, roll bond maintenance-free condenser, a replaceable gasket and so much more!

MODEL	GROSS CAPACITY	BASKETS SUPPLIED	MAX NO. OF BASKETS	REFRIGERANT	TEMPERATURE RANGE	EXTERNAL DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUUM	POWER	WEIGHT (kg)
CF350WH	350L	1	3	R600a	-18°C ~ -22°C	H840 x W1030 x D755	F	64W	268	⏻	57.5
CF450WH	450L	1	4	R600a	-18°C ~ -22°C	H840 x W1270 x D755	F	138W	302	⏻	65.5
CF550WH	550L	2	5	R600a	-18°C ~ -22°C	H840 x W1530 x D755	F	161W	323	⏻	75
CF650WH	650L	2	6	R600a	-18°C ~ -22°C	H840 x W1810 x D755	F	161W	382	⏻	83.5

OPTIONAL EXTRAS	DESCRIPTION
B9-BASKET	Basket for CF450/550/650.

SCAN FOR
MORE INFO





STAINLESS STEEL LID COMMERCIAL CHEST FREEZER

Featuring an easy-wipe white laminated exterior and a high grade 304 stainless steel lid with plastic capped ends that is perfect to be used as a work surface. The stippled aluminium interior ensures safe food storage plus the user-friendly thermostat allows you to manually change the internal temperature of the unit.

Benefit from other great features of the CF range such as rear roller and front feet, a roll bond maintenance free condenser and a replaceable gasket all as standard.

MODEL	GROSS CAPACITY	BASKETS SUPPLIED	MAX NO. OF BASKETS	REFRIGERANT	TEMPERATURE RANGE	EXTERNAL DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUUM	POWER	WEIGHT (kg)
CF450SS	450L	1	4	R600a	-18°C ~ -22°C	H840 x W1270 x D755	F	138W	302	1.3	65.5
CF550SS	550L	2	5	R600a	-18°C ~ -22°C	H840 x W1530 x D755	F	161W	323	1.6	75
CF650SS	650L	2	6	R600a	-18°C ~ -22°C	H840 x W1810 x D755	F	161W	382	1.6	83.5

OPTIONAL EXTRAS	DESCRIPTION
B9-BASKET	Basket for CF450/550/650.



SCAN FOR
MORE INFO





VESTFROST
SOLUTIONS

LOW ENERGY WHITE LAMINATED CHEST FREEZER

Vestfrost have supplied a low budget and even lower energy chest freezer perfect for small catering spaces. Featuring white anti-corrosion painted plate, or a stainless steel lid with silver exterior and aluminium interior allowing for safe storage of frozen food.

Supplied with internal illumination, drain and drip tray and a skin condenser.

Featuring four plastic feet and lock fitted as standard, this unit will meet your freezer needs without breaking the bank.

MODEL	GROSS CAPACITY	BASKETS SUPPLIED	MAX NO. OF BASKETS	REFRIGERANT	TEMPERATURE RANGE	EXTERNAL DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUUM	POWER	WEIGHT (kg)
SB200	198L	2	6	R600a	-18°C ~ -24°C	H850 x W920 x D695	E	75W	177	⏻	50
SB300	296L	4	12	R600a	-18°C ~ -24°C	H850 x W1260 x D695	F	95W	283	⏻	59
SB400	383L	5	15	R600a	-18°C ~ -24°C	H850 x W1560 x D695	F	110W	307	⏻	66
SB300STS	296L	4	12	R600a	-18°C ~ -24°C	H850 x W1260 x D695	F	95W	283	⏻	59
SB400STS	383L	5	15	R600a	-18°C ~ -24°C	H850 x W1560 x D695	F	110W	307	⏻	66

SCAN FOR
MORE INFO







DISPLAY REFRIGERATION

Display Refrigerators | Display Freezers | Ice Cream Display
Grab & Go | Multidecks | Counter Top Display | Patisserie Display
Serve Overs | Buffet

From multidecks to ice cream displays and serve overs to chest freezers it has never been so important to show off your products effectively to your customer and with our wide range of options from the worlds leading brands in refrigeration you're sure to find the perfect solution to your refrigeration needs.

BC350



UPRIGHT HINGED GLASS DOOR MERCHANDISER

If display of your refrigerated product is the aim then the BC350 is the perfect no thrills way of getting there. With a white laminated exterior fronted with a black plastic and double glazed glass hinged door, 5 Adjustable shelves included as standard and a pre-painted white aluminium interior it is the ultimate in budget display refrigeration.

Unit maintenance has never been so easy thanks to the integrated digital controller which ensures efficient running and the easily replaceable door gaskets.

MODEL	DOORS	SHELVES	GROSS CAPACITY (BOTTLES)	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
BC350	1	5	350L	R600a	+2°C ~ +8°C	H1905 x W592 x D605	B	210W	1161	■	84

OPTIONAL EXTRAS	DESCRIPTION
B9-SHELF350	Shelf for BC350.
B9-CLIP	Clip for shelves (4 required per shelf)



SCAN FOR MORE INFO



GD630SL



UPRIGHT HINGED & SLIDING GLASS DOOR MERCHANDISER

Clean, simple and perfect for all your display storage needs, the GD range of glass door merchandisers are perfect for any retail outlet looking to store and advertise anything from cold drinks to refrigerated goods.

Available in both sliding and hinged variations, the white laminated unit is fronted with black doors embedded with double glazed glass in order to optimise content viewing, along with integrated LEDs internally and customisable graphics panel above.

MODEL	DOORS	SHELVES	GROSS CAPACITY (BOTTLES)	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
GD350	1	4	350L	R600a	+2°C ~ +8°C	H2180 x W592 x D615	B	210W	1161	⏻	84
GD630	2	8	630L	R290	+2°C ~ +8°C	H2010 x W925 x D695	C	300W	1874	⏻	124
GD630SL	2 (Sliding)	8	630L	R290	+2°C ~ +8°C	H2010 x W925 x D695	C	300W	1874	⏻	124
GD900	2	8	908L	R290	+2°C ~ +8°C	H2010 x W1295 x D695	C	350W	2435	⏻	151
GD900SL	2 (Sliding)	8	908L	R290	+2°C ~ +8°C	H2010 x W1295 x D695	C	350W	2435	⏻	151

OPTIONAL EXTRAS	DESCRIPTION
B9-SHELF350	Shelf for GD350.
B9-SHELF630L	Left hand shelf for GD630.
B9-SHELF630R	Right hand shelf for GD630.
B9-SHELF900	Left hand shelf for GD900 (SL).
B9-SHELF900R	Right hand shelf for GD900 (SL).

SCAN FOR MORE INFO





FKG371


VESTFROST
SOLUTIONS

UPRIGHT HINGED GLASS DOOR REFRIGERATOR

If you're looking for a refrigerated unit with flexibility then look no further than the FKG range from Vestfrost. Whether its the varying heights or the option for a stacked double door variation the flexibility of the unit is unrivalled.

Coming as standard with adjustable shelves, internal LEDs, rear rollers for ease of movement and front adjustable feet. Need a left hand opening? Add on the alteration kit to your order to flip this over.

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
FKG311	1	4	306L	R600a	+3°C ~ +10°C	H1550 x W595 x D595	E	200W	814	⚡	74
FKG371	1	6	381L	R600a	+3°C ~ +10°C	H1850 x W595 x D595	E	300W	801	⚡	88
FKG370	2 (Stacked)	6	377L	R600a	+3°C ~ +10°C	H1850 x W595 x D595	E	300W	835	⚡	88

OPTIONAL EXTRAS	DESCRIPTION
V1-0A1040010203	Left Hand Opening Kit
V1-38155	Shelf

SCAN FOR
MORE INFO

NFG309



VESTFROST
SOLUTIONS

UPRIGHT HINGED GLASS DOOR FREEZER

Adjustable shelved freezers are few and far between and the Vestfrost NFG309 is the perfect choice for simplistic perfection. With a white laminated exterior fronted by a full height anodized aluminium framed glass door you won't be left short for storage space thanks to its 5 included shelves as standard.

Ensure your unit is kept in tip top condition for years to come with included 3 years warranty and rear rollers for easy movement in and out of tight spaces.

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
NFG309	1	5	310L	R290	-16°C ~ -25°C	H1850 x W600 x D595	E	680W	3807		90

OPTIONAL EXTRAS	DESCRIPTION
V1-0855006703	Left Hand Opening Kit

SCAN FOR
MORE INFO





BEVPR40



mondial

UPRIGHT HINGED GLASS DOOR DISPLAY REFRIGERATOR

Don't wait around because the BEVPR range is selling fast and is only available while stocks last! With a clean white finish and full length glass fronted door and 5 adjustable shelves you can be sure your stored products will stand out perfectly!

The units come as standard with adjustable front feet, replaceable door gasket, temperature display, reversible door and internal illumination for the perfect finishing additions to your display refrigerator.

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
BEVPR40	1	5	380L	R600a	+3°C ~ +10°C	H1865 x W600 x D620	G	280W	1350	⚡	92

OPTIONAL EXTRAS	DESCRIPTION
M3-SHELF40	Shelf for BEVPR40



SCAN FOR
MORE INFO



ICEN40



mondial

UPRIGHT HINGED GLASS DOOR
DISPLAY FREEZER

The perfect solution for a freezer display, the ICEN40 includes 6 fixed shelves as standard and coupled with its full frontal glass door allows the customer to see all contents from top to bottom, only made easier by the included internal LED lighting.

With a white finish, hints of blue detail and an interior made from anti-bacterial ABS, keeping the unit clean and presentable is as easy as a quick wipe over.

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
ICEN40	1	6	360L	R290	-18°C ~ -23°C	H1880 x W600 x D620	D	575W	2810	■	103

SCAN FOR
MORE INFO



GDS400



UPRIGHT HINGED GLASS DOOR DISPLAY FREEZER

What better way to display frozen merchandise than in a multi shelf unit with an additional illuminated display panel perfect for customised branding. With a pre-painted white steel exterior and interior plus aluminium door frame, the GDS unit gives off a clean and sophisticated look, while ensuring easy maintenance going forward.

Add to that a triple glazed door with integrated heater to avoid condensation, internal LED lighting and replaceable door gaskets, and you have yourself a perfect display unit.

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
GDS400	1	6	416L	R290	-18°C ~ -25°C	H2018 x W667 x D620		467W	3365		116



SCAN FOR
MORE INFO



CRFV500


















UPRIGHT HINGED GLASS DOOR DISPLAY FREEZER

Unlike most other display freezers the CRFV is unique in the fact it allows the users to fully adjust the 5 included shelves for ultimate flexibility. Move your product around in the white prepainted interior to ensure that your customers see exactly what you want them too through the heated triple glazed door.

Plus why miss out on amazing features such as a fan cooled condenser, roller feet, internal LEDs, replaceable door gaskets and more!

MODEL	DOORS	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
CRFV500	1	5	416L	R290	-18°C ~ -25°C	H2018 x W667 x D662	D	594W	3683		138

SCAN FOR
MORE INFO


 <p>FRONT SIDE (DOOR OPEN)</p>	 <p>FRONT SIDE (DOOR OPEN)</p>	 <p>FRONT SIDE (DOOR OPEN)</p>
<p>BLIZZARD BC350 H 1905mm W 592 mm D 605mm</p>	<p>BLIZZARD GD350 H 2180mm W 592mm D 615mm</p>	<p>BLIZZARD GD630 H 2010mm W 925mm D 695mm</p>
 <p>FRONT SIDE</p>	 <p>FRONT SIDE (DOOR OPEN)</p>	 <p>FRONT SIDE</p>
<p>BLIZZARD GD630SL H 2010mm W 925mm D 695mm</p>	<p>BLIZZARD GD900 H 2010mm W 1295mm D 695mm</p>	<p>BLIZZARD GD900SL H 2010mm W 1295mm D 695mm</p>
 <p>FRONT SIDE (DOOR OPEN)</p>	 <p>FRONT SIDE (DOOR OPEN)</p>	 <p>FRONT SIDE (DOOR OPEN)</p>
<p>VESTFROST FKG311 H 1550mm W 595mm D 595mm</p>	<p>VESTFROST FKG371 H 1850mm W 595mm D 595mm</p>	<p>VESTFROST FKG370 H 1850mm W 595mm D 595mm</p>
 <p>FRONT SIDE (DOOR OPEN)</p>	 <p>FRONT SIDE (DOOR OPEN)</p>	 <p>FRONT SIDE (DOOR OPEN)</p>
<p>VESTFROST NFG309 H 1850mm W 600mm D 595mm</p>	<p>MONDIAL BEVPR40 H 1865mm W 600mm D 620mm</p>	<p>MONDIAL BEVPR60 H 1865mm W 775mm D 740mm</p>
 <p>FRONT SIDE (DOOR OPEN)</p>	 <p>FRONT SIDE (DOOR OPEN)</p>	 <p>FRONT SIDE (DOOR OPEN)</p>
<p>MONDIAL ICEN40 H 1880mm W 600mm D 620mm</p>	<p>CRYSTAL GDS400 H 2018mm W 667mm D 620mm</p>	<p>CRYSTAL CRFV500 H 2018mm W 667mm D 662mm</p>

BDF62



CURVED GLASS LID DISPLAY FREEZER

Simplicity is perfection when it comes to the BDF range by Blizzard. Boasting a lockable curved sliding glass lid for easy viewing, LED lighting and a white body finish with black trim for the cleanest of looks you'll be hard done by to find a better value option.

Supplied as standard with full capacity baskets dependent on the size of the unit, 4 castors for easy manoeuvrability and integrated drain hole to allow for easy defrosting of the freezer when required.

MODEL	BASKETS (MAX)	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
BDF22	2 (2)	220L	R290	-18°C ~ -25°C	H850 x W740 x D680	C	186W	978	⚡	58
BDF32	3 (3)	320L	R290	-18°C ~ -25°C	H850 x W1030 x D680	C	198W	1014	⚡	60.5
BDF42	4 (4)	420L	R290	-18°C ~ -25°C	H850 x W1270 x D680	C	210W	1025	⚡	69
BDF52	5 (5)	520L	R290	-18°C ~ -25°C	H850 x W1530 x D680	C	248W	1289	⚡	72.5
BDF62	6 (6)	620L	R290	-18°C ~ -25°C	H850 x W1810 x D680	D	252W	2017	⚡	81

SCAN FOR
MORE INFO



IKG275


VESTFROST
SOLUTIONS

SLIDING FLAT GLASS CONSERVATORS

With easy to access, large freezer storage the IKG range offers the perfect low footprint display freezer option. Its white laminated exterior perfectly accented by its sliding glass lid and aluminium interior the unit sure fits the part in any store.

If the addition of castors, manual temperature control and a digital display as standard doesn't seal the deal then the skin condenser and 13amp plug and play power supply is sure to complete it!

MODEL	BASKETS (MAX)	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
IKG205	1 (2)	194L	R600a	-18°C ~ -24°C	H905 x W720 x D600	-	180W	-	⏻	46
IKG275	2 (3)	265L	R600a	-18°C ~ -24°C	H905 x W920 x D600	E	260W	744	⏻	52
IKG405	3 (5)	386L	R600a	-18°C ~ -24°C	H905 x W1260 x D600	E	300W	923	⏻	64

OPTIONAL EXTRAS	DESCRIPTION
V1-38005	Basket for IKG205/275


 SCAN FOR
MORE INFO


CRYSTALLITE15



SLIDING FLAT GLASS ISLAND DISPLAY FREEZERS

The iconic island display freezer range from Crystal is the only logical solution when it comes to bulk freezer storage. With a pre-painted white steel exterior & interior topped with single glazed glass sliding lids and bumper bars fitted as standard you'll be hard done by to find a more suitable and fitting unit for your retail space.

Lockable castors are fitted to all units as standard for ease of movement, with options to add baskets & dividers dependent on your requirements.

MODEL	BASKETS (MAX)	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
CRYSTALLITE15	0 (5)	600L	R290	-18°C ~ -26°C	H840 x W1554 x D914	F	376W	1639	⏻	132
CRYSTALLITE20	0 (6)	797L	R290	-18°C ~ -26°C	H840 x W2004 x D914	C	407W	1599	⏻	149
CRYSTALLITE25	0 (8)	1038L	R290	-18°C ~ -26°C	H840 x W2504 x D914	C	517W	2613	⏻	181

OPTIONAL EXTRAS	DESCRIPTION
C3-1042039	Crystalite Basket
C3-1042122	Crystalite Divider

SCAN FOR
MORE INFO





COMBI



UPRIGHT COMBI WALLSITE DISPLAY FREEZER

Made up with 2 independent units the COMBI boasts a pre-painted white (or black) exterior with LED lighting to both units along with integrated bumper bars to stop unwanted dints and scratches. Triple glazed heated glass doors to the upper wall unit and curved sliding glass doors to the bottom maximises the amount of product displayed to the customer. The combi also benefits from low energy consumption thanks to its high efficiency compressor and 70mm thick insulation.

MODEL	SHELVES	DIVIDERS	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/HOUR	POWER	WEIGHT (kg)
COMBI2200ECO	Top 6 Base 4	Base 3	Top 768L Base 845L	R290	-24°C ~ -16°C	H2215 x W2200 x D960	C C	1000W 327W	Top 978 Base 553	⏻ ⏻	390
COMBI2500ECO	Top 8 Base 4	Base 5	Top 878L Base 983L	R290	-24°C ~ -16°C	H2215 x W2500 x D960	D C	1064W 486W	Top 1313 Base 649	⏻ ⏻	464



SCAN FOR
MORE INFO





ESKIMO6



mondial

CURVED GLASS ICE CREAM DISPLAY

Sit back and relax in the knowledge that your ice cream display worries have been resolved thanks to the Mondial Eskimo. With a pre-painted white steel exterior and interior and preassembled glass canopy it can hold an impressive 6 x 5L Napoli pans on display plus a further 8 in the under-unit storage.

Ensure the unit can be easily accessible at all times with included low profile castors fitted as standard on all units.

MODEL	DISPLAY PANS* (STORAGE PANS)	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUUM	POWER	WEIGHT (kg)
ESKIMO6	6 (8)	330L	R290	-15°C ~ -20°C	H1238 x W1200 x D673	C	420W	3223		115

*Napoli pans not included

OPTIONAL EXTRAS	DESCRIPTION
GN-NAPOLI	360mm Deep Napoli Pan 5L

SCAN FOR
MORE INFO



VENUS ELEGANTE 36



NEW CURVED GLASS HIGH CAPACITY ICE CREAM DISPLAY

The popular Crystal Elegante range is back with a new look, boasting A level Energy ratings with the technology to back it up too! With a crisp white finish, anthracite frame, sliding glass lid, arc'd glass canopy, internal LED lighting and back lit graphics panel this unit is in prime position to stand out in style in any establishment

High capacity under storage accessible to the rear, ensures you can re-stock the display quickly & efficiently.

MODEL	DISPLAY PANS* (STORAGE PANS)	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUUM	POWER	WEIGHT (kg)
ELEGANTE36	9 (10)	354L	R290	-15°C ~ -22°C	H1257 x W1192 x D824	A	227W	923	⏏	112
ELEGANTE46	10 (14)	454L	R290	-15°C ~ -22°C	H1257 x W1447 x D824	A	270W	1205	⏏	133
ELEGANTE56	13 (18)	557L	R290	-15°C ~ -22°C	H1257 x W1662 x D824	A	276W	1442	⏏	150

*Napoli pans not included

SCAN FOR
MORE INFO





FLAT GLASS ICE CREAM DISPLAY

A clean, modern and sleek ice cream display, that expertly shows off up to 13 Napoli pans worth of ice cream with storage for even more! Finished off in a white laminate body and anthracite frame the Athena sure knows how to make a statement.

Complete the look with optional branding on special orders with integrated LED lighting to make it pop just that little extra, plus the handy serving bench and scoop wash to help finish off this excellent ice cream display.

MODEL	DISPLAY PANS* (STORAGE PANS)	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUUM	POWER	WEIGHT (kg)
ATHENA9	9 (14)	358L	R290	-14°C ~ -24°C	H1288 x W1194 x D842	B	219W	1646	⏻	123
ATHENA13	13 (20)	540L	R290	-14°C ~ -24°C	H1288 x W1664 x D842	B	236W	2044	⏻	153

*Napoli pans not included



SCAN FOR
MORE INFO



OPTIMUS 16



FLAT GLASS HIGH CAPACITY ICE CREAM DISPLAY

The ultimate choice in ice cream displays the Crystal Optimus lives up to its name and holds an impressive 40 5L Napoli pans across both display and storage areas.


With a cream and black finish, sliding glass lid and sloped canopy the unit allows easy viewing of content along with even easier labelling thanks to its integrated flavour card holders which are conveniently LED lit along with the top of the unit. This paired with the generous under storage culminates in the perfect ice cream display unit.

MODEL	DISPLAY PANS* (STORAGE PANS)	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
OPTIMUS16	16 (24)	630L	R290	-15°C ~ -22°C	H1335 x W1590 x D1195	A	451W	1913	⏻	195


*Napoli pans not included

SCAN FOR
MORE INFO







MONDIAL ESKIMO
H 1238mm W 1200mm D 673mm




CRYSTAL ELEGANTE36
H 1257mm W 1192mm D 824mm




CRYSTAL ELEGANTE46
H 1257mm W 1447mm D 824mm




CRYSTAL ELEGANTE56
H 1257mm W 1662mm D 824mm



CRYSTAL ATHENA9
H 1288mm W 1194mm D 842mm




CRYSTAL ATHENA13
H 1288mm W 1664mm D 842mm



CRYSTAL OPTIMUS16
H 1335mm W 1590mm D 1195mm

GRAB60



GRAB & GO OPEN FRONT MERCHANDISERS

The classic refrigerated Grab and Go merchandiser from Blizzard is the perfect small form free-standing unit, which allows for easy access to your product. Complete with mirror finish stainless steel construction, glass side panels, three adjustable shelves and castors fitted as standard.

When you're ready to close for the day ensure your unit is saving as much energy as possible thanks to the integrated night blind, safely hooking at the bottom of the unit.


MODEL	GROSS CAPACITY	SHELVES SUPPLIED	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	ENERGY INPUT	KWH/ANNUM	POWER	WEIGHT (kg)
GRAB60	230L	3	+2°C ~ +12°C	H1523 x W600 x D890	F	1340W	6061	⚡	102
GRAB100	380L	3	+2°C ~ +12°C	H1523 x W1000 x D890	G	1400W	6260	⚡	129

OPTIONAL EXTRAS	DESCRIPTION
G1-SNACKBASKET6	600mm Snack Basket
G1-SNACKBASKET9	900mm Snack Basket

SCAN FOR
MORE INFO



BHD50



NEW HEATED GRAB & GO TIERED DISPLAY

New for 2022 the Blizzard Heated Grab & Go Tiered Display fills a gap in the market allowing users to display and store heated product for prolonged periods. Fitted with 3 LED lit perforated stainless steel shelves to aid in airflow this clean looking unit built from stainless steel and glass is the perfect fit for any retail or food outlet.

Capable of reaching up to 80°C thanks to the adjustable digital controller & display and fitted with castors as standard to allow for easy access for cleaning and maintenance.

MODEL	GROSS CAPACITY	SHELVES SUPPLIED	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	ENERGY INPUT	POWER	WEIGHT (kg)
BHD50	220L	3	30°C ~ 80°C	H1742 x W494 x D600	-	2000W		77.5



SCAN FOR
MORE INFO



P75-100-OPEN



SELF-SERVICE LOW HEIGHT OPEN FRONT MERCHANDISER

This low height self-service merchandiser is the perfect addition to any retail or food establishment that wants to allow quick and easy access to refrigerated food and drink. With a mirrored stainless steel finish and curved glass sides the unit will sit seamlessly into any interior design and layout.

The unit also includes rear access for replenishment, 3 adjustable glass shelves, internal illumination, adjustable feet and pull out condenser unit for easy cleaning.

MODEL	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
P75-100-OPEN	3	R290	+2°C ~ +5°C	H1350 x W1000 x D750	E	2076W	5657	⚡	200

SCAN FOR
MORE INFO





SLD60-100HC



SELF SERVICE LOW HEIGHT TIERED DISPLAY

Regardless of your display storage needs the SLD60 low height unit is the perfect addition to your retail setting. Built with mirror finish 304 grade stainless steel, tempered glass sides and shelves and internal illumination as standard.

Ensure you save energy when required with the included night blind fitted as standard on all units perfect for closing off at the end of the day. Don't worry about maintaining your unit with the pull out condenser unit it couldn't be easier.

MODEL	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
SLD60-60HC	3	R290	+2°C ~ +8°C	H1310 x W600 x D600	F	1783W	4307	⬆	135
SLD60-100HC	3	R290	+2°C ~ +8°C	H1310 x W1000 x D600	F	1842W	5110	⬆	178
SLD60-120HC	3	R290	+2°C ~ +8°C	H1310 x W1200 x D600	F	2076W	5657	⬆	202

OPTIONAL EXTRAS	DESCRIPTION
G1-SNACKBASKET6	600mm Snack Basket
G1-SNACKBASKET9	900mm Snack Basket
G1-SNACKBASKET12	1200mm Snack Basket

SCAN FOR
MORE INFO



BTD70WH



UPRIGHT SLIM TIERED WHITE MULTI-DECK

When simple, easy and clean display storage is your requirement there's no better option than the BTD-WH range by Blizzard. With a white laminated external finish, tempered glass side panels and 4 heavy duty adjustable shelves with pricing strips this simple yet effective unit is perfect for every retail environment.

The digital controller, condenser alarm, internal lighting, night blind and adjustable feet fitted as standard make the BTD-WH one of the best value multi-decks available.

MODEL	FINISH	GROSS CAPACITY	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
BTD70WH	White	240L	4	R290	+2°C ~ +10°C	H2000 x W685 x D660	F	1104W	7050	1104W	187
BTD100WH	White	360L	4	R290	+2°C ~ +10°C	H2000 x W1000 x D660	F	1296W	10738	1296W	225
BTD130WH	White	470L	4	R290	+2°C ~ +10°C	H2000 x W1310 x D660	F	2195W	9312	2195W	272
BTD150WH	White	540L	4	R290	+2°C ~ +10°C	H2000 x W1500 x D660	F	2340W	10214	2340W	310
BTD200WH	White	720L	4	R290	+2°C ~ +10°C	H2000 x W1935 x D660	G	2518W	13554	2518W	370

SCAN FOR
MORE INFO


BTD130SS



UPRIGHT SLIM TIERED STAINLESS STEEL/BLACK MULTI-DECK

Plentiful refrigerated display space and clean professional looking finishes, what could be better? The much loved BTD range available in both stainless steel and black offers a touch of class to your retail setting. Add to that the night blind, internal lighting, four included shelves, digital controller, adjustable feet, integrated POS strips, condenser alarm and more and you have yourself the perfect multi-deck.

MODEL	FINISH	GROSS CAPACITY	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
BTD70SS	Stainless Steel	240L	4	R290	+2°C ~ +10°C	H2000 x W685 x D660	F	1104W	7050	!!!	187
BTD100SS	Stainless Steel	360L	4	R290	+2°C ~ +10°C	H2000 x W1000 x D660	F	1296W	10738	!!!	225
BTD130SS	Stainless Steel	470L	4	R290	+2°C ~ +10°C	H2000 x W1310 x D660	F	2195W	9312	!!!	272
BTD150SS	Stainless Steel	540L	4	R290	+2°C ~ +10°C	H2000 x W1500 x D660	F	2340W	10214	!!!	310
BTD200SS	Stainless Steel	720L	4	R290	+2°C ~ +10°C	H2000 x W1935 x D660	G	2518W	13554	!!!	370
BTD70BK	Black	240L	4	R290	+2°C ~ +10°C	H2000 x W685 x D660	F	1104W	7050	!!!	187
BTD100BK	Black	360L	4	R290	+2°C ~ +10°C	H2000 x W1000 x D660	F	1296W	10738	!!!	225
BTD130BK	Black	470L	4	R290	+2°C ~ +10°C	H2000 x W1310 x D660	F	2195W	9312	!!!	272
BTD150BK	Black	540L	4	R290	+2°C ~ +10°C	H2000 x W1500 x D660	F	2340W	10214	!!!	310
BTD200BK	Black	720L	4	R290	+2°C ~ +10°C	H2000 x W1935 x D660	G	2518W	13554	!!!	370

SCAN FOR MORE INFO



BTD150BK-GD




NEW UPRIGHT SLIM TIERED STAINLESS STEEL/BLACK SLIDING DOOR MULTI-DECK

New for 2022 the BTD-GD range encompasses the much loved BTD multi-deck units while adding sliding glass doors to finish off the unit. Available in black or stainless steel the BTD-GD is sure to bring a touch of class to your establishment while saving energy thanks to its closed off design. Gain all the benefits of a BTD with 4 adjustable shelves, pricing strips, digital temperature control with alarm and so much more!


MODEL	FINISH	GROSS CAPACITY	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
BTD130SS-GD	Stainless Steel	470L	4	R290	+1°C ~ +5°C	H2000 x W1310 x D660	C	1412W	5155	!!!	272
BTD150SS-GD	Stainless Steel	540L	4	R290	+1°C ~ +5°C	H2000 x W1500 x D660	D	1932W	7053	!!!	310
BTD200SS-GD	Stainless Steel	720L	4	R290	+1°C ~ +5°C	H2000 x W1935 x D660	D	2317W	8458	!!!	370
BTD130BK-GD	Black	470L	4	R290	+1°C ~ +5°C	H2000 x W1310 x D660	C	1412W	5155	!!!	272
BTD150BK-GD	Black	540L	4	R290	+1°C ~ +5°C	H2000 x W1500 x D660	D	1932W	7053	!!!	310
BTD200BK-GD	Black	720L	4	R290	+1°C ~ +5°C	H2000 x W1935 x D660	D	2317W	8458	!!!	370

SCAN FOR
MORE INFO





SD60-120HC



UPRIGHT SLIM MIRRORED STAINLESS STEEL MULTIDECK

The perfect slim line multideck finished off in an attractive mirrored stainless steel finish the SD60 range is the ideal solution for a space saving multideck that maximises display space while keeping the overall footprint of the unit to a minimum.

Ensure you save energy when required with the included night blind fitted as standard on all units perfect for closing off at the end of the day. Don't worry about maintaining your unit with the pull out condenser it couldn't be easier.

MODEL	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
SD60-60HC	4	R290	+2°C ~ +5°C	H1950 x W600 x D600	F	1842W	6935	■ ■	163
SD60-100HC	4	R290	+2°C ~ +5°C	H1950 x W1000 x D600	F	2076W	8760	■ ■	218
SD60-120HC	4	R290	+2°C ~ +5°C	H1950 x W1200 x D600	G	2115W	11680	■ ■ ■ ■	247
SD60-150HC	4	R290	+2°C ~ +5°C	H1950 x W1500 x D600	G	2563W	13150	■ ■ ■ ■ ■ ■	291
SD60-180HC	4	R290	+2°C ~ +5°C	H1950 x W1800 x D600	G	3363W	14600	■ ■ ■ ■ ■ ■ ■ ■	330

OPTIONAL EXTRAS	DESCRIPTION
G1-SNACKBASKET6	600mm Snack Basket
G1-SNACKBASKET9	900mm Snack Basket
G1-SNACKBASKET12	1200mm Snack Basket
G1-SNACKBASKET15	1500mm Snack Basket



SCAN FOR
MORE INFO



SD75-100HC



UPRIGHT MIRRORED STAINLESS STEEL MULTIDECK

Maximum storage with maximum style. The SD75 doesn't hold back when it comes to storage offering a deep and tall display area with 4 included shelves as standard. With a mirrored stainless steel finish and tempered glass side panels it looks the part too!

Ensure your product is clear to see with included internal lighting to the top of the unit plus clear shelf risers to secure your product without obstructing the customers view.

Save energy and close down for the night with the included night blind.

MODEL	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ANNUM	POWER	WEIGHT (kg)
SD75-100HC	4	R290	+2°C ~ +5°C	H1950 x W1000 x D750	F	2115W	9672	⬆	251
SD75-120HC	4	R290	+2°C ~ +5°C	H1950 x W1200 x D750	G	2154W	12540	⬆ ⬆	283
SD75-150HC	4	R290	+2°C ~ +5°C	H1950 x W1500 x D750	G	2622W	13870	⬆ ⬆ ⬆	328
SD75-180HC	4	R290	+2°C ~ +5°C	H1950 x W1800 x D750	G	3402W	15330	⬆ ⬆ ⬆ ⬆	385

OPTIONAL EXTRAS	DESCRIPTION
G1-SNACKBASKET6	600mm Snack Basket
G1-SNACKBASKET9	900mm Snack Basket
G1-SNACKBASKET12	1200mm Snack Basket
G1-SNACKBASKET15	1500mm Snack Basket

SCAN FOR
MORE INFO



CRONUS1250OP-SS-MA



UPRIGHT LOCKABLE MULTI-DECK



UPRIGHT TIERED DISPLAY WITH LOCKABLE SHUTTER

When compromising on quality is not an option the Mafirol CRONUS range is the perfect solution for you. Built with high grade 304 stainless steel both internally and externally this premium unit comes with 4 adjustable shelves as standard not to mention the double lockable manual shutter to ensure your product is kept safe when not in direct use. The CRONUS range is intended for use for both general purpose refrigeration and fresh products such as dairy and meat and can be supplied in a custom RAL colour on special order request.

MODEL	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
CRONUS806OP-SS-MA	4	R290	+0°C ~ +2°C	H1994 x W866 x D740	-	1370W	5000		225
CRONUS1250OP-SS-MA	4	R290	+0°C ~ +2°C	H1994 x W1310 x D740	-	1930W	7044		280
CRONUS1450OP-SS-MA	4	R290	+0°C ~ +2°C	H1994 x W1510 x D740	-	1930W	7044		305
CRONUS1875OP-SS-MA	4	R290	+0°C ~ +2°C	H1994 x W1935 x D740	-	2085W	7610		380


OPTIONAL EXTRAS	DESCRIPTION
G1-SNACKBASKET6	600mm Snack Basket
G1-SNACKBASKET9	900mm Snack Basket
G1-SNACKBASKET12	1200mm Snack Basket
G1-SNACKBASKET15	1500mm Snack Basket

SCAN FOR MORE INFO





SD75-190SHU-HC



UPRIGHT MIRRORED STAINLESS STEEL MULTIDECK WITH LOCKABLE SHUTTER

Maximum storage with maximum style. The SD75 doesn't hold back when it comes to storage offering a deep and tall display area with 4 included shelves as standard. A high mirrored stainless steel finish and lockable shutters finish off this fantastic unit.


Ensure your product is clear to see with included internal lighting to the top of the unit plus clear shelf risers to secure your product with obstructing the customers view. Save energy and close down for the night with the included night blind.

MODEL	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
SD75-100SHU-HC	4	R290	+2°C ~ +5°C	H1950 x W1000 x D750	G	2115W	8285	■ ■ ■	251
SD75-130SHU-HC	4	R290	+2°C ~ +5°C	H1950 x W1300 x D750	G	2154W	9818	■ ■ ■ ■	291
SD75-190SHU-HC	4	R290	+2°C ~ +5°C	H1950 x W1900 x D750	G	3402W	12775	■ ■ ■ ■ ■	410


OPTIONAL EXTRAS	DESCRIPTION
G1-SNACKBASKET6	600mm Snack Basket
G1-SNACKBASKET9	900mm Snack Basket
G1-SNACKBASKET12	1200mm Snack Basket
G1-SNACKBASKET15	1500mm Snack Basket

SCAN FOR MORE INFO







BLIZZARD GRAB60
H 1523mm W 600mm D 890mm




BLIZZARD GRAB100
H 1523mm W 1000mm D 890mm




BLIZZARD BHD50
H 1523mm W 600mm D 890mm




FROST TECH P75-100-OPEN
H 1350mm W 1000mm D 750mm




FROST TECH SLD60-60HC
H 1310mm W 600mm D 600mm




FROST TECH SLD60-100HC
H 1310mm W 1000mm D 600mm




FROST TECH SLD60-120HC
H 1310mm W 1200mm D 600mm




BLIZZARD BTD70WH (SS,BK)
H 2000mm W 685mm D 660mm




BLIZZARD BTD100WH (SS,BK)
H 2000mm W 1000mm D 660mm




BLIZZARD BTD130WH (SS,BK)
H 2000mm W 1310mm D 660mm




BLIZZARD BTD150WH (SS,BK)
H 2000mm W 1500mm D 660mm




BLIZZARD BTD200WH (SS,BK)
H 2000mm W 1935mm D 660mm




BLIZZARD BTD130SS-GD (BK)
H 2000mm W 1310mm D 660mm




BLIZZARD BTD150SS-GD (BK)
H 2000mm W 1500mm D 660mm




BLIZZARD BTD200SS-GD (BK)
H 2000mm W 1935mm D 660mm




FROST TECH SD60-60HC
H 1950mm W 600mm D 600mm




FROST TECH SD60-100HC
H 1950mm W 1000mm D 600mm




FROST TECH SD60-120HC
H 1950mm W 1200mm D 600mm













FROST TECH SD60-150HC
H 1950mm W 1500mm D 600mm



FROST TECH SD60-180HC
H 1950mm W 1800mm D 600mm



FROST TECH SD75-100HC
H 1950mm W 1000mm D 750mm





CTR99



HIGH CAPACITY COUNTER TOP REFRIGERATOR & FREEZER

The perfect option for counter top display of refrigerated products the CTR/CTF offers a clean looking white unit with a large double glazed lockable door. With integrated lock, digital temperature controller, self closing door and more this small but mighty unit is packed full of features you're sure to love.

Coming as standard with 3 adjustable shelves to easily re-configure dependant on your needs while maintaining easy viewing thanks to the integrated LED lighting.

MODEL	GROSS CAPACITY	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
CTR99	99L	3	R600a	+0°C ~ +10°C	H717 x W620 x D575	B	140W	586	⏻	44
CTF99	99L	3	R290	-13°C ~ -22°C	H717 x W620 x D575	D	160W	1991	⏻	44



SCAN FOR
MORE INFO





COUNTER TOP GLASS DOOR FREEZER

The Crystal CTF70 is a fantastic counter top freezer and thanks to its pre-painted white steel exterior and interior fits the part too! With a triple glazed heated glass door with stylish black bezel your customers eyes are automatically drawn to the contents whether that be tubs of ice cream or even frozen produce.

Featuring adjustable feet, 2 removable shelves, replaceable door gasket, internal LED lighting and more the CTF70 is the perfect mid capacity counter top unit.

MODEL	GROSS CAPACITY	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
CTF70	73L	2	R290	-18°C ~ -22°C	H628 x W566 x D600		215W	1128		32

SCAN FOR
MORE INFO





COLDT1



REFRIGERATED & HEATED COUNTER TOP MERCHANDISERS

Easy viewing is key when it comes to counter top merchandisers and that's one thing that the COLDT & HOTT do perfectly thanks to their majority glass construction. Accented with LED lighting, stainless steel base and top along with 2 or 3 chrome plated removable shelves respectively.

Rear sliding doors allow easy access to the unit and if needed can be removed to allow for easier cleaning and maintenance.

MODEL	GROSS CAPACITY	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
COLDT1	130L	2	R600a	+2°C ~ +12°C	H677 x W697 x D578	C	180W	1490	⬆	57
COLDT2	160L	2	R600a	+2°C ~ +12°C	H677 x W875 x D578	C	180W	1473	⬆	65
HOTT1	130L	3	-	+30°C ~ +90°C	H698 x W678 x D580	-	1100W	4015	⬆	49
HOTT2	160L	3	-	+30°C ~ +90°C	H698 x W856 x D580	-	1500W	5475	⬆	54



SCAN FOR
MORE INFO



HSS186



MULTI ACCESS HEATED COUNTER TOP MERCHANDISER

With the flexibility of being able to be utilised as a merchandiser or grab and go station the HSS is unique in that it can be accessed from both sides of the unit via sliding doors. Built from stainless steel and glass the unit has a clean and modern look including integrated POS space at the top of the unit.

Add to that the 3 adjustable chrome shelves, internal humidity pan, LED lighting and removable doors for easy cleaning and this is the perfect all round counter top unit.

MODEL	GROSS CAPACITY	SHELVES	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
HSS96	96L	3	+30°C ~ +90°C	H663 x W664 x D493	1000W	3650	☐	36
HSS136	136L	3	+30°C ~ +90°C	H663 x W900 x D493	1100W	4015	☐	43.5
HSS186	186L	3	+30°C ~ +90°C	H663 x W1204 x D493	1800W	6570	☐	56

SCAN FOR
MORE INFO





CTH97



COUNTER TOP TIERED HEATED MERCHANDISER

This tiered counter top merchandiser from Blizzard is the perfect heated show piece for any deli, takeaway or small shop. With 3 adjustable chrome plated shelves perfect for displaying anything from pizza to sausage rolls you have ample storage space for your goods while being easily accessible from the rear hinged glass door.

With LED illumination to both the internal display area and the front customisable decal box you can be sure your display stands out in any room.

MODEL	GROSS CAPACITY	SHELVES	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
CTH97	97L	3	+30°C ~ +90°C	H785 x W460 x D449	800W	292	⚡	24
CTH137	137L	3	+30°C ~ +90°C	H785 x W645 x D487	1000W	365	⚡	29



SCAN FOR
MORE INFO





LOW PROFILE COUNTER TOP HEATED MERCHANDISER

The HDC1 low profile counter top heated merchandiser from Blizzard is great for easily storing heated products in a visually appealing and clean way. Comprising of a heated deck which holds up to 4 GN1/3 pans (included), adjustable temperature control and a solid stainless construction.

Ensure full view and easy access to your product thanks to the curved glass canopy and rear double sliding access doors.


MODEL	GROSS CAPACITY	CONTAINERS	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
HDC1	46L	4	+30°C ~ +90°C	H336 x W773 x D420	500W	182		18

SCAN FOR
MORE INFO





BPW1



PASSTHROUGH COUNTER TOP HEATED MERCHANDISER

The BPW1 is the perfect choice for a self service counter top heated display. With 3 hinged doors to both sides of the unit users have easy access to the 3 fixed shelves inside and should have no issues seeing the product they're choosing thanks to the integrated LED lighting to the sides of the unit.

Constructed from stainless steel and glass through-out this clean looking unit is temperature adjustable thanks to its integrated temperature controller.

MODEL	GROSS CAPACITY	SHELVES	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
BPW1	115L	3	+30°C ~ +90°C	H500 x W700 x D400	1250W	456	⚡	23



SCAN FOR
MORE INFO



 <p>FRONT</p> <p>SIDE (DOOR OPEN)</p>	 <p>FRONT</p> <p>SIDE (DOOR OPEN)</p>	 <p>FRONT</p> <p>SIDE (DOOR OPEN)</p>
<p>BLIZZARD CTR99 H 717mm W 620mm D 575mm</p>	<p>BLIZZARD CTF99 H 717mm W 620mm D 575mm</p>	<p>CRYSTAL CTF70 H 628mm W 566mm D 600mm</p>
 <p>FRONT</p> <p>SIDE</p>	 <p>FRONT</p> <p>SIDE</p>	 <p>FRONT</p> <p>SIDE</p>
<p>BLIZZARD COLDT1 H 677mm W 697mm D 578mm</p>	<p>BLIZZARD COLDT2 H 677mm W 875mm D 578mm</p>	<p>BLIZZARD HOTT1 H 698mm W 678mm D 580mm</p>
 <p>FRONT</p> <p>SIDE</p>	 <p>FRONT</p> <p>SIDE</p>	 <p>FRONT</p> <p>SIDE</p>
<p>BLIZZARD HOTT2 H 698mm W 856mm D 580</p>	<p>BLIZZARD HSS96 H 663mm W 664mm D 493mm</p>	<p>BLIZZARD HSS136 H 663mm W 900mm D 493mm</p>
 <p>FRONT</p> <p>SIDE</p>	 <p>FRONT</p> <p>SIDE</p>	 <p>FRONT</p> <p>SIDE</p>
<p>BLIZZARD HSS186 H 663mm W 1204mm D 493mm</p>	<p>BLIZZARD CTH97 H 765mm W 460mm D 449mm</p>	<p>BLIZZARD CTH137 H 765mm W 645mm D 487mm</p>
 <p>FRONT</p> <p>SIDE</p>	 <p>FRONT</p> <p>SIDE</p>	
<p>BLIZZARD HDC1 H 336mm W 773mm D 420mm</p>	<p>BLIZZARD BPW1 H 500mm W 700mm D 400mm</p>	

CD100R



FREESTANDING CYLINDRICAL GLASS CAKE DISPLAY

For the ultimate 360° uncompromised view of your product the CD-R range is perfect addition to any food or retail outlet. With a full height glass hinged door the full unit opens up to allow easy access to the adjustable glass shelves inside.

Constructed with a stainless steel body base and double glazed tempered glass throughout. The unit boasts fixed feet on the CD100R and small castors on the CD400R for easy manoeuvrability around your premises.

MODEL	GROSS CAPACITY	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
CD100R	100L	3	R600a	+2°C ~ +8°C	H1030 x W480 x D480	C	230	1376	1.5	55
CD400R	360L	4	R600a	+2°C ~ +8°C	H1750 x W680 x D680	C	480	2484	1.5	140



SCAN FOR
MORE INFO





CD400L



FREESTANDING SQUARED GLASS CAKE DISPLAY

A 360° view, a clean modern looking unit, easily accessible and plenty of refrigerated display space. The CD-L range really does have it all! Constructed from 4 sides of triple glazed glass, one of which being a full height access door the unit really does look the part in any retail or food establishment.

Both sized units come with adjustable chrome plated shelves, internal LED lighting, castors with integrated brakes plus so much more!

MODEL	GROSS CAPACITY	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
CD270L	270L	2	R290	+0°C ~ +10°C	H1500 x W650 x D650		475W	1598		165
CD400L	400L	3	R290	+0°C ~ +10°C	H1908 x W650 x D650		495W	2002		205

OPTIONAL EXTRAS

DESCRIPTION

B4-SHELF270

Chrome plated shelf for CD270L and CD400L

B4-CLIP01

Shelf Clip (4 Required per shelf)

SCAN FOR MORE INFO





DC270



CURVED GLASS MOBILE DISPLAY MERCHANDISER

A unit perfect for cafes and retail outlets that are looking to showcase and sell fresh food the DC range offers easy manoeuvrability while maintaining the clean and modern looking features of a more static display unit.

With a stainless steel and curved double glazed glass construction, 2 adjustable glass shelves, rear sliding doors, LED lighting throughout, castors included as standard and the option to clad if required this is the perfect all round display unit.

MODEL	GROSS CAPACITY	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
DC270	295L	2	R290	+2°C ~ +8°C	H1220 x W916 x D693		480W	2702		154
DC370	400L	2	R290	+2°C ~ +8°C	H1220 x W1216 x D693		490W	3157		188
DC470	500L	2	R290	+2°C ~ +8°C	H1220 x W1516 x D693		500W	2511		230



SCAN FOR
MORE INFO





DF270



FLAT GLASS MOBILE DISPLAY MERCHANDISER

The flat glass sibling of the DC range the DF flat glass mobile display offers all the benefits of its curved faced sibling but with a clean cut straight edge design. By utilising the flat glass top, extra display space is made available to the user.

The DF range is the perfect fit for any clad/build in solution offering a premium and visually appealing finish for a lower end budget compared to some higher end custom solutions while still maintaining manoeuvrability.

MODEL	GROSS CAPACITY	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
DF270	295L	2	R290	+2°C ~ +8°C	H1210 x W915 x D693	C	480W	2702	1.1	154
DF370	400L	2	R290	+2°C ~ +8°C	H1210 x W1215 x D693	C	490W	3157	1.1	188
DF470	500L	2	R290	+2°C ~ +8°C	H1210 x W1515 x D693	C	490W	2700	1.1	230

SCAN FOR
MORE INFO





P75-100



CHILLED CURVED FRONT PATISSERIE DISPLAY

Regardless of your display storage needs the P75 range is the perfect addition to any cafe or food service setting. Built with mirror finish 304 grade stainless steel and tempered glass sides, shelves and curved front panel.


Equipped with self closing rear doors for easy access to the 3 included glass shelves and LED lighting throughout the unit. Don't worry about maintaining your unit with the pull out condenser it couldn't be easier.

MODEL	SHELVES	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	ENERGY RATING	POWER USAGE	KWH/ ANNUM	POWER	WEIGHT (kg)
P75-60	3	R290	+2°C ~ +5°C	H1350 x W600 x D750	C	1745W	3004	1.1	159
P75-100	3	R290	+2°C ~ +5°C	H1350 x W1000 x D750	D	1783W	4015	1.1	205
P75-120	3	R290	+2°C ~ +5°C	H1350 x W1200 x D750	D	1822W	4562	1.1	236
P75-150	3	R290	+2°C ~ +5°C	H1350 x W1500 x D750	D	2017W	5159	1.1	284


OPTIONAL EXTRAS	DESCRIPTION
G1-SNACKBASKET6	600mm Snack Basket
G1-SNACKBASKET9	900mm Snack Basket
G1-SNACKBASKET12	1200mm Snack Basket
G1-SNACKBASKET15	1500mm Snack Basket

SCAN FOR
MORE INFO







BLIZZARD CD100R
H 1030mm W 480mm D 480mm




BLIZZARD CD400R
H 1750mm W 680mm D 680mm




BLIZZARD CD270L
H 1500mm W 650mm D 650mm




BLIZZARD CD400L
H 1908mm W 650mm D 650mm




BLIZZARD DC270
H 1220mm W 916mm D 693mm




BLIZZARD DC370
H 1220mm W 1216mm D 693mm




BLIZZARD DC470
H 1220mm W 1516mm D 693mm




BLIZZARD DF270
H 1210mm W 956mm D 693mm




BLIZZARD DF370
H 1210mm W 1215mm D 693mm




BLIZZARD DF470
H 1210mm W 1515mm D 693mm




FROST TECH P75-60
H 1350mm W 600mm D 750mm



FROST TECH P75-100
H 1350mm W 1000mm D 750mm



FROST TECH P75-120
H 1350mm W 1200mm D 750mm



FROST TECH P75-150
H 1350mm W 1500mm D 750mm



FLAT GLASS SLIM LINE SERVE OVER COUNTER

A classic serve over look tried and tested in cafes, takeaways and deli's all over the country, the ZETA range offers maximum display storage space while optimising the viewing potential of the products stored inside.

With a laminated steel exterior and ABS injected side panels, stainless steel back shelf, internal glass shelf, integrated LED lighting, refrigerated under storage and adjustable feet you're getting all the bang for a small amount of buck with the ZETA range.

MODEL	GROSS CAPACITY	REAR DOORS	DECK SIZE	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
ZETA100	335L	1	W975 x D483	R290	+2°C ~ +5°C	H1233 x W1055 x D800	835W	❗	110
ZETA130	421L	2	W1225 x D483	R290	+2°C ~ +5°C	H1233 x W1305 x D800	891W	❗	137
ZETA150	497L	2	W1445 x D483	R290	+2°C ~ +5°C	H1233 x W1525 x D800	1031W	❗	151
ZETA200	669L	3	W1945 x D483	R290	+2°C ~ +5°C	H1233 x W2025 x D800	1234W	❗	191
ZETA250	840L	4	W2445 x D483	R290	+2°C ~ +5°C	H1233 x W2525 x D800	1331W	❗	242



SCAN FOR
MORE INFO



SIGMA15C



CURVED GLASS FRESH MEAT SERVE OVER DISPLAY

If you're after a serve over with a little more space the SIGMA range from Blizzard is the perfect option for all your refrigeration needs. Available in 5 different sizes ranging from 1m to 2.5 this curved glass canopied serve over is extremely versatile for every need, the main benefit being its suitability of safely displaying fresh meat.

In addition to its curved glass front you will find a laminated steel exterior, ABS injected side panels, a glass full length interior shelf and anodised aluminium profiles.

MODEL	GROSS CAPACITY	REAR DOORS	DECK SIZE	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
SIGMA10C	459L	1	W975 x D803	R290	+0°C ~ +8°C	H1232 x W1055 x D1100	856W	❗	170
SIGMA13C	577L	2	W1225 x D803	R290	+0°C ~ +8°C	H1232 x W1305 x D1100	919W	❗	185
SIGMA15C	681L	2	W1445 x D803	R290	+0°C ~ +8°C	H1232 x W1525 x D1100	1093W	❗	205
SIGMA20C	917L	3	W1945 x D803	R290	+0°C ~ +8°C	H1232 x W2025 x D1100	1310W	❗	233
SIGMA25C	1152L	4	W2445 x D803	R290	+0°C ~ +8°C	H1232 x W2525 x D1100	1373W	❗	283

SCAN FOR
MORE INFO





BFG130BK



FLAT GLASS SERVE OVER COUNTER

Clean straight lines and flat colour combined with glass is what makes the BFG such a visually appealing unit. It's laminated steel exterior, ABS side panels flat glass canopy and sliding rear Perspex door finish off the unit with complete style.

That's just the beginning thanks to its large under unit storage, castor feet, automatic vaporisation of condensate and integrated LED lighting the BFG is quickly shaping up to be one of Blizzards best selling units.


MODEL	FINISH	GROSS CAPACITY	REAR DOORS	DECK SIZE	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
BFG130BK	Black	580L	1	W1250 x D570	R290	+2°C ~ +8°C	H1235 x W1340 x D902	550	❗	195
BFG150BK	Black	700L	1	W1500 x D570	R290	+2°C ~ +8°C	H1235 x W1590 x D902	620	❗	230
BFG200BK	Black	880L	2	W1875 x D570	R290	+2°C ~ +8°C	H1235 x W1965 x D902	650	❗	290
BFG130WH	White	580L	1	W1250 x D570	R290	+2°C ~ +8°C	H1235 x W1340 x D902	550	❗	195
BFG150WH	White	700L	1	W1500 x D570	R290	+2°C ~ +8°C	H1235 x W1590 x D902	620	❗	230
BFG200WH	White	880L	2	W1875 x D570	R290	+2°C ~ +8°C	H1235 x W1965 x D902	650	❗	290



SCAN FOR
MORE INFO



BCG200WH


Blizzard™

CURVED GLASS SERVE OVER COUNTER

If you're looking for a softer approach to your serve over counter then the BCG range is the perfect option and matches up with the BFG pound for pound when it comes to head lining features that are just too good to miss.

A laminated steel exterior, stainless steel back shelf and display deck, hydraulic front glass mechanism, castor feet, refrigerated under storage, internal glass shelf and more all make this Blizzard counter unit the perfect solution no matter your needs.

MODEL	GROSS CAPACITY	REAR DOORS	DECK SIZE	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
BCG130WH	540L	1	W1250 x D570	R290	+2°C ~ +8°C	H1235 x W1340 x D921	550W	❗	195
BCG150WH	650L	1	W1500 x D570	R290	+2°C ~ +8°C	H1235 x W1590 x D921	620W	❗	230
BCG200WH	820L	2	W1875 x D570	R290	+2°C ~ +8°C	H1235 x W1965 x D921	650W	❗	290

SCAN FOR
MORE INFO





MULTI-CONFIGURATION GENERAL PURPOSE DISPLAY

This general purpose display from mafirol that is available in 3 configurations and custom colour ways is the perfect choice for anyone wanting total control. With a full canopy or low glass panel, base or no base, this highly customisable unit can cater for every space no matter how small!

With a laminated steel exterior, toughened glass, castors fitted as standard (on units with base) these units are perfect for all kinds of general refrigeration.

MODEL	FINISH	Unit Style	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
HERA 1040 CB-VCR	Custom	Canopy + Base	R290	+3°C ~ +6°C	H1240 x W1050 x D855	350W		142
HERA 1290 CB-VCR	Custom	Canopy + Base	R290	+3°C ~ +6°C	H1240 x W1300 x D855	425W		164
HERA 1500 CB-VCR	Custom	Canopy + Base	R290	+3°C ~ +6°C	H1240 x W1510 x D855	425W		178
HERA 1040 CB-VBS	Custom	Low Glass + Base	R290	+3°C ~ +6°C	H900 x W1050 x D855	350W		142
HERA 1290 CB-VBS	Custom	Low Glass + Base	R290	+3°C ~ +6°C	H900 x W1300 x D855	425W		164
HERA 1500 CB-VBS	Custom	Low Glass + Base	R290	+3°C ~ +6°C	H900 x W1510 x D855	425W		178
HERA 1040 SB-VCR	Custom	Canopy	R290	+3°C ~ +6°C	H740 x W1050 x D1035	350W		127
HERA 1290 SB-VCR	Custom	Canopy	R290	+3°C ~ +6°C	H740 x W1300 x D1035	425W		149
HERA 1500 SB-VCR	Custom	Canopy	R290	+3°C ~ +6°C	H740 x W1510 x D1035	425W		171

SCAN FOR
MORE INFO





HERA FISH SS-CB-VCR



MULTI-CONFIGURATION FISH DISPLAY

The fish display counterpart to the general purpose display features all the fantastic benefits plus the added feature of a lower working temperature which makes it suitable for display of fresh fish/meat.

MODEL	FINISH	Unit Style	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
HERA FISH SS 1040 CB-VCR	Stainless Steel	Canopy + Base	R290	+0°C ~ +3°C	H1240 x W1050 x D855	310	❗	130
HERA FISH SS 1290 CB-VCR	Stainless Steel	Canopy + Base	R290	+0°C ~ +3°C	H1240 x W1300 x D855	320	❗	150
HERA FISH SS 1500 CB-VCR	Stainless Steel	Canopy + Base	R290	+0°C ~ +3°C	H1240 x W1510 x D855	330	❗	165
HERA FISH SS 1040 CB-VBS	Stainless Steel	Low Glass + Base	R290	+0°C ~ +3°C	H900 x W1050 x D855	310	❗	130
HERA FISH SS 1290 CB-VBS	Stainless Steel	Low Glass + Base	R290	+0°C ~ +3°C	H900 x W1300 x D855	320	❗	150
HERA FISH SS 1500 CB-VBS	Stainless Steel	Low Glass + Base	R290	+0°C ~ +3°C	H900 x W1510 x D855	330	❗	165
HERA FISH 1040 SB-VCR	Custom	Canopy	R290	+0°C ~ +3°C	H740 x W1050 x D1035	310	❗	115
HERA FISH 1290 SB-VCR	Custom	Canopy	R290	+0°C ~ +3°C	H740 x W1300 x D1035	320	❗	135
HERA FISH 1500 SB-VCR	Custom	Canopy	R290	+0°C ~ +3°C	H740 x W1510 x D1035	330	❗	155
HERA FISH 1040 SB-VBS	Custom	Low Glass	R290	+0°C ~ +3°C	H400 x W1050 x D1035	310	❗	115
HERA FISH 1290 SB-VBS	Custom	Low Glass	R290	+0°C ~ +3°C	H400 x W1300 x D1035	320	❗	135
HERA FISH 1500 SB-VBS	Custom	Low Glass	R290	+0°C ~ +3°C	H400 x W1510 x D1035	330	❗	155

SCAN FOR
MORE INFO



 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>
<p>BLIZZARD ZETA100 H 1233mm W 1055mm D 800mm</p>	<p>BLIZZARD ZETA130 H 1233mm W 1305mm D 800mm</p>	<p>BLIZZARD ZETA150 H 1233mm W 1525mm D 800mm</p>
 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>
<p>BLIZZARD ZETA200 H 1233mm W 2025mm D 800mm</p>	<p>BLIZZARD ZETA250 H 1233mm W 2525mm D 800mm</p>	<p>BLIZZARD SIGMA10C H 1232mm W 1055mm D 1100mm</p>
 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>
<p>BLIZZARD SIGMA13C H 1232mm W 1305mm D 1100mm</p>	<p>BLIZZARD SIGMA15C H 1232mm W 1525mm D 1100mm</p>	<p>BLIZZARD SIGMA20C H 1232mm W 2025mm D 1100mm</p>
 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>
<p>BLIZZARD SIGMA25C H 1232mm W 2525mm D 1100mm</p>	<p>BLIZZARD BFG130BK (WH) H 1235mm W 1340mm D 902mm</p>	<p>BLIZZARD BFG150BK (WH) H 1235mm W 1590mm D 902mm</p>
 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>
<p>BLIZZARD BFG200BK (WH) H 1235mm W 1965mm D 902mm</p>	<p>BLIZZARD BCG130WH H 1235mm W 1340mm D 921mm</p>	<p>BLIZZARD BCG150WH H 1235mm W 1590mm D 921mm</p>
 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>
<p>BLIZZARD BCG200WH H 1235mm W 1965mm D 921mm</p>	<p>MAFIROL HERA 1040 CB-VCR H 1240mm W 1050mm D 855mm</p>	<p>MAFIROL HERA 1290 CB-VCR H 1240mm W 1300mm D 855mm</p>
 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>
<p>MAFIROL HERA 1500 CB-VCR H 1240mm W 1510mm D 855mm</p>	<p>MAFIROL HERA 1040 CB-VBS H 900mm W 1050mm D 855mm</p>	<p>MAFIROL HERA 1290 CB-VBS H 900mm W 1300mm D 855mm</p>





LUXURY MODULAR COUNTER SOLUTIONS

Pentland Wholesale works with the industry leading brand Mafirol to deliver customisable modular counter solutions to our customers. Innovative solutions of high quality, adapted to the specifications of each individual customer, making them a first-class choice in the sector.

From a single counter to a full multiplexed suite, we aim to provide a service second to none. From your initial sketches or ideas, we'll work with you in helping you realise your vision. We can offer one of the widest ranges of custom options on the market today.

From colour selection to your choice of worktop, we'll work with you to ensure the cabinets you want arrive safely and offer an optional installation service so your cabinets can be expertly put together with minimum fuss.



CHOPIN CUSTOM COUNTER SOLUTION

Providing you with top quality, modern and highly customisable modular counter solutions, that combine versatile storage with a stylish display the chopin range truly is a statement piece for your shop, cafe or takeaway.

Various lighting, heating and refrigeration solutions are available and can be integrated directly into the plan meaning you truly get a custom solution. To find out more about the multiplexable options or whether the Mafirol Chopin range is the right choice for you, please contact our sales team for further information.



MODEL	DOOR	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
FLAT GLASS REFRIGERATED							
CHOPIN 700 FV-VVR	1	R290	+2°C ~ +5°C	H1300 x W750 x D800	410W	⬆	160
CHOPIN 1000 FV-VVR	2	R290	+2°C ~ +5°C	H1300 x W1050 x D800	610W	⬆	225
CHOPIN 1250 FV-VVR	2	R290	+2°C ~ +5°C	H1300 x W1300 x D800	730W	⬆	270
CHOPIN 1500 FV-VVR	2	R290	+2°C ~ +5°C	H1300 x W1550 x D800	860W	⬆	320
FLAT GLASS HOT DISPLAY							
CHOPIN 1000 Q-VVR	2	-	+66°C ~ +90°C	H1300 x W1050 x D800	1600W	⬆	95
CHOPIN 1250 Q-VVR	2	-	+66°C ~ +90°C	H1300 x W1300 x D800	2210W	⬆	145
SELF SERVICE							
CHOPIN 1000 OPEN FV	-	R290	+2°C ~ +5°C	H1300 x W1050 x D800	1200W	⬆	200
CHOPIN 1250 OPEN FV	-	R290	+2°C ~ +5°C	H1300 x W1300 x D800	1500W	⬆	245

SCAN FOR
MORE INFO



RAVEL CUSTOM COUNTER SOLUTION

Delivering innovative solutions of high quality, specifically developed and adapted to fit your individual space. With many modifications available, we are certain you will be able to find everything that you are looking for.

The Ravel range offers various wooden finishes as decor options, adding to the already wide selection of RAL colours available. To find out more about all other modifications available for these models, get in touch with our sales team.



MODEL	CONTAINER CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
REFRIGERATED FLAT AND CURVED GLASS WITH NO UNDER STORAGE							
RAVEL960 EXP-FE-VV (VCR)	-	R290	+3°C ~ +6°C	H1270 x W1020 x D974	380W	☹️	150
RAVEL1210 EXP-FE-VV (VCR)	-	R290	+3°C ~ +6°C	H1270 x W1270 x D974	450W	☹️	180
RAVEL1420 EXP-FE-VV (VCR)	-	R290	+3°C ~ +6°C	H1270 x W1480 x D974	450W	☹️	255
RAVEL1920 EXP-FE-VV (VCR)	-	R290	+3°C ~ +6°C	H1270 x W1980 x D974	630W	☹️	330
RAVEL2420 EXP-FE-VV (VCR)	-	R290	+3°C ~ +6°C	H1270 x W2480 x D974	740W	☹️	415
RAVEL2840 EXP-FE-VV (VCR)	-	R290	+3°C ~ +6°C	H1270 x W2900 x D974	1300W	☹️	485
RAVEL90 INT EXP-FE-VV (VCR)	-	R290	+3°C ~ +6°C	H1270 x W1497 x D1497	380W	☹️	150
REFRIGERATED CONTAINERS FLAT AND CURVED GLASS							
RAVEL1210 CR-FV-VV (VCR)	3 x GN1/1	R290	+3°C ~ +6°C	H1270 x W1270 x D974	450W	☹️	180
RAVEL1420 CR-FV-VV (VCR)	4 x GN1/1	R290	+3°C ~ +6°C	H1270 x W1480 x D974	450W	☹️	255
BAIN MARIE FLAT AND CURVED GLASS							
RAVEL1210 BM-VV (VCR)	3 x GN1/1	-	+66°C ~ +90°C	H1270 x W1270 x D974	3500W	😊	180
RAVEL1420 BM-VV (VCR)	4 x GN1/1	-	+66°C ~ +90°C	H1270 x W1480 x D974	3700W	😊	255
HOT DISPLAY FLAT AND CURVED GLASS							
RAVEL960 PQ-VV (VCR)	-	-	+66°C ~ +90°C	H1270 x W1020 x D974	1200W	☹️	180
RAVEL1210 PQ-VV (VCR)	-	-	+66°C ~ +90°C	H1270 x W1270 x D974	1200W	☹️	210
AMBIENT FLAT GLASS DISPLAY							
RAVEL960 N-VV	-	-	-	H1270 x W1020 x D974	60W	☹️	112
RAVEL1210 N-VV	-	-	-	H1270 x W1270 x D974	70W	☹️	135
RAVEL1420 N-VV	-	-	-	H1270 x W1480 x D974	110W	☹️	191
RAVEL1920 N-VV	-	-	-	H1270 x W1980 x D974	180W	☹️	247
RAVEL2420 N-VV	-	-	-	H1270 x W2480 x D974	140W	☹️	311
RAVEL2840 N-VV	-	-	-	H1270 x W2900 x D974	220W	☹️	364
RAVEL45 EXT-N-VV	-	-	-	H1270 x W979 x D734	50W	☹️	108
RAVEL90 EXT N-VV	-	-	-	H1270 x W1048 x D1048	50W	☹️	112

SCAN FOR
MORE INFO



COOKING & PREPARATION

**Microwaves | Convection Ovens | Pizza Ovens | Induction Hobs
Salamander Grills | Toasters | Grills | Griddles | Fryers
Planetary Mixers | Combination Ovens**

From cooking to reheating and mixing to toasting we have every catering appliance you could ever wish for. With new arrivals in the shape of our BPO pizza ovens and old faithfuls in our outstanding value BCM microwaves you're sure to be able to kit out your catering kitchen for less.

BCM1000



Blizzard™

LIGHT DUTY COMMERCIAL MICROWAVE

Easy to operate and fantastic in getting the job done. The light duty commercial microwave is a budget friendly option, suitable for smaller kitchens. Built to heat, reheat and defrost, it operates on three cooking stages. Featuring interior light, ceramic base and a sturdy aluminium handle.

The appliance can be operated via user-friendly and convenient touch controls located at the front of the appliance.

MODEL	FINISH	GROSS CAPACITY	DIMENSIONS (mm)	POWER USAGE	KWH/ANNUM	WEIGHT (kg)
BCM1000	Stainless Steel	25L	H311 x W511 x D398	1000W		16.5



SCAN FOR
MORE INFO



BCM1800



HEAVY DUTY COMMERCIAL MICROWAVE

Stackable heavy duty commercial microwaves from Blizzard are easily programmable, helping you deal with rush hour efficiently without fail. The ceramic base distributes microwaves evenly allowing you to cook/reheat the food evenly from all sides.

Featuring high-grade stainless-steel construction, glass door to the front to enable viewing, digital control panel and more these units are perfect for any commercial kitchen, cafe, takeaway and more!

MODEL	FINISH	GROSS CAPACITY	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
BCM1800	Stainless Steel	34L	H368 x W575 x D527	1800W		34.5
BCM2100	Stainless Steel	34L	H368 x W575 x D527	2100W		34.5

SCAN FOR
MORE INFO



BC01


Blizzard™

STAINLESS STEEL CONVECTION OVEN

Ideal for baking, cooking and reheating, the Blizzard convection oven will make a fantastic addition to any kitchen. Equipped with internal light, manual thermostat and a timer that automatically turns off the appliance when the cooking cycle is finished.

Featuring a removable double-glazed door, racks and door gasket to make cleaning easier and more efficient. The twin fan motors ensure a consistent temperature that allows the food to cook evenly each and every use.

MODEL	FINISH	GROSS CAPACITY	TEMPERATURE RANGE	DIMENSIONS (mm)	CAVITY DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
BC01	STAINLESS STEEL	60L	+50°C ~ +300°C	H585 x W595 x D594	H350 x W460 x D375	2670W		41


 SCAN FOR
MORE INFO


BPO2



Blizzard™

SINGLE AND DOUBLE DECK PIZZA OVENS

A recent arrival to the Blizzard line up the BPO pizza ovens feature a beautiful stainless steel finish, windowed door and internal lighting. Complete with a pizza stone per deck for even pizza base cooking, the BPO is the best way to achieve perfectly cooked authentic pizza in a small and accessible way.

Featuring manual controls for each element you can easily control the cooking temperature for each usable deck making for pizza perfection in minutes.

MODEL	DESCRIPTION	COOKING CAPACITY	DIMENSIONS (mm)	TEMPERATURE RANGE	POWER USAGE	POWER	WEIGHT (kg)
BPO1	SINGLE DECK	1 x 16"	H280 x W630 x D510	+50°C ~ +400°C	2400W	!	24.6
BPO2	DOUBLE DECK	2 x 16"	H510 x W630 x D510	+50°C ~ +400°C	4800W	∇	44.6

SCAN FOR
MORE INFO







COUNTER TOP INDUCTION HOB

The BIH induction hobs from Blizzard are not only more efficient compared to traditional methods but look the part too thanks to the black glass hob and touch control panel with an LED display on the front.

The BIH range gets up to optimal temperature quickly using less energy than conventional methods and thanks to its timer, automatically turns off the unit after 2 hours of inactivity. This safe & easy to use unit is a staple in any catering kitchen.


MODEL	DESCRIPTION	DIMENSIONS (mm)	INDUCTION PAN DIAMETER (cm)	POWER USAGE	POWER	WEIGHT (kg)
BIH1	SINGLE HOB	H117 x W340 x D432	Ø12 - 26	3000W		7.5
BIH2	DOUBLE HOB	H123 x W390 x D713	Ø12 - 26	6000W		15.2
BSPIH	STOCK POT HOB	H130 x W440 x D540	Ø17 - 34	3000W		10.9



SCAN FOR
MORE INFO



BSG1



STAINLESS STEEL SALAMANDER GRILL

Whether you prefer counter top or wall mounted the BSG salamander grill from Blizzard is the perfect option for all your toasting, grilling and heating needs. With integrated manual temperature and timer controls along with indication LED's you can ensure ultimate control over your grilling needs.

Featuring four cooking height levels, adjustable chrome plated grill rack with handles and an integrated crumb tray to complete this perfect catering appliance.

MODEL	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
BSG1	H279 x W628 x D430	2000W		19

OPTIONAL EXTRAS	DESCRIPTION
T3-WALLBRKTBSG	Wall bracket

SCAN FOR
MORE INFO



B6ST



BlizzardTM

STAINLESS STEEL SIX SLOT TOASTER

Lightly browned, toasted or burnt – however you take your toast the B6ST will provide the perfect result every time thanks to its integrated mechanical timer. With room for up to six slices of bread you can ensure no matter the size of the order you are able to toast efficiently, making it quick and easy to get breakfast sorted.

Featuring a removable crumb tray that makes it easy and painless to clean and an attractive high sheen stainless steel exterior.

MODEL	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
B6ST	H214 x W414 x D259	2500W		6

SCAN FOR
MORE INFO



BCT2


Blizzard™

STAINLESS STEEL CONVEYOR TOASTER

With only a 25 second cycle time and space for 2 slices to fit side by side, you can keep the bread toasting going with approximately 360 slices per hour output on the BCT2. The speed and temperature can be adjusted dependant on your needs so you can be sure it can keep up with just about anything you throw at it.

Other features include front or rear chute options, 'V' shaped heat deflectors and a crumb tray making clean up even easier.

MODEL	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
BCT2	H387 x W368 x D418	2240W		18

SCAN FOR
MORE INFO





SINGLE AND DOUBLE CONTACT GRILLS

Whether you're grilling, frying or heating something up, the cast iron plates on the BR range will ensure a sizzling hot experience every time. Counter balanced to ensure the units are stable without the fear of them tipping over the compact contact grills are perfect for a small kitchen looking to save a little space.

Built with 304 stainless steel and featuring integrated manual temperature controls and indication LED lighting you can be sure this small form contact grill fits the part too!

MODEL	DESCRIPTION	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
BRSCG1	SINGLE - TOP RIBBED, BOTTOM SMOOTH	+50°C ~ +300°C	H210 x W310 x D395	1800W		16
BRRCG1	SINGLE - TOP AND BOTTOM RIBBED	+50°C ~ +300°C	H210 x W310 x D395	1800W		16
BRSCG2	DOUBLE - TOP RIBBED, BOTTOM SMOOTH	+50°C ~ +300°C	H210 x W570 x D395	2 x 1800W		30
BRRCG2	DOUBLE - TOP AND BOTTOM RIBBED	+50°C ~ +300°C	H210 x W570 x D395	2 x 1800W		30

SCAN FOR
MORE INFO



BG1A



STAINLESS STEEL FLAT TOP GRIDDLE

When you're looking for a flat top griddle that can just do it all look no further than the BG-A range from Blizzard. With a wide temperature range the unit works efficiently and quickly to evenly distribute the heat across its 8mm thick surface to cook all produce on the deck at the same speed and consistency.

Thanks to the included removable drip tray to the front of each unit it is beyond simple to quickly clean the deck without the need to stop cooking.

MODEL	DESCRIPTION	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
BG1A	SINGLE FLAT TOP	+50°C ~ +300°C	H237 x W550 x D484	3000W		25
BG2A	DOUBLE FLAT TOP	+50°C ~ +300°C	H236 x W730 x D523	2 x 2000W		36

SCAN FOR
MORE INFO





BF6



SINGLE AND DOUBLE TANK ELECTRIC FRYER

Prepare crispy deep-fried foods cooked to perfection every time with the electric 6L fryer from Blizzard. Easily adjust oil temperature with the twist of a dial thanks to the integrated temperature controls while also being able to see when you're ready to get frying thanks to the indication LEDs on the control panel

Ideal for kitchens with limited space all of our fryers come with wire frying baskets and the BF6 range even comes with a removable tank for easy cleaning & maintenance.

MODEL	DESCRIPTION	CAPACITY	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
BF6	SINGLE TANK	6L	+50°C ~ +190°C	H285 x W310 x D410	2500W	⬆️	6
BF6+6	TWIN TANK	2 x 6L	+50°C ~ +190°C	H285 x W549 x D410	2 x 2500W	⬆️ ⬆️	12

SCAN FOR
MORE INFO





BF8



SINGLE AND DOUBLE TANK ELECTRIC FRYER WITH TAP

Make messy oil changes and cleaning a thing of the past with the BF8 range of electric fryers. Easily drain the oil out of the 8L tank into another container using the included tap before quickly wiping down the stainless steel tank inside.

The Blizzard countertop fryers are an ideal addition to a smaller establishment with limited freestanding space. Constructed from high quality stainless steel and equipped with a manual thermostat that makes accurate temperature control easy.


MODEL	DESCRIPTION	CAPACITY	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
BF8	SINGLE TANK	8L	+50°C ~ +190°C	H405 x 290 x D470	3000W		11
BF8+8	TWIN TANK	2 x 8L	+50°C ~ +190°C	H405 x W580 x D470	2 X 3000W		19

SCAN FOR
MORE INFO





BIF



INDUCTION FRYER WITH HEAVY DUTY DRAIN TAP

Efficiency is the aim of the game when it comes to the BIF and thanks to it's induction heated design it achieves that and more! Besides being more energy efficient than conventional fryers the BIF evenly heats the oil in the tank and is able to sustain precise temperatures for longer periods of time, not to mention the fact that no exposed heating element means easier cleaning and maintenance.

MODEL	DESCRIPTION	CAPACITY	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
BIF	SINGLE TANK	8L	+60°C ~ +190°C	H410 x W288 x D478	3000W		13.9

SCAN FOR
MORE INFO



FMX10


Blizzard™

FREESTANDING THREE SPEED PLANETARY MIXER



The incredibly versatile planetary mixer range from Blizzard was designed to give outstanding performance every single time you use it. The mixers are perfect for heavy duty work in a commercial kitchen setting. Supplied with wire whisk, dough hook and beater. They make a fantastic addition that will help you work quicker and better.

Featuring a safety stop function, lever operated bowl lift and a bowl guard, you can be sure this range has everything you may need from a planetary mixer.

MODEL	DESCRIPTION	BOWL CAPACITY	BOWL SIZE	MAX FLOUR CAPACITY (kg)	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
FMX7	WHITE; 304 SS BOWL	7L	H200 x Ø230	0.8	H501 x W333 x D430	650W	■ ■ ■	20
FMX10	SILVER; 304 SS BOWL	10L	H227 x Ø250	2.5	H612 x W383 x D456	550W	■ ■ ■	45
FMX20	SILVER; 304 SS BOWL	20L	H300 x Ø320	5	H755 x W505 x D550	1100W	■ ■ ■	108
FMX30	SILVER; 304 SS BOWL	30L	H341 x Ø364	7	H1138 x W605 x D620	1500W	■ ■ ■	180

OPTIONAL EXTRAS	DESCRIPTION	DIMENSIONS (mm)
BZ-MX600	MIXER TABLE	H600 x W600 x D600
B3-MZ11582	MIXING BOWL FMX10	H227 x Ø250
B3-MX1010282	MIXING BOWL FMX20	H300 x Ø320
B3-MX301185	MIXING BOWL FMX30	H341 x Ø364

 SCAN FOR
MORE INFO

SIMPLE SNACK COMBINATION OVEN RANGE

The RDA range includes simple and easy to use ovens that offer four combinations of roast and steam modes. All units feature high grade 304 stainless steel exterior and interior, internal illumination and a manual humidity control flap. The rounded corners of the cooking chamber and height adjustable feet make cleaning easy and painless.


















All units come supplied with a hand shower to help quickly fill pots and rinse food waste away from the oven floor, making clean up more efficient.


MODEL	CONTAINER CAPACITY	NET CAPACITY	WATER CONSUMPTION /HR	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	WEIGHT (kg)
RDA105E	5 x GN 1/1	89L	STEAM MODE 14L / HR AT 2 BAR	+50°C ~ +270°C	H600 x W710 x D830	6000W - 1 PHASE	82
RDA110E	10 x GN 1/1	169L		+50°C ~ +270°C	H950 x W710 x D830	12200W - 3 PHASE	121
RDA115E	15 x GN 1/1	272L		+50°C ~ +270°C	H1660 x W750 x D850	18000W - 3 PHASE	192.5

OPTIONAL EXTRAS	DESCRIPTION
STAND02	Stand suitable for RDA105E & RDA110E
Z9-RATCTU18	Water treatment unit suitable for all models
TUNDISH	Suitable for all models


SCAN FOR
MORE INFO




 <p>BLIZZARD BCM1000 H 311mm W 511mm D 398mm</p>	 <p>BLIZZARD BCM1800 H 368mm W 575mm D 527mm</p>	 <p>BLIZZARD BCM2100 H 368mm W 575mm D 527mm</p>
 <p>BLIZZARD BC01 H 585mm W 595mm D 594mm</p>	 <p>BLIZZARD BPO1 H 280mm W 630mm D 510mm</p>	 <p>BLIZZARD BPO2 H 510mm W 630mm D 510mm</p>
 <p>BLIZZARD BIH1 H 117mm W 340mm D 432mm</p>	 <p>BLIZZARD BIH2 H 123mm W 390mm D 713mm</p>	 <p>BLIZZARD BSPiH H 130mm W 440mm D 540mm</p>
 <p>BLIZZARD BSG1 H 279mm W 628mm D 315mm</p>	 <p>BLIZZARD B6ST H 214mm W 414mm D 259mm</p>	 <p>BLIZZARD BCT2 H 387mm W 368mm D 418mm</p>
 <p>BLIZZARD BRSCG1 H 210mm W 310mm D 395mm</p>	 <p>BLIZZARD BRRCG1 H 210mm W 310mm D 395mm</p>	 <p>BLIZZARD BRSCG2 H 210mm W 570mm D 395mm</p>
 <p>BLIZZARD BRRCG2 H 210mm W 570mm D 395mm</p>	 <p>BLIZZARD BG1A H 237mm W 550mm D 484mm</p>	 <p>BLIZZARD BG2A H 236mm W 730mm D 523mm</p>
 <p>BLIZZARD BF6 H 285mm W 310mm D 410mm</p>	 <p>BLIZZARD BF6+6 H 285mm W 549mm D 410mm</p>	 <p>BLIZZARD BF8 H 405mm W 290mm D 470mm</p>




BLIZZARD BF8+8
H 405mm W 580mm D 470mm




BLIZZARD BIF
H 410mm W 288mm D 478mm




BLIZZARD FMX7
H 501mm W 333mm D 430mm




BLIZZARD FMX10
H 612mm W 383mm D 456mm




BLIZZARD FMX20
H 755mm W 505mm D 550mm




BLIZZARD FMX30
H 1138mm W 605mm D 620mm



BLIZZARD RDA105
H 600mm W 710mm D 830mm



BLIZZARD RDA110
H 950mm W 710mm D 830mm



BLIZZARD RDA115
H 1660mm W 750mm D 850mm



Table: 5
Covers: 6
Restaurant
James 12:41
1 T/F Soup
1 serve with mains
1 T/F Bally Pork
1 T/F Bally Pork
1 T/F Lamb Tagine
1 BEANSCHIFFRAUS
1 Kids Chick Goujons & Fries

Table: 17
Covers: 2
Restaurant
Kristina 12:42
1 STEAM PIE
1 BASS
1 T/F Creme Brulee
1 T/F Cherry tart

Table: 30
Covers: 1
Kristina 12:47
1 Kids Chick Goujons & Fries
1 Kids Dad & Fries
1 Kids Cold Ham & Cheese
1 STEAM PIE
1 T/F Lamb Tagine
1 PISHOWE

SERVICE EQUIPMENT

Catering Urns | Water boilers | Counter Top Bain Maries
Freestanding Bain Maries | Hot Cupboards

Whether it's ensuring there's enough hot water to go around or keeping your food warm ready for service we have some great options from Blizzard & Inomak. Why not consider building your own custom gantry complete with halogen heat boxes to suit your specific service needs.



STAINLESS STEEL CATERING URNS

Pre-heating water allows for instant service of hot drinks along with food requiring heating via water. Available in various sizes to allow for the perfect selection for your personal needs.

Constructed with AISI 304 stainless steel for added durability the MF catering urns come as standard with an adjustable thermostat allowing temperature control of up to +100°C, water level indicator and a concealed element for easy cleaning.


MODEL	GROSS CAPACITY	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
MF10	10L	H405 x W290 x D290	2000W		3.4
MF20	20L	H523 x W310 x D310	2500W		4.5
MF30	30L	H420 x W390 x D390	3000W		5.2
MF40	40L	H523 x W390 x D390	3000W		5.9



SCAN FOR
MORE INFO



AF10



SLIMLINE STAINLESS STEEL AUTOFILL WATER BOILER

Ensure you have instant hot water on demand 24/7 with the AF10 from Blizzard. With its ridged stainless steel construction and robust heavy duty tap the AF10 is ready for use when ever needed with its integrated 10L capacity and auto fill feature which allows for direct plumbing into your water supply via a 3/4" BSP water inlet hose.


With the adjustable digital temperature control, electronic timer for switching the unit on/off and included drip tray you'll struggle to find fault with this autofill boiler.

MODEL	GROSS CAPACITY	PRODUCTIVITY (Per Hour)	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
AF10	10L	35L	H630 x W190 x D360	2500W		9


OPTIONAL EXTRAS	DESCRIPTION
F1-IXVENDKIT	Water Filtration Kit

SCAN FOR
MORE INFO







BLIZZARD MF10
H 405mm W 290mm D 290mm




BLIZZARD MF20
H 523mm W 310mm D 310mm



BLIZZARD MF30
H 420mm W 390mm D 390mm



BLIZZARD MF40
H 523mm W 390mm D 390mm



BLIZZARD AF10
H 630mm W 190mm D 360mm

BBM1V



DEEP FILL COUNTER TOP BAIN MARIE WITH CONTAINERS

The perfect counter top bain marie that will ensure your pre-prepped food stays hot and ready to eat for prolonged periods of time while staying compact and manoeuvrable to easily store away when not in use. Coming as standard with 3 GN1/3 containers and lids the BBM1 is suitable for containers up to 150mm deep.

Built from stainless steel with an integrated drainage tap to the front as well as manual thermostat controls for easy access.

MODEL	CAPACITY	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
BBM1	3 x GN1/3	H255 x W354 x D595	1200W		13

SCAN FOR
MORE INFO



MAV610



INOMAK
Refrigerators

COUNTER TOP GASTRONORM BAIN MARIE

This wet well bain marie from Inomak is the perfect no thrills counter top unit for keeping your pre-prepared product warm for prolonged periods during service. Available with both a open top or glass canopy with halogen lamps the unit is the perfect option for a low footprint counter top bain marie.

Built from high grade AISI 304 stainless steel and accepting gastronorm containers up to 150mm deep with integrated digital controller and drainage tap.

MODEL	UNIT STYLE	CAPACITY	HALOGEN LAMPS	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
MAV67	Open	2 x GN1/1*	-	Upto +90°C	H265 x W760 x D630	2000W	⏻	19
MAV610	Open	3 x GN1/1*	-	Upto +90°C	H265 x W1080 x D630	2000W	⏻	25
MAV614	Open	4 x GN1/1*	-	Upto +90°C	H265 x W1410 x D630	2000W	⏻	35
MBV67	Glass Canopy	2 x GN1/1*	2	Upto +90°C	H710 x W760 x D630	2260W	⏻	54
MBV610	Glass Canopy	3 x GN1/1*	3	Upto +90°C	H710 x W1080 x D630	2390W	⏻	67
MBV614	Glass Canopy	4 x GN1/1*	4	Upto +90°C	H710 x W1410 x D630	2520W	⏻	81

*Gastronorm Containers Not Included

SCAN FOR
MORE INFO



MSV614



COUNTER TOP GASTRONORM BAIN MARIE WITH SNEEZE GUARD

Allowing access from both sides of the counter top unit the MEV and MSV bain maries come fitted with a glass sneeze guard to allow for easy self service while still maintaining some health and safety measures whether that be single or double.

Built from high grade AISI 304 stainless steel the wet well accepts gastronorm containers up to 150mm deep (not included) with integrated digital controller and drainage tap to the front of the unit for easy access.

MODEL	SNEEZE GUARD	CAPACITY	HALOGEN LAMPS	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
MEV67	Single	2 x GN1/1*	2	Upto +90°C	H710 x W760 x D630	2260W	⚡	37
MEV610	Single	3 x GN1/1*	3	Upto +90°C	H710 x W1080 x D630	2390W	⚡	48
MEV614	Single	4 x GN1/1*	4	Upto +90°C	H710 x W1410 x D630	2520W	⚡	56
MSV67	Double	2 x GN1/1*	2	Upto +90°C	H710 x W760 x D630	2260W	⚡	40
MSV610	Double	3 x GN1/1*	3	Upto +90°C	H710 x W1080 x D630	2390W	⚡	53
MSV614	Double	4 x GN1/1*	4	Upto +90°C	H710 x W1410 x D630	2520W	⚡	62

*Gastronorm Containers Not Included

SCAN FOR
MORE INFO







FREESTANDING GASTRONORM BAIN MARIE WITH AMBIENT/HEATED STORAGE

This freestanding unit from Inomak is extremely versatile to your individual needs allowing both open topped bain marie access and a glass canopy version with the option of either a heated or ambient storage base unit.

MODEL	UNIT TYPE	CAPACITY	BASE	HALOGEN LAMPS	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
MDV711	Open	3 x GN1/1*	Ambient	-	Upto +90°C	H860 x W1105 x D700	2000W	☐	70
MDV714	Open	4 x GN1/1*	Ambient	-	Upto +90°C	H860 x W1410 x D700	2000W	☐	90
MDV718	Open	5 x GN1/1*	Ambient	-	Upto +90°C	H860 x W1795 x D700	2600W	☐	100
MHV711	Open	3 x GN1/1*	Heated	-	Upto +90°C	H860 x W1105 x D700	3850W	⬆	74
MHV714	Open	4 x GN1/1*	Heated	-	Upto +90°C	H860 x W1410 x D700	3850W	⬆	94
MHV718	Open	5 x GN1/1*	Heated	-	Upto +90°C	H860 x W1795 x D700	4450W	⬆	104
MFV711	Glass Canopy	3 x GN1/1*	Ambient	3	Upto +90°C	H1310 x W1105 x D700	2390W	☐	98
MFV714	Glass Canopy	4 x GN1/1*	Ambient	4	Upto +90°C	H1310 x W1410 x D700	2520W	☐	114
MFV718	Glass Canopy	5 x GN1/1*	Ambient	5	Upto +90°C	H1310 x W1795 x D700	3250W	⬆	141
MIV711	Glass Canopy	3 x GN1/1*	Heated	3	Upto +90°C	H1310 x W1105 x D700	4240W	⬆	102
MIV714	Glass Canopy	4 x GN1/1*	Heated	4	Upto +90°C	H1310 x W1410 x D700	4370W	⬆	118
MIV718	Glass Canopy	5 x GN1/1*	Heated	5	Upto +90°C	H1310 x W1795 x D700	5100W	⬆	145

*Gastronorm Containers Not Included

SCAN FOR
MORE INFO





MQV711



FREESTANDING GASTRONORM BAIN MARIE WITH SNEEZE GUARD & AMBIENT/HEATED STORAGE

Allowing access to the freestanding bain marie from both sides along with a choice of single and double sneeze guards Inomak allows ultimate versatility. Have your choice of heated or ambient base storage with sliding door access from one side of the unit.

MODEL	SNEEZE GUARD	CAPACITY	BASE	HALOGEN LAMPS	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
MVV711	Single	3 x GN1/1*	Ambient	3	Upto +90°C	H1310 x W1105 x D700	2390W	⬆️	77
MVV714	Single	4 x GN1/1*	Ambient	4	Upto +90°C	H1310 x W1410 x D700	2520W	⬆️	91
MVV718	Single	5 x GN1/1*	Ambient	5	Upto +90°C	H1310 x W1795 x D700	3250W	⬆️	112
MJV711	Single	3 x GN1/1*	Heated	3	Upto +90°C	H1310 x W1105 x D700	4240W	⬆️	81
MJV714	Single	4 x GN1/1*	Heated	4	Upto +90°C	H1310 x W1410 x D700	4370W	⬆️	95
MJV718	Single	5 x GN1/1*	Heated	5	Upto +90°C	H1310 x W1795 x D700	5100W	⬆️	116
MRV711	Double	3 x GN1/1*	Ambient	3	Upto +90°C	H1310 x W1105 x D700	2390W	⬆️	82
MRV714	Double	4 x GN1/1*	Ambient	4	Upto +90°C	H1310 x W1410 x D700	2520W	⬆️	97
MRV718	Double	5 x GN1/1*	Ambient	5	Upto +90°C	H1310 x W1795 x D700	3250W	⬆️	120
MQV711	Double	3 x GN1/1*	Heated	3	Upto +90°C	H1310 x W1105 x D700	4240W	⬆️	86
MQV714	Double	4 x GN1/1*	Heated	4	Upto +90°C	H1310 x W1410 x D700	4370W	⬆️	101
MQV718	Double	5 x GN1/1*	Heated	5	Upto +90°C	H1310 x W1795 x D700	5100W	⬆️	124

*Gastronorm Containers Not Included



SCAN FOR
MORE INFO





HCP14



INOMAK
Refrigerators

FREE STANDING STAINLESS STEEL HEATED CUPBOARDS

Pre-heating plates or keeping warm meals ready for service is key in any kitchen or service sector and the Inomak HCP heated cupboard is the perfect candidate for this.

Built with high grade AISI 304 stainless steel, double skinned insulated sliding doors to improve efficiency, adjustable legs, one fixed perforated shelf and fan assisted heating which all contribute to create a well rounded and effective heated cupboard. Use the RE, RD & XWH gantries and heated lamps in conjunction with this product.

MODEL	CAPACITY (PLATES)	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
HCP11	695	+30°C ~ +72°C	H865 x W1100 x D700	1450W	☐	80
HCP14	850	+30°C ~ +72°C	H865 x W1390 x D700	1450W	☐	94
HCP16	1000	+30°C ~ +72°C	H865 x W1600 x D700	1850W	☐	112
HCP19	1200	+30°C ~ +72°C	H865 x W1890 x D700	1850W	☐	131

OPTIONAL EXTRAS	DESCRIPTION
T6-CASTORKIT6	Castors supplied and fitted

SCAN FOR
MORE INFO



RD314

XWH14



STAINLESS STEEL GANTRIES AND HALOGEN HEATED BOXES

The RE, RD and XWH are the perfect addition to any heated cupboard/counter set up with options available for any size configuration you can think of.

Built with high grade AISI 304 stainless steel the gantries can be single or double stacked along with additions of heated boxes that provide both heat and light to the unit below. Items can be ordered separately or fitted before dispatch by our service engineers for an additional cost on application.


MODEL	UNIT TYPE	DIMENSIONS (mm)	WEIGHT (kg)
RE311	Single Gantry	H465 x W1090 x D333	6.5
RE314	Single Gantry	H465 x W1390 x D333	8
RE316	Single Gantry	H465 x W1590 x D333	9
RE318	Single Gantry	H465 x W1790 x D333	10
RE319	Single Gantry	H465 x W1890 x D333	10.5
RD311	Double Gantry	H765 x W1090 x D333	12
RD314	Double Gantry	H765 x W1390 x D333	15

MODEL	UNIT TYPE	DIMENSIONS (mm)	WEIGHT (kg)
RD316	Double Gantry	H765 x W1590 x D333	16
RD318	Double Gantry	H765 x W1790 x D333	19
RD319	Double Gantry	H765 x W1890 x D333	19.5
XWH11	3 Lamp Heated Box	H60 x W950 x D122	4
XWH14	4 Lamp Heated Box	H60 x W1252 x D122	5
XWH16	5 Lamp Heated Box	H60 x W1452 x D122	6
XWH19	6 Lamp Heated Box	H60 x W1752 x D122	7

SCAN FOR
MORE INFO



 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>
<p>INOMAK HCP11 H 865mm W 1100mm D 700mm</p>	<p>INOMAK HCP14 H 865mm W 1390mm D 700mm</p>	<p>INOMAK HCP16 H 865mm W 1600mm D 700mm</p>
 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>
<p>INOMAK HCP19 H 865mm W 1890mm D 700mm</p>	<p>INOMAK RE311 H 465mm W 1090mm D 333mm</p>	<p>INOMAK RE314 H 465mm W 1390mm D 333mm</p>
 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>
<p>INOMAK RE316 H 465mm W 1590mm D 333mm</p>	<p>INOMAK RE318 H 465mm W 1790mm D 333mm</p>	<p>INOMAK RE319 H 465mm W 1890mm D 333mm</p>
 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>
<p>INOMAK RD311 H 465mm W 1090mm D 333mm</p>	<p>INOMAK RD314 H 465mm W 1390mm D 333mm</p>	<p>INOMAK RD316 H 465mm W 1590mm D 333mm</p>
 <p>FRONT SIDE</p>	 <p>FRONT SIDE</p>	
<p>INOMAK RD318 H 465mm W 1790mm D 333mm</p>	<p>INOMAK RD319 H 465mm W 1890mm D 333mm</p>	



WAREWASHING

Storm Range | Aqua Range | Dupla | Hood Range

One of your most used pieces of kit needs the most attention and our range of warewashing equipment are built to last with consideration for every eventuality whether a small compact space or large open washing station you're sure to find the equipment perfect for your needs.

STORM35



STORM THERMO-STOP GLASSWASHER

The king of simplicity brought to you by Blizzards very own Storm range couldn't be any better value for money if it tried. With outstanding features such as a double skinned door for quieter running, automatic detergent and rinse aid dosing and of course the 2 glass baskets supplied as standard you would be hard done by to find a better glasswashing solution on the market.

MODEL	PIECES / CYCLE	GLASS MAX HEIGHT (mm)	WATER USAGE	BASKET SIZE (mm)	DIMENSIONS (mm)	KWH/ANNUM	POWER	WEIGHT (kg)
STORM35	13 PINT GLASSES	220	2L	350 x 350	H650 x W430 x D475	2.7W	⚡	37
STORM35DP	13 PINT GLASSES	220	2L	350 x 350	H650 x W430 x D475	2.7W	⚡	40
STORM40	16 PINT GLASSES	270	2.5L	400 x 400	H720 x W470 x D520	2.7W	⚡	44
STORM40DP	16 PINT GLASSES	270	2.5L	400 x 400	H720 x W470 x D520	2.7W	⚡	47
STORM50	25 PINT GLASSES	320	2.7L	500 x 500	H820 x W600 x D600	2.6W	⚡	67
STORM50DP	25 PINT GLASSES	320	2.7L	500 x 500	H820 x W600 x D600	2.6W	⚡	70

OPTIONAL EXTRAS	DESCRIPTION
BZ-STORM40STAND-FEET	Storm40 stand with 2 x basket rack
BZ-STORM50STAND-FEET	Storm50 stand with 2 x basket rack
G2-STU	Universal Stand
B8-12025011	500mm x 500mm glass basket
B8-12025069	400mm x 400mm glass basket
B8-12024550	350mm x 350mm glass basket



SCAN FOR
MORE INFO



STORM50BT


Blizzard™

STORM THERMO-STOP DISHWASHER WITH BREAK TANK

A lot like its glass washing sibling the WRAS approved STORM-BT range offers unrivalled value for money with some outstanding features to suit. Fitted as standard with an integrated break tank, detachable spray arms, surface filters and more.

Although coming as standard with a gravity drain you can further the ease of use of the unit via the optional integral drain pump variant offering more flexible options when it comes to drainage and unit fitting options.

MODEL	PIECES / CYCLE	PLATE MAX DIAMETER (mm)	WATER USAGE	BASKET SIZE (mm)	DIMENSIONS (mm)	KWH/ANNUM	POWER	WEIGHT (kg)
STORM50BT	18 DISHES	320	2.7L	500 x 500	H820 x W600 x D600	6.2W	⏻	71
STORM50BTDP	18 DISHES	320	2.7L	500 x 500	H820 x W600 x D600	6.2W	⏻	74

OPTIONAL EXTRAS	DESCRIPTION
G2-STU	Universal Stand
B8-12025011	500mm x 500mm glass basket
B8-12024990	500mm x 500mm plate basket
BZ-STORM50STAND-FEET	Storm50 stand with 2 x basket rack
P1-3510	Water inlet hose (1.5 metre)

 SCAN FOR
MORE INFO




STORM100BTDH



STORM PASSTHROUGH DISHWASHER WITH AUTOSTART HOOD

If you're looking for a little more pot washing capacity then look no further than the STORM100BTDH. Built from high grade 304 stainless steel and powered by two high powered wash pumps the unit is perfect for any busy kitchen environment.

Fitted as standard with a detergent pump, rinse aid pump, rinse booster pump, break tank and drain pump Blizzard has ensured all of their dishwasher technology is packed into this perfect all round unit.

MODEL	BASKETS / HR	LOADING HEIGHT (mm)	WATER USAGE	BASKET SIZE (mm)	KWH/ANNUM	WEIGHT (kg)	DIMENSIONS (mm)
STORM100BTDH	65	400	3L	500 x 500	13.2W	124	H1440 x W675 x D675
BZ-SIDE650	DISHWASHER TABLE - LEFT / RIGHT OR FRONT FITTING - 304 GRADE STAINLESS STEEL						H830 x W650 x D633
BZ-SIDE1250	DISHWASHER TABLE - LEFT / RIGHT OR FRONT FITTING - 304 GRADE STAINLESS STEEL						H830 x W1250 x D633
BZ-TROLLEY	TROLLEY FOR DISHWASHER BASKETS - 304 GRADE STAINLESS STEEL						H750 x W560 x D560

SCAN FOR
MORE INFO



AQUA35



AQUA STAINLESS STEEL GLASSWASHER

If you're looking for a premium WRAS approved product then the AQUA range from kromo is the perfect solution for you. With glass washing capability of up to 25 pint glasses dependent on model this all round solid unit built from 304 stainless steel ticks all the glass washing boxes.

With 2 minute cycles the AQUA range features automatic detergent and rinse aid dosing and a double skinned door for improved efficiency and sound cancelation.

MODEL	PIECES / CYCLE	GLASS MAX HEIGHT (mm)	PIECES / HR	BASKET SIZE (mm)	DIMENSIONS (mm)	KWH/ ANNUM	POWER	WEIGHT (kg)
AQUA35	13 PINT GLASSES	195	480	350 x 350	H595 x W400 x D495	2590W	⬆	35
AQUA37	16 PINT GLASSES	275	480	370 x 370	H665 x W420 x D490	2590W	⬆	38
AQUA37DP	16 PINT GLASSES	275	480	370 x 370	H665 x W420 x D490	2590W	⬆	38
AQUA40	17 PINT GLASSES	300	576	400 x 400	H710 x W450 x D535	2800W	⬆	42
AQUA40DP	17 PINT GLASSES	300	576	400 x 400	H710 x W450 x D535	2800W	⬆	43
AQUA50	25 PINT GLASSES	320	1080	500 x 500	H850 x W590 x D600	2830W	⬆	66
AQUA50DP	25 PINT GLASSES	320	1080	500 x 500	H850 x W590 x D600	2830W	⬆	66

OPTIONAL EXTRAS

DESCRIPTION

F1-DEP12

Water Softener - 12 litres

G2-STU

Universal stand

SCAN FOR
MORE INFO



AQUA50



AQUA STAINLESS STEEL DISHWASHER

Following the example of its glasswashing sibling the AQUA-BT range is the perfect solution for any kitchen looking to add a touch of class to their potwash solution.


Built from high grade 304 stainless steel this WRAS approved dishwasher features a rinse booster and break tank and is a well rounded and easy to use unit. Both models come as standard with 1 glass basket, 1 dish basket and 1 cutlery holder.

MODEL	PIECES / BASKETS	PIECES / HR	BASKET SIZE (mm)	DIMENSIONS (mm)	KWH/ ANNUM	POWER	WEIGHT (kg)
AQUA50BT	18 DISHES	540	500 x 500	H850 x W590 x D600	2830W	■ ■	68
AQUA50BTDP	18 DISHES	540	500 x 500	H850 x W590 x D600	2830W	■ ■	68

OPTIONAL EXTRAS	DESCRIPTION
F1-DEP12	Water Softener - 12 litres
P1-3510	Water inlet hose

SCAN FOR
MORE INFO





DUPLA AUTO-DOSING DISHWASHERS

Take another step towards dishwashing perfection with the WRAS approved Dupla range from Kromo. Built from high quality 304 stainless steel the DUPLA range is available in both 30amp and 3 phase power options and includes top features such as a double skin for quieter and more efficient running, double filter to protect the wash pump and option to add a drain pump integral to the unit.

All Dupla units come as standard with glass, dish and cutlery baskets.

MODEL	PIECES / BASKET	PIECES / HR	BASKET SIZE (mm)	DIMENSIONS (mm)	KWH/ ANNUM	POWER	WEIGHT (kg)
DUPLA50BT24AMP	18 DISHES	540	500 x 500	H845 x W595 x D610	5150W		73
DUPLA50BT3PH	18 DISHES	540	500 x 500	H845 x W595 x D610	5150W	3Phase	73
DUPLA50BT-DP24AMP	18 DISHES	540	500 x 500	H845 x W595 x D610	5150W		73
DUPLA50BT-DP3PH	18 DISHES	540	500 x 500	H845 x W595 x D610	5150W	3Phase	73

OPTIONAL EXTRAS

DESCRIPTION

F1-DEP12

Water Softener - 12 litres

SCAN FOR
MORE INFO



HOOD110BT1PH



HOOD STAINLESS STEEL DISHWASHERS

When capacity matters most the WRAS approved HOOD series from Kromo is the perfect unit for you. Capable of powering through up to 1080 pieces per hour thanks to its 1-2 minute cleaning cycle it truly is an essential unit in any commercial kitchen.

Units are equipped with stainless steel wash and rinse arms, stainless steel surface filter, integral break tank and rinse booster as standard.

MODEL	PIECES / BASKETS	PIECES / HR	WATER USAGE	BASKET SIZE (mm)	DIMENSIONS (mm)	KWH/ ANNUM	POWER	WEIGHT (kg)
HOOD110BT1PH	18 DISHES	1080	2.8L	500 x 500	H1445 x W720 x D735	7120W	1Phase	120
HOOD110BT3PH	18 DISHES	1080	2.8L	500 x 500	H1445 x W720 x D735	10120W	3Phase	120

SCAN FOR
MORE INFO







PHARMACEUTICAL

Pharmacy Refrigerators | Low Temperature Chest Freezers

Now more than ever it is key that we support our medical industry in any way we can and that is why here at Pentland Wholesale we're proud to supply medical standard refrigerators & chest freezers to meet your every need.



MED140



PHARMACY STACKABLE REFRIGERATION

Part of the hugely popular UC-140 range the MED-140 was a direct result to Blizzards understanding of the need to help the Pharmaceutical industry deal with the demand during the COVID-19 pandemic.

Offering a easy to clean white laminated exterior and injected ABS interior for easy cleaning and maintenance. The external medical grade thermometer allows you to easily track internal temperatures through-out the day on the included temp sheets.

MODEL	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
MED140	2	145L	R600a	+2°C ~ +8°C	H819 x W598 x D648	135W		38

OPTIONAL EXTRAS	DESCRIPTION
M4-UCRSTACK	Stacking kit

SCAN FOR
MORE INFO



AKG337


VESTFROST
SOLUTIONS

PHARMACY REFRIGERATION WITH DATALOGGER

Ensure your most temperature sensitive medicine is properly stored thanks to the AKG glass door units from Vestfrost. The controller provides audio and visual alarms if temperature is outside limits. The datalogger, with a capacity of 35000 logs, records the temperature on all five probes, which can be easily retrieved via USB connection.

Finished with a painted steel exterior and white coated PVC interior make cleaning and sanitation easy and effortless.

MODEL	SHELVES	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	KWH/24HRS	POWER	WEIGHT (kg)
AKG337	4	288L	R600a	+2°C ~ +8°C	H1550 x W595 x D638	0.6		87.8
AKG397	5	360L	R600a	+2°C ~ +8°C	H1919 x W595 x D638	1.0		100

OPTIONAL EXTRAS	DESCRIPTION
V1 - 06938167	Shelf


 SCAN FOR
MORE INFO




VT307t



VESTFROST
SOLUTIONS

LOW TEMPERATURE COMMERCIAL CHEST FREEZER










Specifically designed for storage of your severely low temperature demanding pharmaceuticals. To allow the unit to reach and retain the low temperatures of up to -60°C , the insulation is 80mm thick and CFC free. The exterior plate is painted to withstand corrosion, whereas the interior is aluminium coated.


Acoustic alarm comes as standard, as well as the user-friendly digital controller with temperature display.

MODEL	GROSS CAPACITY	REFRIGERANT	TEMPERATURE RANGE	DIMENSIONS (mm)	POWER USAGE	POWER	WEIGHT (kg)
VT146	140L	R290a	$-25^{\circ}\text{C} \sim -45^{\circ}\text{C}$	H885 x W720 x D695	300W	..	59
VT306	296L	R290a	$-25^{\circ}\text{C} \sim -45^{\circ}\text{C}$	H885 x W1260 x D695	400W	..	82
VT406	383L	R290a	$-25^{\circ}\text{C} \sim -45^{\circ}\text{C}$	H885 x W1560 x D695	400W	..	95
VT147	140L	Nature R	$-40^{\circ}\text{C} \sim -60^{\circ}\text{C}$	H885 x W720 x D695	300W	..	59
VT307	296L	Nature R	$-40^{\circ}\text{C} \sim -60^{\circ}\text{C}$	H885 x W1260 x D695	400W	..	82
VT407	383L	Nature R	$-40^{\circ}\text{C} \sim -60^{\circ}\text{C}$	H885 x W1560 x D695	400W	..	95
VT547	495L	Nature R	$-40^{\circ}\text{C} \sim -60^{\circ}\text{C}$	H890 x W1660 x D758	550W	..	122

SCAN FOR
MORE INFO







SPARES DEPARTMENT

Located at our Blackburn head office, our spares departments offers OEM spares for our own brands Blizzard & Koldbox, as well as a vast array of spares and accessories for our partner brands such as Inomak, Simag, Crystal and more!


In need of new universal spares and tools? Why not check out our very own VanstoX range that includes everything from controllers to scales and gauges.

Place your order with a member of our dedicated spares team before 3.30pm and receive your product the next day.


T: 01254614488 | E: spares@pentlandwholesale.co.uk



NOTES



NOTES



Pentland Wholesale Limited

Blizzard House

Unit 17, Walker Industrial Estate

Walker Road, Blackburn, Lancashire

BB1 2QE

T: 01254 614444

F: 01254 614477

E: sales@pentlandwholesale.co.uk

W: www.pentlandwholesale.co.uk

WORKING **EXCLUSIVELY** IN THE **UK** WITH TOP
REFRIGERATION & CATERING BRANDS



CRYSTAL



FRICON[®]
COOLING LIFE



FROST TECH
LIMITED



Infrico

SIMAG



INOMAK
Refrigerators

VESTFROST
SOLUTIONS

koldbox



KROMO
EXCELLENCE IN DISHWASHING



MAFIROL

mondial