


Refrigerated Counters

Pine Series

Pine Series consist of **Refrigerated Counters** for food preservation and are available in numerous variations, featuring an environmental-friendly operation.



PNRP99



Common Features

Energy Classification under EU directives	Evaporator protection against corrosion	2 years Warranty on mechanical and electrical parts	Height adjustable stainless-steel legs
With natural refrigerant R290 (Zero ODP/GWP=3)	Forced air circulation technology	Over extension telescopic slides on drawers	GN 1/1 Internal dimensions
1 shelf per door	Clip-On Guides for fast & easy cleaning	Automatic evaporation of condensate water	3 alternative drawer arrangements available (2×GN 1/2, 3×GN 1/3, GN 2/3 +1/3)
Hygienically designed interior	Embedded controller for easy operation and cleaning	Injected polyurethane foam insulation	Ambient temperature +43°C
Material AISI 304 18/8-10	Removable magnetic door gasket	Density 42 kg/m³, HFC Free (Zero ODP, Low GWP)	
Self-closing door at 90°		Automatic defrost	

In More Detail


Refrigerated Counters

Hot Topics...

4 Top Fitted Single/Double Shelf **NEW**



3 With Upstand or Corner Upstand



1 Sink Bowl fitting as option



Suitable for...

Small & Large Foodservice Applications

Demanding Environments

2 Wheels as an option



5 Motor can also be applied on the Left Side as an option



For more extras & accessories refer to section "Personalization" (see page 69)

What's New!

Refrigerated Counters

Drawer Slides

New Drawer Slides applied to all our products.



DRAWER SLIDES

- Smoother operation
- Noise reduction
- Over telescopic extension


Also, available with **Soft Close**, upon request on your order, offering the below extra benefits:



DRAWER SLIDES ***with soft close***

- Self-closing system
- Increased safety
- Ensuring proper Refrigerator Operation

Counters with colors



**Personalize your Counters
with the color of your choice!**




How to...

Refrigerated Counters

Drawer & Door Combinations for Counters (70cm)

■ Basic Models Coding/Symbolism for Counters (70cm):

4 Inox Doors Model
(2242×700×873)



Symbolism:

Inox Door: 9

■ How to combine Drawers & Doors to conclude on your preferred model type:

- 1) Start by selecting your preferred **BASIC Model**, depending on your preferred model size
e.g: PNRP99 or PNRP999 or PNRP9999:

E.g:

Basic Model

4 Inox Doors Model
(2242×700×873)


PNRP9999

How to...

Refrigerated Counters

2) Replace each Door (9) with the preferred COMBINATION:


E.g:



Models with both Inox & Glass Doors combination for Counters (70cm)

■ How to differentiate Inox Door from Glass Door when creating your preferred model that combines both.

E.g:



Symbolism:

- Inox Door: 9 / per Door
- Glass Door: 9G / per Door

- 2 x GN (1/2): 2
- 3 x GN (1/3): 3
- 1 x GN (1/3) & 1 x GN (2/3): 4

- FULL/Complete Glass Door model: 9 / per Door & /GL at the end




Prioritization of final descriptions (* / ...) on code creation:

- There are 3 basic acronyms that need to follow the following order, when creating your preferred model type: /SL/GL/RU
- Any other acronym you wish to add for your preferred model can be just included as per your demand after the above.

Characteristics

Refrigerated Counters



Model	PNRP99	PNRP999	PNRP9999
Doors	2	3	4
Capacity (lt)	270	421	571
Dimensions (mm)	1342 × 700 × 873	1792 × 700 × 873	2242 × 700 × 873
Gross / Net (kg)	119 / 106	148 / 133	178 / 162
Packaged Volume (m³)	0,95	1,27	1,59
Shelves (pcs) / Door	1	1	1
Operating Temperature (°C)	0 / +10	0 / +10	0 / +10
Rated Voltage (V/Hz)	230 / 50	230 / 50	230 / 50
Electrical Power (W)	344	344	447
Energy Class	B	B	B
Climate Class	5	5	5
Refrigerant	R290 	R290 	R290 

■ Special Features

- Material AISI 304 18/8-10
- New style Condenser with low maintenance requirements
- Drawer Slides **NEW**
- Models Available with GN 1/1 internal Dimensions

■ Options

- Wheels next page
- Wifi **NEW** next page
- Choice of Colors (RAL Palette) next page
- without Refrigeration Mechanism (Ramnus Series - Remote Unit) page 111
- with Glass doors (Prunus Series) page 89
- with Compact dimensions (Clover Series) page 99
- with Refrigeration Mechanism on the left side next page
- with an Upstand next page
- without Worktop next page
- with Worktop 80 cm deep next page
- Drawer slides with soft close **NEW** next page
- Sink bowl fitting option next page
- 2nd evaporator models with dimensions 224 cm next page




Recommended for heavy duty & especially for products with many drawers.

Personalization

Refrigerated Counters


Options

Drawer Options









	Model
 2 × 1/2 GN	2
with soft close*	2 (with soft close)
 3 × 1/3 GN	3
with soft close*	3 (with soft close)
 1 × 1/3 GN & 1 × 2/3 GN	4
with soft close*	4 (with soft close)

*In case you prefer the soft close drawer, please indicate so, with a comment on your order.

Door Options

	Model
 Glass Door	9G

Extras

	Model Extension	Dimensions	New Model Code
 Wheels	.../WH	-	PNRP99/ WH PNRP999/ WH PNRP9999/ WH
 Wifi	.../WI	-	Example: PNRP99/ WI
 Color (RAL)	B: BLACK C: ALL OTHER	-	PNRP B 99 PNRP C 99 PNRP B 999 PNRP C 999 PNRP B 9999 PNRP C 9999
Without Worktop	.../I	-	PNRP99/ I PNRP999/ I PNRP9999/ I
 Motor on the Left	.../LF	-	Example: PNRP99/ LF
With Worktop 80cm deep	.../80	-	PNRP99/ 80 PNRP999/ 80 PNRP9999/ 80
 With Upstand	.../A	6cm	PNRP99/ A PNRP999/ A PNRP9999/ A
	.../A1	10cm	PNRP99/ A1 PNRP999/ A1 PNRP9999/ A1
 Corner Upstand (Left Corner:/ABL) (Right Corner:/ABR)	.../ABL	6cm	PNRP99/ ABL
	.../ABL1	10cm	PNRP99/ ABL1
	.../ABR	6cm	PNRP99/ ABR
	.../ABR1	10cm	PNRP99/ ABR1
 Sink Bowl	H	33,5×33,5	Example: PNH P 99
 2 nd evaporator	.../DE	-	Only for: PNRP9999/ DE
Remote Unit	.../RU	-	PNRP99/ RU PNRP999/ RU PNRP9999/ RU
Glass Door	.../GL	-	PNRP99/ GL PNRP999/ GL PNRP9999/ GL
Slim(Clover)	M	-	P M R99 P M R999 P M R9999

Personalization

Refrigerated Counters

■ Accessories

Shelves

Counters GN 1/1



Refrigerated Counter Shelf 1/1 GN

Refr. Counter Shelf (Stainless Steel) 1/1 GN

Model	Dimensions
SP9117	325×530
SP9117/I	325×530

Gantries



Top Fitted **Single** Shelf



Top Fitted **Double** Shelf

Model	Dimensions
RE313	1332×332×462
RE318	1782×332×462
RE322	2232×332×462
RD313	1332×332×763
RD318	1782×332×763
RD322	2232×332×763

Bridging Shelves

Counters GN 1/1

Available only for 3 & 4 door counters.



Perforated Bridging Shelf for Counters 70cm (Stainless Steel)



Bridging Shelf (Bottles) for Counters 70cm (plastic)

Model	Dimensions
PPPB1299	142×507
PPPB1300	142×507

Heating Elements



Box with **3 Halogens Lights** for Gantry



Box with **4 Halogens Lights** for Gantry



Box with **5 Halogens Lights** for Gantry



Box with **6 Halogens Lights** for Gantry

Model	Dimensions
XWH11	950×122×60
XWH14	1252×122×60
XWH16	1452×122×60
XWH19	1752×122×60

Guides

Counters GN 1/1



Pair of 1/1 G/N Guides for Counters (set of 2 pieces)



Pair of 1/1 G/N **Anti-Drop** Guides for Counters (set of 2 pieces)

Model	Dimensions
OS117	555×18×26
OS117/AD	555×18×26

Rails



Rails




Rails

Model	Dimensions
RAS134	1340×335×175
RAS179	1790×335×175


Blueprints

Refrigerated Counters


PNRP2229




PNRP3449



PNRP9999



PNRP9999/A



PNRP9999/A1

