



SNC2

| Dimensions (mm) | External | Internal |
|-----------------|----------|----------|
| Height | 650 | 364 |
| Width | 1360 | 799 |
| Depth | 700 | 580 |
| Capacity (ltr) | | |
| Gross | | 214 |
| Net | | 133 |



SNC3

| Dimensions (mm) | External | Internal |
|-----------------|----------|----------|
| Height | 650 | 364 |
| Width | 1795 | 1234 |
| Depth | 700 | 580 |
| Capacity (ltr) | | |
| Gross | | 317 |
| Net | | 200 |



SNC4

| Dimensions (mm) | External | Internal |
|-----------------|----------|----------|
| Height | 650 | 364 |
| Width | 2230 | 1669 |
| Depth | 700 | 580 |
| Capacity (ltr) | | |
| Gross | | 420 |
| Net | | 266 |



SNC2-DRW

| Dimensions (mm) | External | Internal |
|-----------------|----------|----------|
| Height | 650 | 364 |
| Width | 1360 | 799 |
| Depth | 700 | 580 |
| Capacity (ltr) | | |
| Gross | | 214 |
| Net | | |



SNC3-DRW

| Dimensions (mm) | External | Internal |
|-----------------|----------|----------|
| Height | 650 | 364 |
| Width | 1795 | 1234 |
| Depth | 700 | 580 |
| Capacity (ltr) | | |
| Gross | | 317 |
| Net | | |



SNC4-DRW

| Dimensions (mm) | External | Internal |
|-----------------|----------|----------|
| Height | 650 | 364 |
| Width | 2230 | 1669 |
| Depth | 700 | 580 |
| Capacity (ltr) | | |
| Gross | | 420 |
| Net | | |

Features

- Stainless steel exterior & interior
- Internal corners rounded for easy cleaning
- 1 x adjustable GN1/1 shelf per door
- Self closing doors with stay open facility
- Replaceable door gasket
- Drawers accept GN1/1 trays

Additional Extras


- X1-SHELF04 - Shelf for SNC,2,3,4
- X1-GASKET11 - Door gasket for SNC 2,3,4
- X1-GASKET12 - Upper drawer gasket for SNC2,3,4-DRW
- X1-GASKET13 - Lower drawer gasket for SNC2,3,4-DRW
- K8-GUIDE02 - Left shelf guide for SNC2,3,4
- K8-GUIDE03 - Right self guide for SNC2,3,4




Technical Specification

| | SNC2 | SNC3 | SNC4 | SNC2-DRW | SNC3-DRW | SNC4-DRW |
|-------------------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Temperature Range | +2°C ~ +8°C | +2°C ~ +8°C | +2°C ~ +8°C | +2°C ~ +8°C | +2°C ~ +8°C | +2°C ~ +8°C |
| Climate Class | 4 | 4 | 4 | 4 | 4 | 4 |
| Power Supply | 13amp | 13amp | 13amp | 13amp | 13amp | 13amp |
| Cooling | Ventilated | Ventilated | Ventilated | Ventilated | Ventilated | Ventilated |
| Defrost | Automatic | Automatic | Automatic | Automatic | Automatic | Automatic |
| Noise Level | 42db | 42db | 42db | 42db | 42db | 42db |
| Refrigerant | R290 | R290 | R290 | R290 | R290 | R290 |
| Energy Efficiency Class | C | C | D | C | C | D |
| Energy Consumption (kw/24hrs) | 2.626 | 2.988 | 4.078 | 2.626 | 2.988 | 4.078 |
| Power Usage (w) | 215 | 230 | 345 | 215 | 230 | 345 |
| Weight (kg) | 104 | 126 | 155 | 124 | 156 | 195 |


SNC2




SNC3




SNC4



SNC2-DRW



SNC3-DRW



SNC4-DRW

